AVIATION WEEK
A McGRAW-HILL PUBLICATION

February 4, 1957 50 cents

IAS Meeting: Reports on Missiles, Propulsion, Materials

Lockheed F-104As



America's Boeing 707 and Douglas DC-8. Scheduled to start service in 1959, these turbojet airliners, with speeds close to 600 miles per hour, will cut coast-to-coast travel time to less than five hours.

aircraft of the future call for...

KAYLOCK
TRADE MARK
ALL METAL SELF-LOCKING NUTS

Great names in aviation keep *looking* ahead for improvement in aircraft design. That's why Douglas and Boeing have specified Kaylock self-locking nuts for the new Douglas DC 8 and Boeing 707 turbojet airliners.

Kaylock engineers, anticipating future needs in the field of aviation, have developed lighter-weight, higher-strength self locking nuts to meet critical fastening needs of high-speed aircraft. The Kaylock name is a symbol of aircraft fastener leadership, based not only on past performance, but on advanced development that provides tomorrow's parts today.

Kaylock Nuts are precision products produced to full conformance with Air Force-Navy specifications AN-N-5 and AN-N-10

THE KAYNAR COMPANY • KAYLOCK DIVISION • BOX 2001, TERMINAL ANNEX • LOS ANGELES 54, CALIF. ©1956
Canadian Distributors: Aberdare Aero Limited, Montreal



SHAPES *that tell* OF THINGS TO COME

Stalwart sentinels, radar structures like these stand guard along our coastlines and far-flung frontiers.

Shaped to close-tolerance contours by Goodyear Aircraft Corporation, they perform a mission of singular importance: herald the approach of a stealthy enemy who would strike us from the air or sea.

Their reliability is assured in a large measure as a direct result of the metal working skills of Goodyear Aircraft—who builds these structures for such leaders as Bendix, General Electric, Sperry, Western Electric and others.

They embody specialized engineering, meet exacting requirements.

Some must be readily disassembled, air transportable, capable of being set up and operating in scant hours. Some must be hurricane-proof yet mobile. Others must operate effectively in extreme temperatures. Most must have beam-patterns honed to needle-point fineness.

Why not call in Goodyear Aircraft and get the full story on these and other skills that serve so many so well? Address: Goodyear Aircraft Corporation, Dept. 931AB, Akron 15, Ohio.

RADAR STRUCTURE BROCHURE sent in answer to request on your letterhead.

They're doing big things at

GOODYEAR AIRCRAFT

Plants in Akron, Ohio, and Litchfield Park, Arizona
Rewarding Careers for Engineers

AVIATION CALENDAR

Feb. 5—Minimum Charges Group, International Air Transport Assn., New York, N. Y.

Feb. 7—Annual Mid-Winter Symposium of the New York Section, Instrument Society of America, Garden City Hotel, Long Island, N. Y.

Feb. 7-8—Jet Know-How Symposium for members of National Business Aircraft Assn. sponsored by USAF (by invitation). Wright-Patterson AFB, Ohio. For details write William K. Lawton, executive secretary, NBAA, 344 Pennsylvania Bldg., Washington 4, D. C.

Feb. 12—Atlantic Commodity Rates Board, International Air Transport Assn., New York, N. Y.

Feb. 14-15—1957 Transistor and Solid State Circuits Conference, University of Pennsylvania, Philadelphia, Pa.

Feb. 14-15—National Jet Age Conference, sponsored by the Air Force Assn., Sheraton Park Hotel, Washington, D. C.

Feb. 16-19—6th Annual Trade Show & Convention, Institute of Surplus Dealers, New York Trade Show Bldg., New York.

Feb. 18—Helicopter Fares and Rates Working Group, International Air Transport Assn., New York, N. Y.

Feb. 24-26—Sixth Annual Texas Agricultural Aviation Conference & Short Course on Pest Control, including aircraft and equipment displays, Memorial Student Center, Agricultural & Mechanical College of Texas, College Station. Flyin participants may use Easterwood Field.

Feb. 25-26—Mid-Season Meeting, Canadian Aeronautical Institute, Ft. Garry Hotel, Winnipeg.

Feb. 26-28—Western Joint Computer Conference, sponsored by IRE, AIEE and ACM, Hotel Statler, Los Angeles, Calif.

Mar. 5-7—Fifth Annual Air Safety Forum, Air Line Pilots Assn., Hotel Shoreland, Chicago, Ill.

Mar. 7-9—National Conference on Aviation Education, Hotel Statler, Washington, D. C.

Mar. 11-15—1957 Atomic Exposition, including Nuclear Engineering & Science

(Continued on page 6)

AVIATION WEEK • FEBRUARY 4, 1957

Vol. 66 No. 5

Published weekly with an additional issue in December by the McGraw-Hill Publishing Company. James H. McGraw (1860-1948), Founder. Executive, Editorial, Advertising and Subscription offices: McGraw-Hill Building, 330 West 42nd Street, New York 36, N. Y. Publication Office: 99 120 North Broadway, Albany 1, N. Y. Donald C. McGraw, President; Joseph A. Hazeltine, Executive Vice President and Treasurer; John J. Cooke, Secretary; Nelson Bond, Executive Vice President; Publication Division: Ralph B. Smith, Vice President and Editorial Director; Joseph H. Allen, Vice President and Director of Advertising Sales; A. R. Venezian, Vice President and Circulation Coordinator.

Subscriptions. Address correspondence to: AVIATION WEEK—Subscription Service, 99 120 North Broadway, Albany 1, N. Y. or 330 West 42nd St., New York 36, N. Y. Allow 10 days for change of address.

Subscriptions are solicited only from persons who have a commercial or professional interest in aviation. Position and company connection must be indicated on subscription orders.

Single Copies: 50¢. Subscription rates—United States and possessions, $6 a year; $9 for two years; $12 for three years. Canada $8 a year; $15 for two years; $20 for three years, payable in Canadian currency at par. Other Western Hemisphere and the Philippines $10 a year; $18 for two years; $26 for three years. All other countries $20 a year; $38 for two years; $40 for three years. Second class mail privileges authorized at Albany 1, N. Y. Printed in U. S. A. (Copyright 1957 by McGraw-Hill Publishing Co., Inc. All Rights Reserved. Cable Address: McGraw Hill, New York. Publications combined with AVIATION WEEK are AVIATION, AVIATION NEWS, AIR TRANSPORT AERONAUTICAL ENGINEERING and AIRCRAFT JOURNAL. All rights in these names are reserved by McGraw-Hill Publishing Co.

AVIATION CALENDAR

(Continued from page 5)

Congress, 5th Atomic Energy in Industry Conference and 5th Hot Laboratories & Equipment Conference, Convention Hall, Philadelphia, Pa.

Mar. 14-15—Flight Propulsion Meeting (Classified) sponsored by IAS, Hotel Carter, Cleveland, Ohio.

Mar. 18-21—Pacific Coast Plastics Exposition, in conjunction with The Society for Plastics Industry National Conference, Shrine Exposition Hall, Los Angeles.

Mar. 18-21—National Convention, Institute of Radio Engineers, New York Coliseum and Hotel Waldorf Astoria, New York.

Mar. 18-21—First Military Automation Exposition, New York Trade Show Building, 500 Eighth Ave., New York. For details write: Richard Rimbach Associates, 845 Ridge Ave., Pittsburgh 12, Pa.

Mar. 19-21—151st National Meeting of the American Meteorological Society, University of Chicago.

Mar. 27-29—Educational Colloquium on Radiation Effects on Materials, sponsored by Office of Naval Research and Glenn L. Martin Co., Johns-Hopkins University, Baltimore, Md.

Apr. 2-5—National Aeronautic Meeting, Aeronautic Production Forum and Aircraft Engineering Display, sponsored by Society of Automotive Engineers, Hotel Commodore, New York.

Apr. 3-5—Spring Meeting, American Rocket Society, Sheraton Park Hotel, Washington, D. C.

Apr. 17-20—Eighth Annual Conclave, Arnold Air Society, including aviation equipment display, Hotel New Yorker, New York, N. Y.

May 1-3—Spring Meeting and Exhibit, Society for Experimental Stress Analysis, Hotel Statler, Boston, Mass.

May 6-8—29th Annual Meeting, Aero Medical Assn., Shirley Savoy Hotel, Denver, Colo.

May 8-11—13th Annual National Forum, American Helicopter Society, Sheraton Park Hotel, Washington, D. C.

May 24-June 2—22nd Paris Air Show, Society of French Aircraft Constructors, Le-Bourget Airport, Paris.

June 1-9—First Annual National Aviation Trade Show, Monmouth County (N. J.) Airport.

June 23-25—29th Annual Meeting, Aviation Distributors & Manufacturers Assn., The Broadmoor, Colorado Springs, Colo.

July 12-13—British Lockheed International Aerobatic Competition, the National Air Races (third round) and the King's Cup Air Race, Coventry Civil Aerodrome, Bagington, England.

Sept. 1-6—Sixth International Aeronautical Conference, Royal Aeronautical Society and Institute of the Aeronautical Sciences, Folkstone and London, England.

Sept. 2-8—1957 Flying Display, Society of British Aircraft Constructors, Farnborough, England.

Sept. 9-13—13th Annual General Meeting, International Air Transport Assn., Madrid.

Oct. 2-4—Tenth Annual Meeting & Forum, National Business Aircraft Assn., Cosmopolitan Hotel, Denver, Colo.

Nov. 18-29—Technical Conference, International Air Transport Assn., Miami, Fla.

LINEAR ACTUATOR

R-5170
350 lb. max. op. load
wt. 0.97 lb.



GENERAL ENGINEERING DATA:

1. 26 volt dc split field, series wound reversible, intermittent duty motor with magnetic brake. Available with thermal overload protector
2. Unit includes limit switches externally adjustable through entire length of stroke, positive overtravel stops, overload clutch, and anti-rotation device.
3. Maximum operating load—350 lb. Ultimate static load—1000 lb. for 12 inches maximum extended length.
4. Weight 0.97 lb. Plus 0.03 lb. x stroke in inches. Plus 0.04 lb. for thermal overload protector
5. Maximum dimensional tolerance ±.03 in. unless otherwise specified.
6. Dimensions given are minimum lengths for zero stroke. To determine minimum length for required stroke, add stroke plus stroke overtravel plus total end fitting adjustment.



LINEATOR® • ROTORAC® • TRIM TROL® • ROTORETTE® • ANGLGEAR • ROTOLOK

AIRBORNE®

AIRBORNE ACCESSORIES CORPORATION
HILLSIDE 5, NEW JERSEY
Represented in Canada by: WINNETT BOYD LIMITED • 745 Mt. Pleasant Rd., Toronto 12, Ont.



NEW AIRBORNE CATALOG
Contains full information on the Airborne line of electro-mechanical actuators, feel systems and electric motors. Write us for your free copy today

At Temco GROWTH tells the story

Growth — in engineering skills, for example, tells the Temco success story.

In 1946, Temco was equipped to handle only four basic aeronautical engineering functions. Today, more than 150 different specialized skills are represented in the many groups that make up Temco's engineering departments. Included in this list are specialists in such advanced activities as nuclear engineering, operations research, electronics guidance and thermodynamics.

Similar growth in management and production skills has equipped Temco successfully to translate its own and other designs into jet aircraft, missiles and weapons systems.

This continuous growth of engineering capabilities is creating new opportunities month by month. If you are looking for a challenging opportunity in aviation, you'll find it at Temco.

Mr. Joe Russell, Engineering Personnel
Room 10-F3, Temco Aircraft Corp., Dallas, Texas

Please send me complete details of the Temco story of unusual opportunities for creative engineers. I am especially interested in _____

NAME _____

ADDRESS _____

CITY _____ STATE _____

TEMCO
AIRCRAFT CORPORATION DALLAS

IN ENGINEERING THE BEST OPPORTUNITIES ARE IN AVIATION • IN AVIATION THE BEST OPPORTUNITIES ARE AT TEMCO





NOW! NEW KAISER ALUMINUM EXTRUSION PLANT SPEEDS SERVICE TO MIDWESTERN INDUSTRIES



Kaiser Aluminum's new, modern extrusion plant at Dolton, Illinois now makes possible even faster service to users in midwestern industrial centers.

Strategically located in the heart of America's industrial complex, the Dolton plant's expanded production facilities assure you of an abundant, convenient supply of high quality aluminum extrusions.

Production facilities include five extrusion presses—two 850-ton presses, one 1250-ton press, one 2100-ton press and a 3000-ton press now being installed. The plant can supply 18,000,000 pounds of quality extruded shapes and tubing a year.

Modern remelt, billet casting and die making facilities, plus a 100-ton stretcher, make Kaiser Aluminum's Dolton plant one of the most complete extrusion plants in the country.

THREE KAISER ALUMINUM EXTRUSION PLANTS SERVE YOU

With the new plant at Dolton, *three* Kaiser Aluminum extrusion plants are now in operation to meet your increased demands.

At Halethorpe, Maryland, Kaiser Aluminum operates two other plants; one with an annual capacity of 46,000,000 pounds, the second with an 18,000,000 pound annual capacity.

Two huge 8000-ton heavy presses in the second Halethorpe facility produce hollow shapes up to 24 inches in maximum cross-sectional dimensions, and flat sections up to 32 inches wide, 85 feet in length.

These three plants place at your disposal one of the largest, most versatile extrusion operations in the nation. Whether your requirements are military or commercial, Kaiser Aluminum is geared to deliver the highest quality extruded products in the shortest possible time.

For immediate attention to any extrusion request, contact the Kaiser Aluminum sales office listed in your classified telephone directory. Kaiser Aluminum & Chemical Sales, Inc., *General Sales Office*, Palmolive Bldg., Chicago 11, Illinois; *Executive Office*, Kaiser Bldg., Oakland 12, California.

Kaiser Aluminum

setting the pace—in growth, quality and service

See "THE KAISER ALUMINUM HOUR." Alternate Tuesdays, NBC Network. Consult your local TV listing.

WESTERN GEAR SYSTEMS FLY WITH NEW LOCKHEED MODEL 1649 LUXURY LINER!



Trim tab actuators in elevators, ailerons and outboard rudders

Inboard screw jacks, 2 in each wing section

Outboard screw jacks 2 in each wing section

T box, 4 in each wing section

Reported world's longest range airplane, Lockheed's Model 1649 luxury liner can fly 6,300 miles non-stop without tapping fuel reserves. Wingspan of 150' is longest of any transport plane. Takeoff weight 78 tons. Cruising speed 350 MPH. Total horsepower 13,600.

Western Gear's wing flap system on Lockheed's newest and largest luxury liner, Model 1649, using ball screws to actuate 335 sq. ft. of wing flap area, helps in takeoff and landing. Western Gear trim tab controls on both outboard rudders, elevators and ailerons aid in maintaining steady, true flight.

Assignment to design and construct such important control systems is evidence of Lockheed faith in Western Gear. Western Gear equipment is aboard virtually every major aircraft flying today, both commercial and military. Take advantage of 40 years of service to the aviation industry. Call on a Western Gear aircraft specialist for recommendations. Address General Offices, Western Gear, P.O. Box 182, Lynwood, California.

"The difference is reliability" • Since 1888

WESTERN GEAR Corporation

ENGINEERS AND MANUFACTURERS

PLANTS AT LYNWOOD, PASADENA, BELMONT, SAN FRANCISCO (CALIF.) SEATTLE AND HOUSTON—REPRESENTATIVES IN PRINCIPAL CITIES

We customize your business airplane to your requirements

Nowhere else in America can you find equivalent conversion facilities or experience

We can convert your airplane's interior to make it an airborne office, a combination office and lounge, a luxurious passenger carrier, a combination passenger and cargo carrier or to any other specification you desire.

We can improve its performance with larger engines, auxiliary wing tanks, instruments, the finest in radar and radio equipment and new complete systems in all categories.

Engineering, sheet metal, structural analysis, design, cabinet making, trim work, testing and other work are accomplished in our own facility. This covers more than 100,000 feet of floor space all contained under one roof.

Our customers are our best recommendation. They include the finest aircraft, industrial and commercial companies in the United States.

We invite you to inspect our facilities. Write or telephone for complete information about our services.

THE GARRETT CORPORATION

AiResearch Aviation Service Division

International Airport, Los Angeles, Calif. • Telephone: ORegon 8-6161

Conversion and Modification • Custom Interiors • Electrical and Instrument • Radio and Electronics • Engineering Service • Turn-Around Service



Geared To The "Go"

OF THE MOST PRECISE EQUIPMENT

Spur, bevel, spiral, hypoid, zerol, helical, worm gears . . . anti-backlash gears . . . differentials . . . gear trains . . . complete computers, Atlas "precisioneers" them all to the most exacting specifications of electro-mechanical equipment.

Fine gears of all types and the modern equipment to make them are just one phase of the complete facilities of Atlas. Whether your product is a specialized part for electronic equipment or a complete electro-mechanical assembly Atlas will engineer precision assemblies and components to your requirements

Atlas design, production and methods engineers, toolmakers and skilled mechanics work right along with you on a job basis. Every modern cost-cutting tool and technique is at your service . . . plus quality control, functional testing and modern electronic recording gear checking equipment.

From idea stage to production efficiency Atlas "creative engineering" can help you get your product *underway* quicker and at lower costs. Write today for booklet "Precisioneering Electro Mechanical Equipment." Atlas Precision Products Co., Philadelphia 24, Pa., (Division of Prudential Industries).

"From Drawing Board . . . to Production Line"

SERVICE ATLAS DEPENDABILITY QUALITY

ATLAS
Precision Products

The only **TEFLON® hose**

with years of flight service

...and a patented tube

TEFLON HOSE is the most reliable type of flexible line for continuous operating temperatures of −65° F to +450° F and for corrosive fluids . . . even nitric acid.

The patented compound of Teflon used in Fluoroflex®-T hose makes it unique. This compound imparts high tensile and tear strength . . . assures a leakproof seal at the coupling . . . provides thin wall tubing with proper flex life. With Fluoroflex-T hose, you're sure of high integrity, aircraft quality lines.

Resistoflex is the first and leading hose assembly manufacturer extruding its own Teflon tubing and having full control of tube quality and entire hose assembly. Over 4 years successful flight service stand back of this *original* Teflon hose. Send for details

RESISTOFLEX CORPORATION, Roseland, N.J. Western Plant: Burbank, Calif.

® DuPont trade mark • ® Resistoflex trade mark.

20th year of service to industry

Resistoflex

Tiny, Tough and Terrific!

New TDI Type 1202A Voltage Controlled Oscillator*

Actual Size of Unit (Height ..., Width ..., Depth ..., Weight 8 ounces).

*Pat Pending

This new TDI voltage-sensing subcarrier oscillator weighs in at only 8 oz —is approximately one-half the size of previous oscillators —contains only two tubes, compared to present day five-tube circuits—but these are no indication of its outstanding performance! Reliability under typical (and that means extreme) environmental conditions is nothing short of amazing

Interested? You can learn more by sending today for free technical data and detailed specifications of TDI's newest precision component for in-flight telemetering. Bulletins of other TDI remote instrumentation products sent on request

BUILT FOR ENDURANCE!

TEMPERATURE—Designed for operation from −65° C to +100° C

ALTITUDE—Center frequency stability within ±1% of design bandwidth with variation in altitude from sea level to 80,000 feet (temp. constant)

ACCELERATION—Center frequency stability within ±1.0% of design bandwidth under constant acceleration of 50g in each direction of each major axis

SHOCK—Center frequency stability within ±3% of design bandwidth after being subjected to 60g, 10 millisecond duration impact shock in each direction of major axis

VIBRATION—Center frequency stability within ±3% of design bandwidth when subjected to sweep vibration of 0.06 inches double amplitude from 10 to 55 cps and 10g from 55 to 2000 cps (three minute duration total) in each major axis. Noise output less than 3% peak to peak of DBW.

TDI's newest office is now located at 305 Washington Avenue SE, Albuquerque, New Mexico

- TELEMETERING
- MISSILE GUIDANCE
- GROUND ELECTRONICS SYSTEMS
- AIRBORNE ELECTRONICS SYSTEMS

TELE-DYNAMICS INC.

A Raymond Rosen Corporation

32ND AND WALNUT STREETS, PHILADELPHIA 4 PENNSYLVANIA

Western Regional Office 15016 Ventura Blvd Sherman Oaks, Los Angeles, California

Formerly, Raymond Rosen Engineering Products, Inc.

Bendix

SCINSEAL

WIRING ASSEMBLIES SEALED FOR ENVIRONMENTAL PROTECTION

Here is the ideal protection for wiring assemblies requiring a high degree of environmental resistance without the use of metal conduit.

Scinseal, originated and developed by the Scintilla Division of Bendix*, is a multi-purpose thermo plastic material designed to protect and seal vital wiring assemblies from every operational hazard

By the combination of plasticizers, stabilizers, pigments and fillers, Scinseal has been formulated to meet the requirements of many adverse conditions.

For example, one usage may require low-temperature flexibility, while another is concerned primarily with a high temperature condition, and still other applications may present fuel and acid problems—or perhaps a combination of all of these characteristics is the desired result.

That is why Scinseal is virtually a miracle material, for it can be "tailored" to meet a wide range of requirements, and at the same time, minimise the weight of the finished product

Scinseal can be provided in a variety of solid colors, and can be hot stamped to provide positive identification Many electrical connector adapter molds are available, as well as the T's, Y's and variable molds necessary to provide reliable assemblies of any configuration

Detailed information and data on Scinseal available on request.

*TRADEMARK

Can be tailored to meet individual needs and purposes

Scinseal is used in such specialized fields as underwater devices, ground radar equipment, missile control wiring.

SCINTILLA DIVISION OF BENDIX AVIATION CORPORATION
SIDNEY, NEW YORK

Bendix SCINTILLA DIVISION

Bendix AVIATION CORPORATION

FEBRUARY 4, 1957

AVIATION WEEK

VOL. 66 NO. 5

Editorial Offices

New York 36—330 W 42nd St, Phone LOngacre 4-3000 (Night LO 4-3035)
Washington 4, D C—National Press Bldg, Phones: NAtional 8-3414, REpublic 7-6630
Los Angeles 17—1125 West Sixth St, Phone MAdison 6-9351
Dallas 1—1712 Commerce St, Phone Riverside 7-5064

COVER First photograph to show the left side view of the F-104A clearly includes single Vulcan 20mm cannon outlet under cockpit. Clean fuselage design confirms to the area rule principle which does not necessarily demand any pinching at the waist. Powered by a General Electric J79 turbojet, the F-104A is 54 ft 9 in. long. Spiked inlets for supersonic flight were first revealed by Aviation Week (Apr 23 1956 p 35). Yaw meter hangs from nose test boom on airplane in background.

Picture Credits
27—Wide World, 64—Howard Levy

68,587 copies of this issue printed

AVIATION WEEK • FEBRUARY 4, 1957 • Vol 66, No. 5
Member ABP and ABC

A Message From the Publisher

1957 Expansion Program

During 1956 the aircraft industry again became the nation's largest single manufacturing industry and the airlines set new records in traffic and revenue.

AVIATION WEEK's growth during 1956 matched the pace of the industry it serves, establishing new peaks for editorial impact, paid circulation, readership preference in the top-level scientific-engineering management groups and in advertising volume.

Under the leadership of its editor, Robert B. Hotz, an expanded editorial staff is planning continued growth to bring AVIATION WEEK's readers the latest scientific, engineering, economic and political developments first—when they are of most value to the engineering management executives who direct the destinies of the industry. AVIATION WEEK now has the largest staff of graduate engineers and engineering writers in the aviation publishing field.

Plans for 1957

Among the new developments planned for 1957 to increase and improve editorial service rendered our readers are:

- **Establishment** of a European editorial office in Geneva, Switzerland, to provide the same high quality of coverage on foreign technical progress that now characterizes AVIATION WEEK's engineering reporting in this country. The European editorial office will be directed by David A. Anderton, assistant managing editor (technical).
- **Establishment** of a southwestern editorial office in Dallas, Texas, to provide on-the-spot coverage of the fast growing aviation complex in the southwestern states centering on the Dallas-Ft. Worth area. Craig Lewis, an experienced member of AVIATION WEEK's Washington bureau, will head the southwestern office.
- **Expanding** technical coverage in the many new areas which aviation technology is now embracing.
- **Increased** coverage of air transport technical and economic developments by a staff seasoned with actual airline experience.

Record of 1956

Editorial achievements during 1956 included the following:

- **Air Research and Development Command** special issue published in August provided the latest information on the multibillion dollar USAF research and development program.
- **Air Transport Association's** 1956 edition of Facts and Figures on the airline industry published in April.

AVIATION WEEK will also publish the 1957 edition of Facts and Figures in its April 22 issue.

- **Missile Engineering,** a quarterly compilation of material on guided missile technology reprinted from the regular editions of AVIATION WEEK, began publication in September as a special service to readers in this segment of the aviation industry.
- **Buyers Guide Edition for 1957** was published in December with more than 40,000 aviation products of 3,200 firms listed for easy reference by engineers, military procurement officials and management.
- **On-the-spot** editorial coverage of the Russian visit by General Nathan F. Twining, USAF chief of staff, first hand coverage of new Soviet aircraft unveiled at the Tushino air show, and interviews with Soviet aviation leaders in Moscow.

AVIATION WEEK will publish a special Research and Development Edition on May 27, 1957 including a special report on technical progress in Europe and Asia. During 1957 we will also produce under contract the monthly unclassified official command magazine for the USAF Air Research and Development Command.

Advertising Gains

These editorial services have brought an all time circulation high of 64,500 net paid subscribers at the end of 1956 with further expansion planned to reach 67,000 subscribers by the end of this year. Coincident with this increase our renewal rate also reached the highest percentage in our history. T. J. Lucey, an experienced McGraw-Hill circulation man, has been named to the newly-created post of circulation manager of AVIATION WEEK where he will develop improved subscriber service and faster magazine delivery methods.

During 1956 AVIATION WEEK published 4,885 pages of advertising representing a gain of 586 pages over the previous year. This is the largest gain for the year among all aviation publications. The first quarter of 1957 indicates continued growth in this department under the direction of E. P. Blanchard, advertising sales manager.

During 1956 AVIATION WEEK advanced two notches to sixth place among all business publications on the basis of advertising pages and continued to be the only aviation publication among the first 20 largest magazines in the nation, climbing from 11th to 8th in this group.

Aviation industry prospects for 1957 forecast heavy growth in research and development activity, stable production rates for both military and commercial aircraft and continued expansion for airline and business flying revenues.

—Robert W. Martin, Jr.

WHO'S WHERE

In the Front Office

William C Jordan, aircraft manufacturing executive, a director, Solar Aircraft Co, San Diego, Calif.

Fred M. Glass, of the Empire State Building Corp., a director, New York Airways Inc., New York, N. Y.

Boyd S. Oberlink, a company group vice president, a director, Allis-Chalmers Manufacturing Co., Milwaukee, Wis.

James M. Johnston, senior partner of Johnston, Lemon & Co., a director, Atlantic Research Corp., Alexandria, Va.

Alois W. Graf, Chicago attorney, a director, Waters Manufacturing, Inc., Wayland, Mass.

Harry E. Pinkerton, president, Intercontinental Electronics Corp., Mineola, N. Y.

M. W. Tuttle, vice president and general manager, Radioplane Co., subsidiary of Northrop Aircraft, Inc., Van Nuys, Calif.

George E. Hawkins, executive vice president, Air Reduction Company, Inc., New York, N. Y.

Edmund B. Buster, vice president and general manager, Cherry Rivet Division, Townsend Co., Santa Ana, Calif.

Charles S. Rockwell, vice president and general manager, Ford Instrument Co., division of Sperry Rand Corp., Long Island City, N. Y.

L. E. Dalton, vice president manufacturing, Kelsey-Hayes Co., Detroit, Mich.

Honors and Elections

Carl Brady, a partner in Economy Helicopters, Yakima, Washington, has been elected president of The Helicopter Association of America, New York, N. Y.

C. J. Reese, president of Continental Motors Corp., has been elected 1957 chairman of the Aircraft Industries Association's Utility Airplane Council. Mr. Reese succeeds Dwane L. Wallace, president of Cessna Aircraft Co.

Changes

Edward A. Beampre, contract manager and assistant to the president, Electronics Corp. of America, Cambridge, Mass.

Leo Seybold, assistant to the president, Air Transport Association of America, Washington, D. C.

J. F. McBrearty, assistant general manager, commercial aircraft projects, Lockheed Aircraft Corp., Burbank, Calif. Also, **Robert A. Bailey**, head new advance systems research organization, and **Allen Mayer**, in charge of program of military aircraft sales to friendly foreign countries.

Basil Blackwell, assistant chief engineer, Bristol Aero-Engines Limited, Bristol, England.

John H. Carter and **Stanley W. Burnes**, managers, Lockheed's Missile Systems division, two newly established weapon system organizations, Van Nuys, Calif.

Joseph J. Jerger, director of engineering, National Water Lift Co., division of The Cleveland Pneumatic Tool Co., Kalamazoo, Mich.

INDUSTRY OBSERVER

▶ Watch for USAF decision soon on the medium range interceptor competition with North American having the inside track to get the contract. Lockheed, Northrop and Convair are the other competitors. The medium range interceptor will be put into production instead of the long range interceptor category for which North American and Northrop were competing before the project was scratched by USAF due to a shortage of research and development funds.

▶ **Second Convair B-58 Hustler supersonic medium bomber is scheduled for its first flight next week at Ft. Worth.**

▶ Grumman F11F-1F powered by the General Electric J79 turbojet is being considered as an MDAP program interceptor to bolster defenses of NATO countries. This J79 powered version of the Tiger has flown more than 1,220 mph. and reached altitudes above 72,000 ft. in flights at Edwards AFB (AW Dec. 24, p. 26).

▶ **Range of Convair Terrier, ship-based anti-aircraft missile to become standard armament for Navy frigates, will be increased to 20 miles instead of its current ten mile reach.**

▶ At least four research projects in the cryogenics field are being carried out by the western branch of Fairchild Airplane and Engine Corp.'s Stratos Division. This low temperature research will include systems, controls and valves for both missiles and aircraft.

▶ **Strategic Air Command is scheduled to receive its first Boeing KC-135 jet tanker in April. Aircraft will be delivered to Castle AFB for test purposes. Two of the tankers are expected to be operational by early next year.**

▶ Army has sent out instructions for H-21 pilots make running landings and takeoffs whenever possible when operating on asphalt pavements. Helicopter's landing gear is designed so that the wheels move outward on landing, causing a high shearing stress in the upper portions of the pavement.

▶ **Royal Canadian Air Force is interested in the Vickers Vanguard as a possible replacement for its four-engine North Stars. The North Star is a Canadair-built aircraft combining the features of the DC-4 and DC-6 and is equipped with Rolls-Royce Merlin engines.**

▶ Stratos Division of Fairchild Engine and Airplane Co. has developed an arming solenoid for unpressurized service at 80,000 ft. Next step in the Stratos program will be to check the unit for operation at altitudes above 100,000 ft.

▶ **Sidewinder test firings against drones flying low over desert areas have shown that the reflected heat has produced no problems with the missile's infrared homing system. Some concern had been felt that large heat masses would "jam" the seeker.**

▶ Fate of Westinghouse J54 turbojet, privately financed by the company, hangs in the balance pending a possible high-level decision on its future. Neither USAF nor Navy has a plane scheduled to take the 6,750 lb.-thrust engine. Defense Department, concerned over narrowness of powerplant portion of U. S. aircraft industry, is considering alternate means including subcontracting to keep Westinghouse Aviation Gas Turbine Division a going concern.

▶ Canada's Department of Defense Production has prepared a letter of intent for the CL-44, a transport version of Canadair Ltd.'s CL-28 maritime reconnaissance aircraft. Though it does not mean a contract is a certainty, letter does denote formal interest in the project. Instead of Bristol Proteus engine used in Britannia, from which CL-28 is derived, Canadair is considering use of the Bristol Orion or Rolls-Royce Tyne engine, the Orion currently favored because of a power potential above its rated 5,050 eshp.

Washington Roundup

Guided Missile Probe

The House Armed Services Committee will soon begin a comprehensive review of the guided missile roles and missions assigned to the three services last November by Secretary of Defense Wilson (AW Dec. 3, p. 30). The main objective of the review, according to committee chairman Rep. Carl Vinson (D-Ga.), will be to determine whether the Wilson assignments are consistent with the roles and missions assigned to the services by legislation. Vinson said that congressmen have been circulated with memos on the Wilson assignments. The memos presumably were prepared and circulated by Army officers disgruntled over the Army's being denied operational intermediate range guided missiles.

Atomic Impact

The degree to which the atomic age is affecting the armed services is indicated by the Atomic Energy Commission's 21st semi-annual report to Congress. The report notes that five military reactors have been built, 15 are under construction and 23 more are planned. Uses will range from propulsion of aircraft (see page 29), ships and submarines to transportable power packages for remote military installations. The AEC already has spent $138 million on aircraft reactor development and $273.3 million for naval propulsion plants.

On the weapons side, AEC said tests in the Pacific last year produced important information on reducing fall-out from firings, on weapons for defensive purposes and on "new design principles which will lead to more efficient weapons that can be more effectively employed"—possibly a reference to smaller thermonuclear warheads for missiles.

Accelerated weapons work has made 11 expansion projects necessary. They include:

- **Additional** "laboratory, fabrication and experimental structures" at the University of California's Radiation Laboratory, Livermore, Calif., and ordnance engineering facilities for Sandia Corp. adjacent to the Radiation Laboratory.
- **A range for determining** "ballistic characteristics of inert weapons shapes dropped from aircraft." Construction is under way. Location is to the northwest of the Nevada test site.
- **Expansion of two ordnance plants,** construction of new laboratory facilities at Los Alamos Scientific Laboratory, and expansion of the Sandia Laboratory, the Kansas City Plant and the South Albuquerque works.

Twining Views Budget

Air Force Chief of Staff Gen. Nathan F. Twining made his first public statement on the fiscal 1958 budget last week. His verdict—he will accept the budget that will reduce the Air Force by at least 14 wings but he thinks it should be higher.

In testimony before the House Armed Services Committee, Gen. Twining referred to President Eisenhower's statement that the budget would provide "a wise and reasonable degree of protection and added "I accept this judgment, and I support the force structure I have outlined."

The proposed force structure, as detailed by Gen. Twining, would strip the Tactical Air Command of six wings—one B-45 medium bomber, two fighter-bomber and three day fighter wings. The Air Defense Command will lose two fighter interceptor wings that had been planned but not activated, and six fighter wings will be dropped from the inventory of the Strategic Air Command.

Gen. Twining hedged his acceptance of the budget and wing reductions by saying he would naturally feel more confident if the resources available to the Air Force permitted more rapid modernization of aircraft and supporting equipment and a faster rate of improvement of our base and support systems.

"However," he added, "I recognize that there is an element of risk in any military program."

He told committee members that four more heavy bomber wings will be converted to Boeing B-52 Stratofortresses during fiscal 1958, cutting the B-36 wings to three and raising the B-52 wings to eight, with 45 aircraft in each wing.

U.S. Missiles for Britain?

U.S. missile manufacturers can expect to see their designs being used for the defense of Great Britain. For the industry, this probably will be the most important result to come from last week's initial conferences between Pentagon brass and British Defense Minister Duncan Sandys.

One good bet: The Sidewinder, Navy's air-to-air guided missile will be used to give current English interceptors acceptable combat capability.

Defense Secretary Charles E. Wilson was the key American to attend the Washington conference. Also attending was USAF Secretary Donald E. Quarles, who was Assistant Secretary of Defense for Research & Development in 1954 when the original agreement was signed to promote exchange of information on guided missiles between the U.S. and Great Britain.

Sandys says he would like to see the agreement broadened, presumably to help England get needed hardware and, at the same time, cut down on expenses.

'Airspace' User Charges?

Airways and airport user charges will draw more serious attention this year, with the possibility that Presidential Aide Edward Curtis may propose the adoption of a user charge program in his recommendations to the White House late this spring for an airways and air traffic control system.

In his budget message, President Eisenhower advocated "airspace" user charges, and Curtis in a recent speech proposed both airways and airport user charges. Curtis said he thought it only fair that a "portion at least of the cost of operating" such facilities should be carried by the users. He hinted at user charge formula when he said, "These user charges should bare some relation to the type and extent of service received and to ability to pay."

Curtis added that the federal aviation fuel tax is a "step in this direction but additional revenue of this type should be given consideration." Curtis feels that the present system of federal support of the airways and local state and municipal support of airports is proper but he would like to see further study of the extent to which federal funds should be made available for aid in local airport development.

—Washington staff



LOCKHEED X-17, shown here in first pictures, is three-stage solid propellant rocket designed to simulate re-entry conditions for ICBMs and IRBMs. Missile is spin-stabilized at launching; flared tailcones of second and third stages provide stability. X-17 takes off (right) from launch pad at Air Force Missile Test Center, Cocoa, Fla. Spin rockets have already fired and missile is rotating. Vehicle was rapidly developed to meet critical need in ICBM program. NACA has done parallel work with four-stage rockets assembled from stock solid propellant units (AW Oct. 15, p. 26 and Oct. 22, p. 52). Nose in foreground is Northrop Snark.

1965 Weapons Need Adequate Funds for Research Now

New York—Weapon systems for 1965-1970 cannot be delivered unless adequate funds are provided now for research and development.

This warning was sounded by Dr. Courtland D. Perkins, Chief Scientist for USAF, at the 25th annual meeting of the Institute of the Aeronautical Sciences.

Stabilized budget ceilings now in force are not compatible with the mounting cost and complexity of weapon systems, Perkins indicated. Competent and rapid evaluation of weapons, combined with reduced system complexity, will go a long way toward solving the problem.

But improved understanding of research and development in the upper political echelons must come along with those solutions, he said.

Perkins' criticisms are the latest of a series that began when Trevor Gardner, then Assistant USAF Secretary for Research and Development, resigned in protest against fund limitations on research and development for future weapons (AW Feb. 13, 1956, p. 28). One of the reasons cited for the Gardner resignation was his criticism of the constant-level budget.

Before Gardner resigned, AVIATION WEEK said editorially in its issue of Jan. 2, 1956:

"The most dangerous of these concepts is that of the 'constant level research and development budget.'

If we fail to maintain a superior pace of scientific development with an adequately expanding research and development budget, we will not only jeopardize the billions to be spent on future aerial weapons systems, but we will also fatally undermine the future of this country as a free nation."

Guided Missile Report

Further evidence on the cost spiral was presented by Rear Adm. John E. Clark, Director of Guided Missiles in the office, Chief of Naval Operations, in a joint military report on guided missile development. Clark said:

"We have failed in the area of dollar cost. Our missile unit costs are rising even after we have placed them in mass production."

New official details on some of the test vehicles and missiles in the military programs were presented in a special report to the Institute given by Lt. General James M. Gavin, Army chief of research and development; Maj. General B. A. Schriever, commander of Western Development Division, Air Research and Development Command, and Adm. Clark.

Gavin made the first official announcement of the Martin-built, Cornell-developed Lacrosse missile (see p. 31) for close support of ground troops, confirming earlier details and drawing (AW July 11, 1955, p. 9 and Sept. 17, p. 27).

Gavin also made an informal plea for increased airlift and air reconnaissance capability for the Army in remarks before his formal presentation.

Three test vehicles for USAF missile programs were described—two of them officially for the first time—by Schriever:

- **Lockheed X-7** ramjet vehicle (AW Aug. 6, p. 455) used to flight test Marquardt ramjets for the Boeing IM-99 Bomarc interceptor missile.
- **North American X-10 Navaho** test vehicle, a turbojet-powered canard airframe for development of missile guidance and control (AW Feb. 15, 1954, p. 11).
- **Lockheed X-17** re-entry test vehicle (AW May 21, 1956, p. 23) used to simulate re-entry conditions and get data for ICBM and IRBM missile design.

Bell's Rascal air-to-surface missile was pictured publicly for the first time in films accompanying Schriever's talk.

Reliability and cost of guided missiles are the two big problem areas today, said Adm. Clark. He indicated that there is reason to be completely satisfied with the way in which missile airframes have been developed and gotten into the air, but that there should be much less satisfaction with their reliability status.

There has been complete failure to get missile costs down, Clark said, and the fault lies jointly on contractor and the contracting agency.

Clark said that often the contracting agent insisted on following outdated specifications and standards. He cited delays in the decision-making machinery and the pumping in of changes as other agency faults. He offered six suggestions as possible means of reducing cost:

- **Design with cost in mind from the start.**
- **Design with producibility in mind from the start.**
- **Eliminate the frills in the supporting equipment.**
- **Put the man back in the missile loop where possible, he's more reliable than a black box.**
- **Reduce the number of parts in missiles and equipment.**
- **Design as if the missile were going to be sold on the competitive market like household appliances.**

Other highlights of Clark's talk:

- **Navy has the Chance.** Vought Regulus I as standard armament available on 10 carriers, four cruisers and two submarines. Other submarines have the capability to guide, but not launch, the Regulus. In tests, control of the missile has been passed from sub to sub and from sub to cruiser over distances on the order of 100 miles. Regulus 2 will go on the same ships.
- **The cruiser USS Galveston** will be the first Navy ship to be armed with Talos missiles. The earlier Terriers, now on the USS Boston and Canberra, will become anti-aircraft armament for frigates in the future and the Tartar will arm destroyers against aircraft.

IAS COVERAGE

The 25th Annual Meeting of the Institute of the Aeronautical Sciences was covered by an Aviation Week editorial team consisting of David Anderton, Philip Klass, Robert Cushman, George Christian, Russell Hawkes, and Robert Stanfield.

Propulsion

A 50% increase in chemically fueled rocket performance can be expected as a maximum future improvement, John Tormes, Rocketdyne Div., North American, told the gathering. He based



BELL RASCAL GAM-63 is designed for bombardment of ground targets from drop points well out of reach of enemy fighters or missiles. Range of rocket-powered GAM-63 is better than 100 miles; speed is about Mach 1.5. This first picture of the new missile shows its canard configuration; the lower fin has not been assembled to the vehicle. Bell-built rocket engine has three cylinders in vertical line. Bell Aircraft has recently received two contracts totaling more than $22 million for research and development work on Rascal.

NORTH AMERICAN X-10 test vehicle for Navaho long-range missile, resembles earlier missile configurations. Canard layout has since given way to single delta wing with large dihedral supplying lift, stability and control.

this upon the gap between present specific impulses near 250 seconds and his calculated maximum value of 373 seconds. Tormey arrived at 373 seconds by selecting the best possible combinations of known chemical propellants, regardless of practicality.

The fuel-oxidizer combination which he found best was fluorine and hydrogen with a molecular weight of 8.9 and a combustion temperature of 5,100F. The problem is to avoid a combination in which molecular dissociation robs the rocket of propulsive energy and to achieve the lowest possible exhaust products molecular weight.

The analysis was limited to "happy" molecules which released their energy by breaking valence bonds and did not include free radical types of chemical fuels which are said to give specific impulses from 600-4,000 seconds (AW Dec. 3, p. 27).

Tormey indicated that the trend would be away from regenerative cooling because these higher energy fuels would be less stable when used to soak up nozzle heat.

Aircooled hollow turbine blades are used in the Rolls-Royce Conway bypass engine because of the 1,900F turbine inlet temperature necessary to keep specific fuel consumption or engine weight low.

A. C. Lovesey and L. G. Dawson of the British engine firm told the IAS that a bypass engine can give a specific fuel consumption of 0.83 compared to the 0.88 figure for a pure jet. Conversely, a bypass engine permitted the same fuel consumption would weigh less than 80% of the pure jet. These figures were for a bypass air ratio of one third, and include pod drag.

Two percent of the engine air is diverted through the hollow blades and turbine nozzles.

Rolls has developed a technique for forging these blades.

A further advantage of the bypass is that its fuel consumption does not increase so markedly during lower thrust demands of holding in air traffic. At 15,000 ft. and 250 kt., a bypass engine would use 8% less fuel.

In discussion the Rolls engineers stressed that the bypassing of a portion of the flow gives the designer an additional degree of freedom. By varying the nozzle on the bypass flow independently he can improve engine matching and get very good engine handling characteristics. This would be especially true if he used entirely separate nozzles for the prime and secondary flows.



FLIGHT TESTS OF X-10 have been made for about four years, first at Edwards AFB and more recently concluding the program at Patrick AFB. Powerplant of X-10 is pair of Westinghouse J40 turbojets. Landing attitude here approximates normal level flight attitude of vehicle. Speed is supersonic; flight tests check out aerodynamic, guidance, stability and control parameters.

Materials

"Materials have become truly a key to progress in aeronautics," Brig. General Marvin C. Demler told the session on materials.

The avionics engineer, aerodynamicist, powerplant designer, systems engineer, nuclear scientists—all have a common prerequisite: availability of materials to meet their unique requirements.

Dual denominators which thread through the materials requirements of each of these men are resistance to heat and radiation.

Today's planes are flirting with the thermal thicket. Tomorrow's nuclear-powered weapons systems are faced with many still unsolved problems of radiation resistance.

Temperature Properties

General Demler, Deputy Commander for Research and Development of the Air Force's Air Research and Development Command, pointed out that "aircraft materials must retain their properties at temperatures ranging from near absolute zero up to several thousands of degrees Farenheit, be immune to corrosion, withstand crushing forces, be unaffected by strong thermal and nuclear radiation, yet they must be available, workable and easily fabricated."

The potential road block to future weapon systems development was underlined by W. Kniffin, Equipment and Materials Division, ARDC, who said "the standard rate of effort in materials R&D has not been able to keep pace with the need. Results are big problems in materials application and utilization. A serious industrial impasse could result unless timely solutions can be found.

"There are those who believe that materials capability will not catch up with requirements until aeronautical progress slows down as the light speed barrier is approached."

Among the many problems hampering new material development is long development time.

Titanium took ten years to reach its current, far from fully developed, state, and that was under a forced draft program.

Studies to produce metals with much greater tensile strength and heat resistance have produced encouraging results. Fine 'whiskers' of pure iron with an approximate tensile strength of 2,000,000 psi. can be made. (Maximum tensile strengths of today's strongest steels is in the 300,000 psi. range.)

Melting points of some refractory materials have been increased by well over 1,000C by applying pressures of 200,000 atmospheres.

Dense Phase

Most minerals have the capability of existing in a more dense phase at high pressures and temperatures. Sometimes, as in the case of synthetic diamonds, the dense phase will "fix" and remain stable when pressure and temperature are reduced to normal. This approach may open the door to entirely new families of materials.

Materials which have good heat resistance are usually very hard and therefore difficult to machine. This means that plastic forming techniques, such as forging, extrusion and casting, must be further developed and refined.

Aircraft materials seem to evolve from engine to airframe. Steels used in today's airframes were standard materials in yesterday's piston engines. Similarly, present rocket materials are

Nuclear Turbojet

Washington—A turbojet engine has been "powered exclusively by heat from an experimental reactor," the Atomic Energy Commission reported last week. The experiment marked the first time that nuclear power has been applied to an aircraft propulsion unit.

The AEC said that, although 'this reactor turbojet engine combination was a laboratory model, its operation 'marked a significant advance toward the ultimate goal of achieving atomic powered flight.' The experiment was carried out on the ground at the National Reactor Testing Station, Idaho Falls, Idaho.

undoubtedly the airframe materials of the future.

Nuclear powered aircraft will require large amounts of shielding to make them inhabitable for the crew (AW Aug. 6, p. 168). When nuclear fission reaction occurs, approximately 10% of the released energy is given off as fission products, alpha particles, beta and gamma rays, neutrons and a host of other products.

Materials most resistant to radiation include the common structural metals and ceramics, phenyl silane hydraulic fluid, polyester, phenolic and epoxide-phenolic structural plastics or adhesives, and plastics known as polyvinyl carbasole-polectron and polystyrene amphenol.

Radiation quickly attacks such non-crystalline materials as most greases, lubricating and hydraulic oils, natural and synthetic rubbers, and textiles. Among the more radiation resistant of this group are: natural rubber, mineral engine oil, MIL-L-7808 Anti-Rad hydraulic fluid, JP-5 fuel, Dacron fabric and two types of nylon webbing (Type XIII OD and Type VI OD), and leather. The olive drab dye used on the nylon webbing possibly acts as a radiation damage inhibitor.

VTOL/STOL Aircraft

Two VTOL problems discussed were the need for special powerplants and easier pilot controllability.

Special engines will accelerate the advent of widespread VTOL, Peter G. Kappus, General Electric's Flight Propulsion Laboratory, Cincinnati, Ohio, told the session. Kappus felt that while VTOL designers have been quick to bring out a variety of airframe designs, there has not been enough imaginative thought directed towards trying to integrate the powerplant into the best possible VTOL. Among his solutions he proposed a jet-powered craft which would take off by deflecting its exhaust down through a tip turbine ringed around the circumference of a large horizontal ducted fan in the plane's belly. Thus the energy of the powerplant's gas producer would be used to accelerate a larger mass of 'bypass' air downwards for vertical takeoff.

This expedient would be one way of using the gas energy to provide a high speed jet for translational flight and have a large slow moving jet for low specific fuel consumption in vertical flight. It would increase the hovering efficiency by one-third to one-half. Kappus' study indicated this sort of craft might cruise at 400 kt. and have a radius of 1,789 mi. It is to be assumed that GE would recommend using the T58's gas producing section which, because this engine is a free turbine, can be lifted out of the turbo shaft and used with only minor modifications.

Kappus did not elaborate on how airframe designers could work long ductwork full of high-temperature gas through their aircraft.

The easiest sort of VTOL to fly is the one with a conventional airframe which uses rotating engine thrust for vertical ascent, according to Bell Aircraft's James A. O'Malley, Jr. O'Malley feels that stability has been the neglected quantity in VTOL analyses. Tail sitters, which do their transition from vertical to horizontal flight at constant altitude show disturbing trends towards increasingly severe aerodynamic instability in the transition region.

When fully automatic stability control is used the price is a marked decrease in overall reliability.

But a more or less conventional VTOL airplane which rotates its engine thrust to lift itself off vertically and then rotates it back to horizontal for forward flight can be flown directly by a pilot provided that control jets located as far out as possible on the wings and tail are tied in with the regular aerodynamic controls.

This becomes even truer as the size of the VTOL is increased and its natural response time is correspondingly lowered.

O'Malley suggested that the best form of supplementary control jets would be those located near the ailerons and tail controls and fed with compressor bleed air. These could be actuated with the same control linkages used for the aerodynamic control surfaces because the moment arm would be large the control jets would not have to be especially large in thrust level.

Bell's little experimental VTOL craft, described in the 1956 annual meeting embodied these principles.

Flight Safety

A. Howard Hasbrook, director of Aviation Crash Injury Research, Cornell University set forth design requirements aimed at giving occupants of passenger transports the best chance of surviving crashes (AW Nov. 5, p. 61). He recommended design consideration of the point at which the wings separate from the fuselage in a crash. When the wing center section is ripped from the fuselage it destroys the ability of nearest part of the cabin to remain intact. Separation outboard leaves the cabin whole but should not occur in a fuel storage area because of the increased danger of fire. In high wing aircraft the wing should be designed to separate before impact load exceeds the fuselage yield point. When this is done, the forward end of the fuselage need not collapse to dissipate the inertia of the wing and engines. Hasbrook emphasized that humans can survive greater decelerations than current aircraft.

Meteorology

A joint session of IAS and the American Meteorological Society heard Roy M. Endlich of Geophysics Research Directorate, Air Force Cambridge Research Center, describe a cross sectional model of the jet stream used to extrapolate the position of a jet stream core from incomplete observations. The model can be a useful aid to forecasting and further research.

Most important feature of the model is a jet stream front curving downward and to the south from the core. The front does not reach the ground and is not part of the surface front usually associated with a jet stream. The jet stream front can be used by pilots to locate the core for navigational purposes. A "step technique" (AW April 2, 1956, p. 41) is used which allows the pilot to climb to the core along the frontal surface which can be identified by a temperature gradient within the surface rising steeply (2 deg. C per 30 miles) from north to south.

Another important feature of the model is the location of two cells of turbulence, one to the north and the other to the south of the stream. The one to the north is the more intense and occurs at a lower altitude. The one to the south occurs at about the same altitude as the core of the stream. Endlich said the model is being continuously modified.

Joachim P. Kuettner, also of AFCRC, reported on his mountain wave studies. He reported evidence of a connection between mountain waves and jet streams but said that its precise nature is not yet clear.

While the most intense mountain wave turbulence exists at or below the altitude of the crest of the mountain, Kuettner said that pilots should be advised to hold at least 1.5 times the altitude of the mountain crest when crossing an area in which standing waves are predicted. He pointed out that while the initial downdraft in the lee of the mountain disappears with altitude, the updraft generated by adiabatic heating persists at altitudes up to and above the tropopause.

He said that the violent turbulence near the rotor cloud at low altitude occurs in such small areas that there is a danger that pilots will ignore forecasts believing them to be wrong. He showed movies of a Pratt-Read glider sailing in still air two minutes before it disintegrated in the turbulence of the rotor. The sailplane was stressed for 10.5 G. Kuettner estimated the gust loads it encountered at 15-20 G.

FIRST pictures of new Lacrosse guided field artillery missile which is being produced for Army by Glenn L. Martin. Prime development contractor was Cornell Aeronautical Laboratory (AW Sept. 17, 1956, p. 27). Army is training Marine Corps Lacrosse batteries.

Army's Lacrosse Used as Field Artillery

LACROSSE plunges at target bunker in steep trajectory. All weather guidance does not require observation of missile in flight. Solid propellant rocket and simple truckbed launcher ease field operation so missile can answer call for fire as quickly as 105mm. howitzer. Size of missile indicates it could carry tactical nuclear warhead. Configuration was first shown in Aviation Week artist's drawing.

Symington Report Urges Airpower Boost

By Katherine Johnsen

Washington—All segments of the Eisenhower Administration's Air Force program were termed inadequate in the face of the Soviet threat last week by the Democratic majority of a special Senate Air Force Subcommittee headed by Sen. Stuart Symington (D.-Mo.).

These findings in the subcommittee's final report were based on extensive hearings held last spring and summer. They were challenged down the line in a Republican minority rebuttal.

Democratic subcommittee members, in addition to Sen. Symington, were Senators Henry Jackson (Wash.) and Sen. Sam Ervin (N. C.).

The Republican members were Sen. Leverett Saltonstall (Mass.) and former Sen. James Duff (Pa.), who was defeated last November.

The majority made no specific recommendations but urged that the deficiencies "be corrected as promptly as possible."

The Democrats protested that U. S. military airpower has been weakened because of the government's "failure to act on national intelligence information and also because of a tendency to either ignore or underestimate Soviet military progress."

Financial considerations, the majority report objected, "have often been placed ahead of defense requirements to the serious damage of our airpower strength relative to that of Russia, and hence to our national security."

For "special attention," the report singled out "the importance of taking prompt steps to see that the American people are given more of the truth about the relative strength of the U. S. as against that of the Communists."

"Under our form of government, the American people have not only the right, but also the need, to receive all information about our national defense which would not help a possible enemy. Nevertheless the public is neither adequately nor accurately informed about our military strength as against the great and growing military strength of the Communists."

"The public," it added, "has failed to receive from official sources complete, accurate and timely information which it has the right to know."

The minority report claimed that the majority report takes an unduly pessimistic view of the state of our defense today and of our planning for the future. It said, in part:

"Our defense establishment can never be in a state of perfection because military forces in being at any one time can always be improved by new weapons and equipment which scientific progress is continually making possible."

The different approaches taken by the two reports resulted in these divergent conclusions from the same body of testimony:

▪ **Majority relied almost entirely** upon the testimony of USAF commanders, placing relatively little weight upon the testimony of the civilian secretaries.

The majority indicated its lack of confidence in the civilian management with this comment:

"With proper programming and administration in the Department of Defense, it would be possible to maintain air supremacy over the Soviets without jeopardizing a sound economy and without imposing additional tax burdens upon the people."

The minority objected that "the failure to give sufficient weight to the testimony of the civilian heads of the Department of Defense . . . runs counter to the constitutional principle of civilian control over the military forces . . ." It also relied heavily upon the testimony of the civilian chiefs—including USAF Secretary Donald Quarles—and singled out the optimistic segments of the reports of USAF commanders to support its position.

▪ **The majority compares** USAF airpower with Soviet airpower, largely dismissing offensive naval airpower. Its report says "the decline in the strategic striking power of our Air Force as against that of the Soviet cannot be overcome significantly by the use of naval airpower."

The minority report emphasized the importance of naval airpower and argued that, in any comparison on airpower, the total strength of the Free World bloc should be weighed against the total strength of the Communist complex. It accepts the testimony of Defense Secretary Charles Wilson that "the U. S. and its allies together have more modern jet aircraft and are producing more modern jet aircraft than the combined Communist bloc."

▪ **In placing blame and credit,** the majority and minority observations both have a political tinge.

The majority declares that the strong USAF striking force now in being should not be credited to the Eisenhower Administration. The striking force, its report said, "is due in large measure to weapons designed, money appropriated and contracts let many years ago."

The minority objected that the majority report "confines its analysis almost exclusively to the four years since 1953. It is obvious, however, that our capacity for defense cannot be analyzed simply in terms of the last four years . . . The forces that we had at the close of World War II, the sharp cutback in all defense spending that followed, the buildup for the war in Korea—all these were factors in the defense status inherited by the new administration in 1953."

On one major point the majority and minority are in agreement: the need for prompt action to remedy the shortages of technical manpower.

Majority findings, with the minority comments included:

The testimony is that the Russian long-range air force has an operational units more long-range jet bombers (B-52 class) with a nuclear bombing capability than has the U. S., and also that Russia is producing more bombers of that character than the U. S."

The majority noted that a request by USAF Chief of Staff Gen. Nathan Twining for six additional B-52 wings has not been approved.

Listing the principal factors which limit our strategic airpower" as lack of technical personnel, modern jet tankers and long-range jet bombers and bases, the majority said that "the testimony is that, provided adequate funds were expended these limitations could be removed and our present estimated strategic air superiority maintained over the Russian."

The minority objected that "nowhere does the majority give proper consideration to the extensive testimony received on the significance to our strategic airpower of the B-47 bomber and overseas base structure." Its report quotes Gen. Twining's conclusion that the B-47 force, coupled with a reasonable B-52 force, presents the Soviet air defense commander with a problem almost impossible to solve."

The majority report declared that "the testimony is that at the present time our air defense system is inadequate, primarily because most of our fighter planes in operation are not capable of attaining sufficient altitude to attack successfully modern Russian bombers and because our radar warning network is inadequate."

The minority, on the other hand, pointed to the testimony of Gen. Earle Partridge, commander of Air Defense Command, that the fighter altitude deficiency "stems back to a lack of research and development in the years long since past," and that "the effectiveness of our air defense is increasing by leaps and bounds by the introduction of SAGE equipment" and other steps.

Symington Report on Airpower

Following are the conclusions drafted by the Democratic Majority of the Senate Armed Services Subcommittee on the status of U. S. airpower:

(1) In any future war there will be far less time than ever before, in which to mobilize. As a result the importance of "forces in being" has steadily increased to the point where they are now indispensable.

(2) The U. S. has a strong strategic striking force at this time. This is due in large measure, however, to weapons designed, money appropriated and contracts let many years ago, and even this strength is declining relatively as against the steadily growing striking capacity of the Soviets.

(3) The defenses of the U. S. have been weakened because of the failure to act on national intelligence information, and also because of a tendency to either ignore or underestimate Soviet military progress.

(4) The Soviets exceed the U. S. in the number of modern combat aircraft in operational units. They are currently producing more combat aircraft than the U. S. They have decreased the time used between the original design and quantity production of combat aircraft as compared with the U. S.

(5) We now have an insufficient number of long range modern jet bombers and there is no program to produce (enough).

(6) The growing shortage of skilled manpower is resulting in inadequate maintenance of aircraft . . .

(7) The U. S. has the capacity to produce an adequate number of jet tankers, but has failed completely to do so. . .

(8) The decline in the strategic striking power of our Air Force as against that of the Soviet cannot be overcome significantly by the use of naval airpower.

(9) The effectiveness of our strategic striking power and also of our air defense is dependent in large measure on an adequate base structure at home and abroad. The U. S. has an insufficient airbase structure . . .

This deficiency in the continental U. S. is becoming increasingly dangerous because of the current deterioration in our overseas base structure, along with the growing long range capability of Soviet aircraft.

(10) Inadequate housing and inadequate pay scales are decreasing the effectiveness and morale of our Armed Forces.

(11) The vulnerability of the U. S. to sudden attack has increased greatly during the past decade and this vulnerability will continue to increase in the foreseeable future.

(12) The Department of Defense has failed to develop an adequate defense warning system.

(13) The direction and planning of naval strength again leaves the U. S. vulnerable to submarine attack . . . and particularly vulnerable to submarine missile attack on military and civilian targets within our heartland.

(14) The Soviets are rapidly closing the qualitative gap. Yet our qualitative lead is now being given as justification for our having passed over to the Soviets quantitative superiority.

(15) The duplicating approach characteristic of many research and development programs in the Department of Defense, along with the dollar limitations established for such programs, has retarded needed modernization of weapons systems.

These policies have retarded important scientific breakthroughs. They contrast with the Soviet policies which have produced extraordinary Soviet progress in the research and development fields.

(16) The Soviets exceed the U. S. in rate of technological development, in training facilities, in speed and quantity of prototype development and training of scientists and engineers.

(17) The Department of Defense has permitted duplication, even triplication, among the three services in the development and production of missiles and has permitted comparable waste in allocation to the three services of responsibility in missiles.

The Department of Defense also delayed in giving overriding priority to the ballistic missile program. As a result, there has been a serious loss of time as compared with Soviet progress.

(18) Confusion and therefore inefficiency in defense planning have developed from the vacillating policies of first emphasis then de-emphasis with respect to limited war as against unlimited war. It is essential that we be prepared for both.

(19) The U. S. has insufficient airlift capacity to maintain the mobility of the Army and enable it to meet overseas commitments; nor do plans include provisions for adequate airlift.

(20) Financial considerations have been placed ahead of defense requirements to the serious damage of our airpower.

(21) The U. S. has the capacity to produce and maintain airpower which is relatively stronger than that of the Soviets, but the Department of Defense has not utilized this capacity.

(22) With proper programming and administration in the Department of Defense it would be possible to maintain an supremacy over the Soviets without jeopardizing a sound economy and without imposing additional tax burdens.

(23) Under our form of government the American people have not only the right but also the need, to receive all information about our national defense which would not help a possible enemy. Nevertheless, the public is neither adequately nor accurately informed about our military strength as against the great and growing military strength of the Communists.

Saltonstall Rebuttal

Sen. Leverett Saltonstall (R.-Mass.) declined to sign the majority report on U. S. airpower. These are his conclusions:

1. The majority report takes an unduly pessimistic view of the state of our defense today and of our future planning.

2. It is not sufficiently objective, because it does not take into account all testimony pertinent to the points covered.

3. It does not give sufficient weight to the testimony of the civilian heads of the Department of Defense . . .

4. It confines its analysis almost exclusively to the four years since 1953. In my judgment the present military effort cannot properly be evaluated without considering our position at the close of World War II, the speedy demobilization after that war, and the buildup for the Korean war which determined the composition and capabilities of our defense forces in 1953.

5. Our airpower and our naval strength together with our ground forces, make us superior to the Soviet Union today.

That is the opinion of those who testified. . . .

We can never engage in a numbers race with Russia. We do not want to do so. What we do want are balanced land, sea and air forces which give a visible deterrent and such power to retaliate quickly and devastatingly that no enemy dare attack.

6. Our Defense Establishment can never be in a state of perfection because military forces in being at any one time can always be improved by new weapons and equipment which scientific progress is continually making possible.

The task then is to press forward with those programs which, in our judgment, will provide for such modernization of our forces as is essential for the security needs of our country.

Vast programs to this end are now in progress. We can be optimistic about them and take confidence from the many instances of solid accomplishment.

In my judgment there are no quick and easy solutions to those problems already identified. They require continued unrelenting efforts by the Department of Defense . . .

Wilson Stands Firm on Budget

Washington—Secretary of Defense Charles E. Wilson told members of the House Armed Services Committee last week that the cost of the defense program "will continue to creep up" indefinitely—probably between $1 and $2 billion annually despite administration efforts to hold the line on the budget.

In his first appearance before the new Congress Wilson said higher costs for missiles and other complex hardware will more than offset any savings from manpower reductions.

The Defense Secretary told the committee that "the changes in manpower because of guided missiles and other advanced equipment will be slow probably not more than 5%, plus or minus in any year."

Wilson firmly opposed any reduction or increase in Fiscal 1958 budget requests and said the administration's program would provide "a high level of military preparedness for the long haul."

Noting that the original estimates of the military services totaled $48.5 billion—as compared with the $38.5 billion ultimately provided in the Fiscal 1958 budget—Wilson told the committee:

"It should be obvious that a sudden increase of our military budget by one third to anything in the order of $48.5 billion would be unreasonable and misunderstood all over the world. If it were to be done at this time, it would require the imposition of some types of controls on the economy, and, in addition, it would represent a major move toward mobilization."

Manpower Reduction

With reference to a proposal contained in a Defense Department staff study last fall that the 1958 budget provide for an 800,000 manpower cut, Wilson said:

"On the other hand, the sudden reduction in the number of military personnel by 800,000 is not justified considering the present international situation.

"Such a reduction would require important changes in overseas deployments and, in the absence of sound disarmament agreements would have an impact abroad which the Free World could ill afford at this time."

In addition to Wilson, who was accompanied by Adm. Arthur Radford, chairman of the Joint Chiefs of Staff, the committee was briefed by Navy Secretary Charles Thomas and Adm. Arleigh Burke, chief of Naval Operations, Gen. Randolph Pate, commandant of the Marine Corps, Secretary of the Army Wilber Brucker and Gen. Maxwell Taylor, Army chief of staff.

All the witnesses firmly supported the Fiscal 1958 programs for their services although they reflected reductions in their original estimates. The Navy's original request of $11.9 billion was reduced to $10.9 billion, the Army's original request of $11.3 billion, to $9.7 billion.

P6M 'Within the Year'

Adm. Burke said the Navy expects to place prototype P6M SeaMaster attack seaplanes in operational development status "within the year." The crash of two prototypes of the P6M (AW Nov. 19, p. 34) has not affected the Navy's plans to buy six prototype and 24 production models of the four engine jet seaplane.

Brucker said that, by mid-1958, approximately 70% of the antiaircraft battalions assigned to the Continental Air Defense will be Nike missile battalions.

Thor Destroyed in Flight Test Launching

Washington—Douglas Thor, intermediate range ballistic missile, misfired on its first attempted launching at the USAF Missile Test Center, Cape Canaveral, Fla., on Jan. 19.

The prototype Thor, which is the first full scale IRBM to reach the flight test stage, burned to destruction in the air shortly after leaving the launching pad at Cape Canaveral. No personnel were injured during the misfire. Fire was believed to have been caused by failure of a minor component.

Some concern is evident over this component failure by other ballistic missile contractors since the same item also is used on the Convair Atlas and Martin Titan, intercontinental ballistic missiles. Atlas prototype is also at USAF Missile Test Center being readied for experimental flight testing.

Douglas Thor is the first ballistic missile designed for ranges over 1,000 miles to reach the flight test stage. Army's earlier 3,000 mile test flight from Cape Canaveral was with a three stage Jupiter test vehicle using a Redstone missile as the first stage, followed by a cluster of Sergeant rockets as the second stage to boost a single Sergeant on the final stage.

Neither the Army's Jupiter nor the Navy's Polaris IRBM projects have yet reached the flight test stage as completed missiles, although research type test vehicles such as the Redstone-Sergeant combination and the Lockheed X-17 have been fired to obtain development data for these as well as various other USAF ballistic missile projects.

Defense Department would make no official comment on the Thor misfire on the grounds that any statement "would reveal the status of the program." Russian test firings of ballistic missiles over 1,000 mile range have been detected for more than 18 months with a frequency of five firings a month evident during the past six months (AW Dec. 5, p. 21).

Vanguard Program Nearly on Schedule

New York—Procurement for the Vanguard earth satellite program is on schedule with one or two exceptions, Richard W. Porter, chairman of the Technical Panel on the Earth Satellite Program, told the Institute of the Aeronautical Sciences.

Porter listed these specific milestones in the Vanguard program: tooling for the first stage structure is complete, and several complete structures have been built by the Martin Company. Several first stage General Electric rocket engines have passed qualification tests but one engine failed to pass and an intensive program is underway to discover the reason.

All parts of the guidance and control system are in bench and system test at Martin. Aerojet has found solutions for the critical problems affecting second stage pressurized rocket design. It appears that both contractors for the solid propellant third stage—Grand Central Rocket and Allegany Ballistic Laboratory—will have satisfactory designs in time; both are currently conducting firing tests.

Hunter Cutback Forces Layoffs

London—Cancellation of orders for Hunter fighters is forcing Hawker Aircraft to consider closing two of its factories.

Hawker says "heavy progressive redundancy" can be expected among the 4,000 workers at its Blackpool plant due to the cutback. The first layoff will begin this week. The Blackpool plant, the biggest single aircraft production unit in Europe, may close completely.

Remaining production will be diverted to the Hawker plant at Kingston-on-Thames. Following cancellation of government orders for 100 Hunters, the company said it would close its plant at Langley, laying off 700 workers.

The prospect of 4,000 unemployed was described as a "disaster for Blackpool."

The area already has the highest unemployment rate in Northwest England.

Defense Group Drafts New Salary Plan

By Claude Witze

Washington—Department of Defense will be advised this month that its military pay practices are a "major impediment to national security."

The suggested remedies, to be sought later this year in congressional legislation, will have a profound effect upon the aircraft and avionics industries.

Over a period of years, the modernized military pay system is expected to alter radically the skilled manpower supply situation, reduce Army, Navy and Air Force requirements for operational hardware and curb the trend toward more contract technical services.

Recommendations for a revised pay system by the Defense Advisory Committee on Professional and Technical Compensation will be presented to Defense Secretary Charles E. Wilson soon. They include:

- Higher pay scales to improve the military standard of living.
- Pay incentives to reward skilled contributions to combat capability. This would abolish across-the-board pay scales which give equal reward to two people of the same seniority and service regardless of the type and amount of work they do.
- Pay incentives to encourage meritorious performance as opposed to survival for a long period of time in uniform. These incentives will encourage men to seek military jobs of increasing difficulty and responsibility.
- A broad pricing base for identification of a variety of skills. The system must provide rewards in the technological fields where highly skilled technicians are most vital to combat capability, and not encourage excess personnel in fields that already are overcrowded.
- Pay levels close to those paid outside the armed forces for same skills.

The Defense Department will draft legislation to be offered in Congress.

Headed by Ralph J. Cordiner, president of General Electric Co., the committee says bluntly that the military personnel problem at the working level is not a matter of the total number of people on hand, but it is a matter of the level of competence."

Major problem for the military, the committee says, is that it cannot "keep and challenge and develop" skilled personnel long enough for them to make a real contribution.

Military units operating aircraft and avionic equipment are fighting a running battle to keep their modern and complex weapon systems in operation.

A year ago, the first operational North American F-100 fighters were seriously handicapped by the lack of sufficient trained technicians (AW Dec. 19, 1955, p. 14).

For all modern weapon systems, USAF has been forced to use an increasing proportion of contractor technical services, in some cases turning over the entire maintenance of ground systems to private corporations.

The Cordiner Committee study on military pay recognizes these facts. It says, in effect, that the Defense Department is foolish to continue buying expensive and complex weapon systems without guaranteeing that it will get maximum utilization by providing proper personnel to maintain them.

"Excellent military machinery now on hand is not always being fully utilized or maintained," the study says, "because the men assigned have not had enough training to understand it or even how to operate and maintain it."

The solution here, of course, is not to draft more men to stand and look helplessly at the machinery.

"The solution is to give the men already in the armed forces the incentives required to make them want to stay in the services long enough and try hard enough to take on these higher responsibilities."

The Cordiner Committee study found that 44% of the nation's entire military force is engaged in technical jobs. During the Korean war the figure was 41%, already up sharply from the 34% figure at the end of World War II.

In the military, technical ratings are classified to cover personnel engaged in electronics, mechanics, repairs and "other technical." The last group includes medical and dental technicians, intelligence analysts, meteorologists, surveyors, draftsmen and photographers.

Under the present setup there are seven grades, up to E-7, master sergeant or chief petty officer. The committee will recommend that there be nine grades. The new E-8 and E-9 will include USAF line chiefs and bosses.

Promotion to these grades will not be automatic. It will be based upon a man's skill and his production to help keep the forces combat ready. Under the present system, there are too many unskilled men with long service tenures who outrank their more important and competent brothers in uniform.

To industry, this should mean that the Army, Navy and Air Force will, in the long run, make fewer demands for personnel capable of this work, leaving more manpower for industry.

On the other hand, industry will have to pay more of its own training costs as the armed forces cut down on the availability of technicians trained in military schools.

Over a long period of years, the program also should cut down the requirement for military equipment. If combat efficiency is improved and a larger percentage of existing equipment kept combat ready, despite its growing complexity, economies are expected.

Vast reduction in military training costs also is promised under the new system. With more career soldiers in highly technical jobs, the need for schools, instructors and other training appurtenances will be cut down. Estimates on the size of this saving are now being worked out and will be sent to Congress along with the Defense Department's proposed new legislation.

LeMay on Manpower

Washington—Cordiner Committee recommendations for revision of military pay scales, if adopted by the Defense Department and authorized by Congress, may result in more economies than new expense.

Gen. Curtis E. LeMay, chief of USAF's Strategic Air Command, has made these estimates:

- An increase in the reenlistment rate of skilled airmen from 35% to 65% would return 10,000 additional key personnel in the current fiscal year. Their value to SAC—$148.6 million.
- Increased retention of young officers from 25 to 50% would keep an additional 670 of them in uniform each year. Their value to SAC—$196 million.
- In Fiscal 1958, it would be possible to cut recruitment from civil life by 18,000 men. Investment in these 18,000 over a four-year period—$268 million, most of which can be saved.
- Replacement training costs can be slashed by 46%. To SAC, in Fiscal 1956, this would have amounted to $49.1 million.
- Air Training Command efforts now bleed SAC of the benefits of 29% of its personnel. Closing 10% of the ATC bases would save $110 million.
- Improved reenlistment rate would increase combat capability and reduce the number of aborts. Estimated additional B-47 combat strength from this factor alone—six and one half additional wings worth $2.5 billion.

SOUTHEAST view of passenger building and control tower at London Airport Central. On the tarmac in the foreground are two BEA Viscount airliners. BEA operates 25 Viscounts in its fleet, has more on order.

BEA Stakes Future on Turboprop Fleet

Lord Douglas says Vickers aircraft appear best for economical operation on short-haul routes.

By L. L. Doty

London—British European Airways will stake its future upon an all-turboprop fleet until it finds a jet specifically designed for its medium-range route pattern.

BEA Chairman Lord Douglas of Kirtleside admits that "we are talking with British manufacturers on the possibilities of producing a jet that will meet our needs." He adds however, that the turbojet must be "tailored" to BEA's route structure just as our successful turboprops have been.

"We have," he said, "great faith in the turboprop as the aircraft most likely to achieve lowest costs on short haul routes."

Higher Profit Margin

This equipment policy stems from the economic operational and sales successes the airline has enjoyed with its fleet of 28 Viscounts which are now producing close to 50% of total available ton-miles. The Viscount experience has prompted the company to place firm orders or take options on a total of 77 Vickers turboprops ranging from the 58-passenger Viscount 802 to the 96-passenger Vanguard 951.

Because of its short haul nature, BEA relies upon a steadily increasing high volume of traffic to sustain its slim margin of profit. As a consequence, the airline looks to the introduction of faster, larger turboprops as the chief means of maintaining a profitable operation through more seat-miles and lower costs per seat-mile.

At the present time the airline operates 28 Viscounts, 19 Airspeed Ambassadors and 38 DC-3s in addition to six de Havilland Rapides, two Herons and eight DC-3 convertible passenger freighters.

During the early part of the year, flight frequency of the relatively small fleet was intensified in order to meet growing traffic demands but on time service suffered as a result testifying to the need for more airplanes.

Paradoxically, BEA faced a dwindling traffic situation during the latter part of 1956 and had difficulty in filling the seats offered despite the equipment shortage.

The decline in business is attributed to England's stringent economic policy and the unsettled condition in the Mediterranean area, popular tourist retreat. Profits are further threatened by the depreciation of route development costs.

The airline hopes to offset such temporary reversals through stepped up advertising and promotional campaigns, the first of which was launched early this year.

It is the first time in BEA history that a large-scale advertising program has been undertaken.

Viscount Popularity

It is the selling power of the turboprops on which BEA is pinning its hopes. The airline is convinced the Viscount 701 and its successors will lure customers from competitors to provide a reliable flow of passenger traffic.

For example, BEA officials point out that the popular Elizabethans cannot compete with the drawing power of Air France's Viscounts on the Paris-London route.

They say that only the introduction of the Viscount 802s on the route next month will restore BEA's strong position in this market.

Principal factors contributing to the popularity of the Viscounts with BEA officials are its money-earning capacity and its economy of operation.

Viscount Earning Power

Here are a few highlights of BEA's experience with the Viscount 701:

- **Viscounts earned a profit for BEA** of $3,188,000 in Fiscal 1956 at a break-even load factor of 54%. During the year, the turboprop fleet carried 617,000 passengers 322.4 million passenger miles at an average load factor of 67% to gross $27 million. (BEA's Viscounts have a 47-passenger configuration. Trans-Canada Air Lines recently converted its Viscounts to 40 seats, while Capital Airlines uses the 44-passenger configuration.)
- **Engine overhaul time** on the Rolls-Royce Dart engines is now 1,050 hours. Maintenance check number four was increased last year to 1,500 hours from 1,200 hours. Although there was a 7.2% increase in flying hours during Fiscal 1956, engine overhauls were reduced by 35% and maintenance checks by 15% on all aircraft operated by the airline.
- **Utilization has reached as high as** six and three-quarter hours. During Fiscal 1956, the total utilization rate was 2,217 hours, a 29% increase over the previous year. Viscount revenue flying hours are now approximately the same as those of the Elizabethan.
- **Average cost per seat-mile** is about 4¼ cents on an average route distance of 466 miles.
- **During Fiscal 1956,** the Viscount fleet flew 10 million aircraft-miles in 46,800 hours and produced 59 million capacity ton-miles.

Traffic Estimates

The airline's long-range equipment program is based upon an estimate that forecasts a traffic volume in five years that is double the 1956 amount.

A total of 38 Viscounts in the 800 series is on order, and delivery was to have begun last summer. Delivery was delayed, however, due to a switch from the 801 to the 802, and the first of the 24 Viscount 802s was received last month. The balance is scheduled for delivery by the end of the year.

The London-Paris route will be served exclusively by the Vickers 802s. Later, it will replace the Viscount 701 on routes to Amsterdam, Geneva and

ONE OF BEA'S Viscounts shown undergoing maintenance at the BEA engineering base dock at London Airport.

AERIAL view of BEA engineering base at London Airport. Modern engineering facilities have cut the cost of operation.

BEA VISCOUNT 701 passes the company engineering base at London Airport as it comes in to land. BEA's Viscount fleet flew 10 million aircraft-miles in 46,800 hours and produced 59 million capacity ton-miles.

Frankfurt, and the Elizabethan on routes serving Brussels, Dusseldorf, Nice, Hamburg and Berlin. The move is expected to counteract some of the competition created by West Germany's growing Deutsche Lufthansa.

Later in the year, delivery of the 14 faster Viscount 806s powered by the improved Rolls-Royce Dart R. Da 7 engines will begin. Service with the Vickers Vanguard is scheduled for 1960.

The airline holds options on seven Viscount 810s and 12 Viscounts 840s. Both types are expected to be available for delivery in 1958 and 1959 if the options are taken up.

Experiments with helicopter operations by BEA have not been too successful. Failures thus far have been attributed to lack of experience and inadequate equipment from an economic standpoint.

Six helicopters make up the BEA fleet—two Bristol 171s, one Bell 47B and three Westland WS 55s. During Fiscal 1956, BEA accumulated 1,555 hours with its helicopter fleet.

Last year, test flights with the prototype Bristol 173 twin turbine-engine helicopter were conducted, and base plans were made for a program of route development flying. The airline hopes to expand this program with variations of the Bristol 173 this year and next.

Helicopter flights conducted during Fiscal 1956 carried only cargo and mail. Passenger service will not begin for at least another year. The two Bristol 171s operated 63 revenue flying hours during the year, and the three WS 55s flew 469 revenue hours.

Capacity ton-miles offered totaled 12,986. Of this, 4,524 ton-miles were sold. A total of 1,910 flights were operated with a regularity record of 81%. Miles flown totaled 31,597 at a block-to-block speed of 59 mph.

BEA admits that Sabena holds a strong lead in scheduled helicopter service in Europe (AW Jan. 28, p. 37) and feels that it must intensify its development program if it is to keep pace with Sabena and participate in the huge inter-city helicopter market visualized by mid-1960.

Whether BEA will find funds to underwrite such a prodigious program is questionable. Its short-haul route structure requires rigid control of expenditures in every phase of operation. A decline of traffic increases in calendar 1956 has forced the airline to review its costs and brought a warning from Lord Douglas that "the profit margin between revenue and expenditure is still a small percentage of our total costs and could be eliminated by any substantial rise in costs or fall-off in revenue." He added:

"We may well find that we shall not reach our revenue target for the current financial year."

During fiscal year 1956, operating costs jumped 24% over the previous year. This was accompanied by a 25% increase in total revenues and an 18% increase in passengers carried.

The airline now employs approximately 9,600 persons, a 5% increase in total personnel over the previous year. Although wages increased by 14% in Fiscal 1956, cost of wages and salaries per unit of production dropped 10%.

BEA's maintenance base is located at London Airport, and the reduced cost of operation per man hour is attributed to these modern facilities.



Latest Convair 880, Airport Details

Latest Convair artist's conception of what the 880 will look like (above) shows more sharply tapered vertical fin, extended dorsal and more nose forward of the windshield than earlier versions. Redesigned cockpit windows give better visibility downward and aft. More passenger windows apparently presage greater capacity. Model of Convair 880 at airport passenger loading gate (left) is used by company engineers to study handling techniques as they will concern airline operators and airport managers. The three-dimensional scale model airport layout includes fuel trucks, power carts, towing vehicles, baggage trains, in-flight food truck and elevator, portable jet deflection fences, passengers, flight and ground crews, a terminal building and a model of the 615 mph. Convair jet transport.



Canadair CL-28 Rolls Out

Canadair Ltd., subsidiary of General Dynamics Corp., rolled out its CL-28 maritime reconnaissance version of the Bristol Britannia transport. CL-28 uses Wright turbo-compound engines in place of turboprop engines of Britannia and includes fuselage modifications for chin radome, and for MAD anti-sub gear in tail. Because of bomb bay installation, full monocoque construction of Britannia was abandoned. First flight of CL-28 is expected in April. Second aircraft is coming off the line as static tests are carried out on first aircraft.

Burgess Aims First at TWA Management

By Glenn Garrison

New York—Improved managerial judgment in solving Trans World Airlines' problems is the primary goal of new TWA President Carter L. Burgess. Getting managers in the field to recognize their responsibilities will be his main objective for the next 60 days, according to Burgess, who went to work in his new job last Monday.

The carrier's problems recently have reflected themselves in poor financial results. In November 1956 TWA lost $2.29 million in its domestic, $1.25 million in its international operations (AW Jan. 7, p. 47).

Biggest of the problems may be inefficient utilization of the airline's planes, Burgess told AVIATION WEEK. Two other major targets for improvement are maintenance costs and a balanced level of personnel.

Personnel Cuts

As much as 10% of TWA's personnel force may be released at least temporarily to bring strength more in line with the operating picture, Burgess said.

He cited increases in personnel during 1956, a bad year for the airline, as a factor in the present unbalance of employe strength.

Earlier last month, Burgess told 68 TWA officers, department heads and regional directors at a weekend session in New York that decentralization of authority would be a cornerstone of his organizational plans for the airline. He was proceeding, the new president said, on two major assumptions that TWA had not been doing well, and that TWA "had better do something about it now."

In creating a "new look" for the airline, Burgess told the officials they should seek better dependability of service, more attentive passenger handling, more efficient scheduling, greater operational economy and more ingenuous merchandising.

Burgess is striving particularly for better judgment in the field with more decisions made by managers and less referral back to higher authority.

The aviation business has departmentalized functions, he pointed out, so a maximum number of decisions should be made within the units.

Otherwise, the TWA official said, decisions bog down in the "giraffe's neck" of communications from the field to central authority and back.

Burgess is setting up an operations and briefing room in New York to serve as a "mirror of operations" over the entire system. He or other top managerial people will be able to spot check the functioning of the system at any time of day or night in the center and take immediate action where necessary.

The new president sees a need for considerable work in getting more flexible use from TWA's aircraft. Part of the need is for better scheduling of flights in relation to seasonal traffic situations. This would involve shifting schedules to correspond with the directional flows of traffic. Along with this, improved merchandising would help fill seats on the lighter schedules.

TWA's maintenance problems have included difficulties in keeping engine pipelines filled, Burgess said. This situation recently has improved, he added.

The airline's present equipment situation is good, Burgess said. The Super Constellation has proved itself an attractive airplane to the public although he has not studied the economics of its operation. It was a little early, the new president pointed out, for him to discuss future TWA equipment such as the Boeing 707 and Convair 880 jets.

Tomorrow's Demands

But an airline as big as TWA had "better be thinking about tomorrow as well as today," Burgess commented. He referred to TWA's new department of planning and coordination, set up last August under Vice President John L. Weller, as a necessary instrument in handling long range development. It would have been desirable for the airline to have had such a department even sooner, Burgess noted.

The resignation last month of John A. Collings as executive vice president was not related to the planned organization changes in the airline, Burgess said. Collings will render important service in his continuing membership on TWA's board of directors and as senior consultant to the board and to the president.

While Collings will devote much of his consultant service to problems of jet operations, he will not hold overall responsibility for jet planning. TWA has set up no single unit for this work, as some other major airlines have.

Burgess told his officials last month that "I would rather be president of the best airline in the business than to be known as the best president in the business, but heading a second-rate airline."

Supersonic Airliner Undertaken By Major British Aircraft Firms

London—Supersonic airliner capable of crossing the North Atlantic in approximately four hours is under consideration by a consortium of Britain's major aircraft firms.

A research project on the airliner already is under way in collaboration with the national airlines and government establishments. Firms included in the project are Bristol Aeroplane Co., de Havilland Aircraft, Vickers Armstrong, Rolls-Royce, A. V. Roe, Short Brothers and Harland, and Handley Page.

Often Discussed

Ever since Britain lost its lead in the jet airliner market following the crashes of the de Havilland Comet, the industry has been talking about jumping to a supersonic airliner, conceding the current big-jet market to Douglas and Boeing.

Although this is the first official announcement of such a project on either side of the Atlantic, U. S. aircraft manufacturers also have plans for such airliners.

Hall Hibbard, Lockheed Aircraft vice president, stated well over a year ago that his firm considered a Mach 2 airliner well within the current state of the art.

Lockheed holds a U. S. Air Force design contract for an advanced tanker/transport, presumably supersonic, which was awarded at the time that the KC-135 jet tanker went to Boeing. The immense research and expenditure of money required for development of a supersonic jet liner is considered beyond the capacity of any single firm in the British aircraft industry. Therefore, it will be undertaken as a joint venture with considerable government assistance.

Bare Announcement

The official announcement from the Ministry of Supply did not disclose any details of the project.

Discussions on the cooperative project have been going on for about six months between the government and top officials of the seven firms.

Much of the experience in designing such an aircraft would come from the supersonic bomber project now under way at Avro. Sir Arnold Hall, technical director of the Hawker Siddeley group which includes Avro, said last December that Mach numbers in the region of 1.8 or 2 would avoid many of the temperature and structural problems of speed in the higher ranges. He said at the time that straight, swept or delta wings appeared equally suitable for such an aircraft.

Target date for the first flight of Britain's supersonic project probably would be about 1965.

It is considered likely that after preliminary details are settled, one firm may be asked to design and build a prototype with assistance from the others in the consortium.

Until that time, all the aircraft firms and the Royal Aircraft Establishment at Farnborough would contribute to the basic research and planning with advice from the national airlines—British Overseas Airways Corp. and British European Airways.

Presumably the British firms would also survey other airlines of the world for their requirements.

Airfield Loss Irks British Committee

London—Select Committee of Parliament has criticized the Minister of Transport and Civil Aviation for mounting losses by Britain's airfields despite increases in traffic.

In a report, the House of Commons committee estimates that during the fiscal year ending March 31, 1956, the country's airfields incurred a deficit of $5,196,000.

The figure is $530,000 above the previous fiscal year and according to the committee represents a subsidy of about $1.12 per passenger.

In the same period, passenger traffic jumped by 18% and freight by about 39%.

Pointing a finger at Harold Watkinson, the committee says the bigger loss, "makes it even more incomprehensible that the minister has not been prepared to take more energetic measures to increase revenue."

It continues:

"Indeed, indeed, it seems doubtful whether the minister has taken any measures to end this at all.

"In fact, the operation of the airfields is either so inefficient or so financially insolvent that the more traffic there is, both passengers and freight, the greater loss of accounts."

The committee earlier blistered both the Ministry of Supply and the country's manufacturers for the present system of military aircraft procurement.

The new report expresses surprise that the permanent secretary of the Transport Ministry should have informed them, 'we do not try to attract traffic. . . . The object is not to make as much money as we can on the airfields or even to make them pay."

The committee recommends a review of the question of outgoing traffic and recommends that Watkinson seek a boost in airfield fees and charges.

To continue virtually the same fees and charges as in 1948 says the 36-man group "is not fair to the taxpayer who had to meet the losses through taxation.

The continuation is in fact subsidizing air travel both by British and foreign companies to an unreasonable extent out of public funds."

It asserts that speed and comfort are important luxuries which should be paid by the air travelers themselves, not by the taxpayer at large.

Commenting on the fact that the minister "is apparently reluctant" to take adequate steps to reduce the existing losses, the committee recommends that the House of Commons Committee of Supply give urgent consideration to a vote on civil aviation.

De Havilland Shelves Jetliner

London—De Havilland DH118 jet airliner proposed for use by British Overseas Airways Corp. in 1962 will not be built.

In discussions between de Havilland and BOAC officials of the two firms have agreed that requirements for such an airliner does not exist. De Havilland was reluctant to build an airliner for which it appeared BOAC would be the only customer.

Talks between the airline and the manufacturer are continuing with a view to development of a more advanced jetliner which de Havilland would build.

This could be a long range aircraft to serve as an interim airplane between BOAC's Boeing 707s and the supersonic airliner planned for the late 1960s, or it could be a medium jet designed for the special runway and route requirements of the airlines service to the Middle and Far East.

One industry source describes the DH118 as a strictly "political" aircraft. There is little doubt that the government told BOAC flatly that de Havilland was going to build the airliner for BOAC.

It was an unhappy situation for both the airline and the manufacturer, especially since the move drew considerable fire in Parliament.

Labor Member Frank Beswick charged in the House of Commons that it was a plan to prop up de Havilland following the Comet failures.

Traffic Control Clarification Needed Before Advent of SAGE

New York—Clearer statement of Common System air traffic control requirements must be forthcoming before it will be possible to determine whether all or portions of the SAGE air defense system can be effectively applied to the traffic control problem.

Unless future traffic control is studied as an independent problem, the result may be a common system that does not adequately satisfy either traffic control or air defense needs. This warning was sounded during the recent meeting of the Institute of the Aeronautical Sciences by David R. Israel in a paper co-authored by Dr. Herbert Sherman, both of Lincoln Laboratory which has been studying the application of SAGE to traffic control.

Many Similarities

Because of the many similarities between the information and data processing required for air defense and traffic control, Israel urged increased civil use of military radar, beacon and ground-air communication facilities. Such common use is "now technically feasible, economically desirable and operationally important," Israel told the IAS.

For example, recently developed narrow-band radar transmission techniques now make it possible to remote air defense radar data into civil traffic control centers, Sherman said, using only a pair of telephone lines. The technique is called Random Access PPI or RAPPI for short, and it provides an accurate, high quality scope presentation, Sherman said. Another example is the extensive air defense ground-air voice and data link communications facilities which are designed to meet the requirements of all out combat and therefore have low utilization in peacetime.

Beacon Problems

Israel warned that the present civil air traffic control beacon faces serious problems in operating with the present military beacon system, unless the Civil Aeronautics Administration uses existing military interrogator stations instead of adding their own, as now planned.

He added "it is difficult to refrain from recommending that the military and civil groups abandon the present beacon concepts and re-think the entire problem."

A joint civil-military traffic control agency to insure operational continuity in time of war was suggested by Lt. Col. S. A. Mundell, new chief of the Air Force's Tracals (traffic control and landing systems) project. Mundell emphasized that the suggestion was a personal opinion and had not been "cleared" by the Pentagon. The agency must be closely integrated with the Air Defense Command, Mundell believes, but he admitted that he has no blueprint for how such a joint agency should be organized.

Comet III Prototype Expected to Fly Soon

London—Converted de Havilland Comet III prototype is expected to fly in about three weeks.

To convert the aircraft into a prototype for the Comet IV airliners it has been fitted with Rolls-Royce Avon RA. 29 turbojets and its wings have been clipped and fitted with detachable wingtips to convert either to the 115 ft. span of the Comet IV or the 108 ft. span of the short range Comet IVA.

The Comet III will be used for much of the development flying needed to meet airworthiness requirements of the Comet IV series.

British Overseas Airways Corp. has ordered 19 Comet IVs. Capital Airlines has four of this type and ten Comet IVAs on order.

In addition to wing redesign and fuselage strengthening, the Comet III now has artificial "feel" built into its power control system. The deicing system has been improved and the flight deck rearranged for greater crew comfort.

The aircraft also has been fitted with controls for the reverse-thrust braking system now under development and provision is made for engine silencing.

Delta Airlines Earns $3 Million in 1956

Atlanta—Delta Air Lines earned $2,915,871 after taxes from its 1956 operations, a 7.5% increase over 1955. Sale of flight equipment raised the 1956 total to $4,224,641, or $3.77 per share of Delta stock.

Operating revenues were up 16% to $72,343,884, the airline reports, while operating expenses soared 18% to $65,442,215.

Delta flew 1,188,996,000 revenue passenger miles during the year, an 18% increase.

Available seat-miles increased 23% to 1,977,086,000, for a passenger load factor of 60.14% compared with 62.91% in 1955.

Unit cost of operations was reduced from 28.59 cents per available ton-mile to 27.75 cents a ton-mile in 1956.

The airline carried 2,606,945 passengers during 1956, a 12.97% increase over 1955 totals. Express was up 19% to 3,219,800 ton-miles; air mail was up 15% to 3,573,998 ton-miles and air freight total increased 5.6% to 7,783,880 ton-miles. Delta carried 28,864,871 lb. of freight during the year.

Curtis Asks New Look At ATC Development

New York—Presidential Aide Edward P. Curtis last week called for an "authoritative form of organization to control both research and operations" of air traffic control.

Curtis, in a speech at the 25th annual meeting of the Institute of Aeronautical Sciences here, charged that today's "complicated maze of committees which endeavor to resolve conflicts" often tend to drag out major problems to a solution that is an "unsatisfactory compromise."

He said a critical problem lies in the field of research and development of a common system and added that military services "tend to work on systems designed to take care of their own peculiar requirements, and which may or may not be compatible with what the Civil Aeronautics Administration is doing."

Curtis also called upon aircraft manufacturers to make more use of boundary layer and jet flap control techniques to improve landing and take-off characteristics. He said there has been a "tendency to design and build maximum performance aircraft on the assumption that somehow airports will be built to accommodate them."

Italian Airline Increases Order for Viscount 770s

London—Linee Aeree Italiane has increased its order for Vickers Viscounts from six to ten 770s.

Delivery of the first six Viscounts is to start in April and be completed by August of this year. The next four will be delivered in March and April of next year. The Italian order brings the total number of Viscounts sold to 361.

Britannia 312 Leaves For Cold Weather Tests

London—First of the long-range Bristol Britannia 312 airliners left for a series of cold weather tests in Canada. Among the passengers was the managing director of Bristol Aircraft, Peter Masefield.

American Airlines test pilots Ken Herschel (*left*) and Dick Green (*right*) tell Fisher about the program of an impending flight test.

HERB FISHER,
international aviation authority, veteran test pilot, and author

C.A.V. at Tulsa . . .

a special report for Champion Spark Plug Company

Top American Airlines executives at Tulsa tell Fisher of Champion's highly satisfactory performance. *Left to right* E O Schroeder, Assistant Vice President, Quality Control Division, Fisher, J B Montgomery, Vice President, whose duties include supervision of the Tulsa base; W C Lawrence, Assistant Vice President, Engineering Division, and D F O'Donoghue, Assistant Vice President, Overhaul Division.

RECENTLY I was a much impressed visitor to the vast American Airlines Overhaul and Supply Depot at Tulsa, Oklahoma, where the world's largest airline fleet operating from a single maintenance base is kept in top flight order. Each of American's 200 planes comes to Tulsa at least six times every year—1,200 aircraft visits in 12 months—more than 1,500 engines completely rebuilt. In the shop, and outside on the flight line, nearly 4,000 skilled employees do the huge maintenance job needed to "keep 'em flying."

Tulsa has the dual functions of preventive maintenance and progressive overhaul. Both have the single objective of finding and correcting trouble before it starts, and before an airplane is "out of hours" and ineligible to carry passengers. American predicts, with amazing accuracy, the working life of almost every piece of equipment. This makes the job of the maintenance department clear, if not easy. The department sets up its schedule so that it anticipates mechanical trouble and takes preventive action before it occurs.

A good example of American's preventive maintenance is the autopilots flown on American's aircraft. Autopilot system components have a CAA authorized overhaul period of 5,000 hours. American pulls them at 2,500 hours—an admirable illustration of the lengths to which the airline will go to insure safety and reliability.

C.A.V. — Schedule for Airworthiness

Progressive overhaul is American's other maintenance must. Operating on a regular schedule, every aircraft in American's fleet visits Tulsa for its C.A.V.—Continuous Airworthiness Visit. About ten days are required per visit, during which time AA's inspectors and mechanics will perform an average of 5,400 different jobs on each aircraft, taking thousands of man-hours. Nothing is overlooked.

When a plane arrives in Tulsa for its C.A.V., inspectors are assigned to go over the entire airplane, checking its structure, functional systems, appearance, etc., using special test equipment. In ten days the plane leaves Tulsa "newer than new," but just a little more than 2,000 hours away from its next visit.

Using this technique, American has never had to take an airplane completely apart. These trips to Tulsa do the "out of hours" overhaul job progressively—and do it better.

Champions Proven on Engine Line

I was especially interested in the engine line, where every single piece of the big Pratt & Whitney and Curtiss-Wright turbo-compound power plants gets a meticulous inspection. I saw the typical overhaul for engines, running from dismount and disassembly through cleaning, parts inspection, rework where needed, reassembly and testing.

It was during parts inspection, which includes tests on spark plugs and other engine components, that American began telling me about the splendid record of reliability, service, and economy of Champion Spark Plugs.

W. C. Lawrence, Assistant Vice President—Engineering, said that the whole area of ignition—spark plugs, magnetos and leads—has been the No. 1 cause of mechanical delays during the last 21 years. It is for this reason, he told me, that American particularly likes Champion's dependability and economy.

"American's philosophy is to search constantly for the most reliable ignition components available," said Lawrence. "We want simplicity, reliability, and ease of maintenance, and Champion has proven over the years to give it."

T. J. Harris, Director of Power Plant Engineering, stated that he admires Champion's research and development program, and their desire to define and resolve ignition and spark plug problems. He feels that Champion has made a notable contribution to American's operation.

Demand Quality with Economy

E. O. Schroeder, Assistant Vice President of Quality Control Division, told me about AA's experience with Champion economy. "For years the airlines have had to concentrate on obtaining the best possible parts and accessories that would cause the least trouble. But now we are at a stage where aviation has turned into big

American Airlines technicians put rebuilt engine through its paces in test cell before running flight tests on it.

These four hangars—center of American's maintenance operation—contain 15 acres of floor space, handle 1,200 aircraft overhaul visits a year.



Transferring Champion Spark Plugs from original carton into American's engine-set box for shipment to line station. Champion's consistent high quality makes this possible without further inspection.

Champion Aviation Representative Russ Biegel monitors line service spark plug installation as part of service coverage. Technical information gained is available to all Champion users.

The engine line produces 1500 "new" engines a year. After four hours in test cells, running at all speeds, engines are flight tested by engineering test pilots for another four hours.

D. E. Tait (*left*), Director of Supply, had favorable comments on Champion's service, economy and availability. T. B. Robertson (*center*), Manager of Purchasing, (*right*), T. J. Harris, Director of Power Plant Engineering.



During a C A V, the interior is completely disassembled, freshened, and rebuilt where needed. All structure is completely inspected and components are replaced as required. Even X-ray is used for checking critical areas.



Removing spark plugs from engine for careful testing. Rigorous inspection over the years has kept American convinced of Champion's dependability.

business. As a result, without any slacking of quality, people in the aviation field must be concerned with price as well—and Champion has been a leader in reducing spark plug prices.

"Spark plugs are a major expenditure with us, and we consider ourselves fortunate to be able to get a quality product for the lowest price consistent with reliability and performance."

10,000 Hours on Champions

Another American man that I later talked to at New York International Airport was Captain S. P. Bittner, who started flying September 14, 1924, and has accumulated 30,000 flying hours. He has been flying for American since 1929. Since Champions have been used for 10 years, Capt. Bittner has flown approximately 10,000 hours with Champion Spark Plugs, or roughly 40,000 engine hours. Capt. Bittner stated that after flying for 10 years with Champions he has never encountered true plug trouble.

The final word on Champions came from J. B. Montgomery, American Vice President—Maintenance and Engineering. "These plugs give us the high, consistent quality we need to assure long life and trouble-free operation," Montgomery declared. "We also like Champion's realistic price structure and the fine factory and field service they give us.

"Champion has built excellent spark plugs over the years for American Airlines. If they were not a quality product, they would not be on our engines."

The Champion people feel that American's experience speaks for itself in indicating to *all* pilots the superior performance and reliability of Champions.

—HERBERT O. FISHER

If you have the responsibility of selecting aircraft spark plugs, consider the fact that American Airlines . . . with millions of engine-hours experience as a guide . . . chooses CHAMPION SPARK PLUGS

Capt. S. P. Bittner, American pilot since 1929, tells Fisher he has flown 40,000 engine hours on Champions without encountering true plug trouble. Capt. Bittner flies the non-stop flight between New York and Los Angeles.

CHAMPION SPARK PLUG COMPANY • TOLEDO 1, OHIO

SHORTLINES

▶**National Airlines** is now using IBM equipment to process advance New York-Florida bookings, says many past-deadline and duplicated reservations are being turned up and made available to wait list passengers. The machines check 80-90,000 cards a day.

▶**Lockheed Aircraft Corp.** sales of turboprop and piston transports totaled $175 million in 1956. Orders included 38 Electras, 30 Super Constellations. Total Lockheed commercial backlog at year's end was $450 million.

▶**Lufthansa German Airlines** claims a New York-Shannon flight record Jan. 19 with a Super G Constellation. Plane flew the 3,072 mi. in eight hours, 30 min., Lufthansa says.

▶**United Air Lines** is pushing ski vacation sales with 11 winter tours to major U. S. resorts. Package prices range from $60 to $98 for seven days, air fare not included.

▶**Trans-Canada Air Lines** has begun daily Viscount service between Quebec City and Montreal. Second daily turboprop flight on the run is scheduled March 1.

▶**Belgian Congo** area is growing as travel attraction. Eight new hotels were built there last year, new hotel and motels are planned.

▶**Trans World Airlines** has signed three-year $750,000 contract to train Ethiopian Airlines pilots, maintenance employes and supervisory staff. Ten TWA specialists will set up schools in Addis Ababa for the program.

▶**Capital Airlines** has expanded Viscount service with three new non-stops: New York-Norfolk; addition of a fourth New York-Washington flight; addition of an eighth non-stop New York-Detroit. Capital now has 56 Viscounts in service, expects delivery by this summer of last of order of 75.

▶**Vickers-Armstrongs** Aircraft is setting up a technical office in Trinidad to provide after-sales service to Viscount operators in the Caribbean area. Company now has offices in Washington, Montreal, Winnipeg and Adelaide; plans new one in Beirut.

▶**Cosmic ray study** will be made by scientists aboard Scandinavian Airlines System pre-inaugural flight from Europe to Japan. Scientific team will measure intensity of rays in polar region for International Geophysical Year.

AIRLINE OBSERVER

▶Watch for Administration to ask Congress for an increase in first-class postage rates from three to five cents, together with a recommendation that all first class mail be moved by air on long-haul routes. President Eisenhower warned in his budget message that $642 million will be required by the Post Office in Fiscal 1958 to make up for insufficient postal receipts unless rates are hiked to meet rising costs and higher Post Office salaries.

▶Air Transport Assn. has decided to rewrite proximity indicator operating specifications. They will be submitted to airlines for review. The decision was prompted by new reports on proximity indicator development presented by several manufacturers, including Hughes and Bendix. Meanwhile, most observers feel that Phase II of the program, calling for a collision avoidance computer, is not yet attainable.

▶Bermuda bilateral air agreement between the U. S. and Britain will undergo drastic revision when it comes up for review at Bermuda beginning Feb. 18 (AW Jan. 21, p. 25). The U. S. delegation will be in a much stronger position to barter than it was when the original treaty was signed 10 years ago. Since then, British airlines have fallen behind U. S. flag carriers in traffic handled, and Britain's loss of power in India, the Middle East and other areas have weakened her bargaining strength in trading international operating privileges.

▶Airline meteorologists are scheduled to visit Strategic Air Command bases to study forecasts of jet streams, clear air turbulence and other weather conditions experienced by SAC in its high-altitude, long-range operations.

▶Civil Aeronautics Board will conduct a "near-collision" poll covering commercial, civil and military aviation. The survey will be similar to the program being conducted by the Air Transport Assn., which includes scheduled airline operations only. CAB is distributing a "check" type of printed form through aviation associations and military services. Pilots will return completed reports anonymously and without aircraft identification. Reports will be used for statistical purposes only and no action will be taken against any pilot or operator as a result of the reports.

▶Trans American Airlines name case has been revived following a Supreme Court decision last week to review an appeal by American Airlines that the irregular carrier be restrained from using "American" in its name. Last spring, the Supreme Court refused to review a similar case fought by North American Aviation and thus upheld a lower court decision that prohibited the use of the airline's original corporate name, North American Airlines. At that time, the airline adopted Trans American Airlines as its official title.

▶London Airport is constructing a long dirt ridge about 30 ft. high along one side of the airport near a residential area. Officials hope the hill will absorb engine run-up noise and reduce complaints from nearby residents.

▶Civil Aeronautics Board will hold a hearing in Washington March 5 to investigate baggage allowances and excess baggage charges on domestic scheduled airline flights.

▶Air Defense Command has issued new regulations which comply with requests submitted by the airlines during the past two years for improvements in ADC radar weather advisory service. Specifically, the airlines wanted and got authority to contact ADC direct, without going through air route traffic control centers for service, a "common" call signal, and a discreet frequency (133.2 mc.). ADC operates radar advisory service at 92 locations in the U. S.

▶American Airlines has ordered two flight simulators from Erco Division of ACF Industries for early 1958 delivery. Erco will design and manufacture one simulator for the Lockheed Electra and one for the Boeing 707 to American's specifications. Both simulators will be housed in air conditioned trailers to permit movement to the airline's principal operating bases.



FOUR-SEAT aft lounge of 810D (top), shows rectangular windows which were changed later to Viscount oval shape. Forward part of main cabin (below), looking into vestibule

New Interiors Designed for Viscounts

Continental Air Lines' new Vickers Viscounts series 810D turboprop airliners will have interiors designed by Charles Butler Associates of New York.

Innovation in the layout is the inclusion of a deluxe four-passenger lounge in the rear of the plane. Butler reclaimed the area for passengers, thereby increasing the plane's first class seating capacity from 52 to 56 passengers. Other purchasers of this model Viscount use the space for buffet, and baggage and wardrobe.

The plane's cabin is divided into four areas: an eight-seat forward lounge, a 44-seat main passenger cabin, a galley which has two, full-size service and emergency doors, and the four-seat aft lounge.

The seat covering and curtains are fabric, designed by Butler and made by Schumacher's of New York. The aisle runner is a carpet. All the rest of the cabin's interior covering—headliner, side walls and floor covering between and under the seats—is a vinyl-coated fiber glass called Duracote, made by the Duracote Corp., Ravenna, Ohio. The material is extremely fire and scuff resistant, is easy to clean and comes in a large variety of textures and colors.

Color Scheme

- **Headliner** throughout the plane is tuscon blue—a light, airy hue.
- **Side walls** are birch white—an off white.
- **Bulkheads** in the main cabin and aft lounge are also birch white, while bulkheads in the forward lounge are deep rose.
- **Seats** in both lounges are Eldorado blue—a somewhat deeper, richer hue than tuscon blue, but both blues blend easily. Seats in the main cabin are dawn—a pale peach color.
- **Aisle runner** is canyon—a soft rose.
- **Window curtains**—called Yellowstone—have a golden hue. Drapery curtains used in front of the galley and coat closet, are Yosemite, a teal blue plaid.

Special features of the interior in-



CABIN PLAN of Continental Air Lines 56-passenger Vickers Viscount 810D has two lounges, one fore, one aft



BUTLER ASSOCIATES uses wardrobe and freight compartment (above) for 4-passenger lounge.

clude pinpoint indirect lighting on clear plastic which creates a starlight effect in the ceiling of the vestibule between the forward lounge and the main cabin. Two lavatories open off the vestibule.

Gold anodized aluminum is tastefully used throughout the plane as window frames and as extruded baggage rack trim.

All passenger service items—individual stewardess call buttons, reading lights, and ventilators, are grouped and conveniently located in the under part of the baggage rack.

Antique mirrors decorate the forward bulkheads of the aft lounge.

First Viscount 812 is scheduled for delivery to Continental in March 1958. All 15 aircraft on order are to be delivered by October of that year. CAL currently has an option for five more of the planes.

F-27 Orders Total About $24 Million

New York—Fairchild Engine and Airplane Corp. has sold 12 more of its F-27 transports for a total to date of 44, the company announced. Options on the high-wing turboprops total an additional 29.

The new customers are Northern Consolidated Airlines, scheduled Alaskan airline, with orders for three planes for passenger-freight operations; a South American airline, with five aircraft ordered, and three large U.S. corporations, buying the other four. Fairchild withheld identity of the airline and the firms at customers' request.

Previous airline orders totaled 28, and eight orders have been placed by corporations including General Tire and Rubber Company and Continental Can Company.

Fairchild still has a long way to go in selling the F-27 to reach its break-even point of 150 planes. The twin-engined plane now sells for $540,000, but its price will go up Feb. 15 to $590,000, according to R. James Pfeiffer, executive director of customer relations. Orders to date approximate $24 million.

Pfeiffer stressed the sale to Northern Consolidated as opening up a new market in the type of rugged, short-haul, passenger-cargo operations the Alaskan carrier flies. Sales to this type of operator are expected to provide an important market for the plane, Pfeiffer said.

The F-27 can carry 40 passengers or 9,500 lb. of cargo. Large forward cargo loading door is designed to facilitate mixed utilization. The Northern Consolidated planes will be equipped with a movable bulkhead to separate passengers and cargo.

First production F-27 is scheduled for late fall, 1957 completion at Hagerstown, Md. The airplane will operate in airline service early next year, Fairchild says.

Grumman May Build Safari for Frye Corp.

New York—Grumman Aircraft Engineering Corp. may build the Safari short field transport for the Frye Corp. if Frye raises $15 million to set up an assembly line and begin production. The four engined plane would be manufactured at Grumman's Bethpage, N.Y., plant under terms of a conditional agreement signed last December by the two firms.

The money Frye must raise to fulfill the agreement would cover production engineering design and manufacture of tooling, material for 20 aircraft, and expenses through certification of the transport.

At the time of certification, according to Jack Frye, head of the Safari organization, deliveries of the plane to customers will begin. Two Safaris will have been completed by then, Frye said, an additional two will be nearly completed, and 16 others will be in various stages of construction. The work at that time will equal seven finished planes, according to Frye.

Under the agreement the prototype airplane is supposed to be flying within 14 months after the $15 million is raised.

Frye also reported changes in the transport's specifications resulting from refinements in its design. Gross weight has increased from 37,000 lb. to 45,000 lb. Maximum payload in all-passenger configuration is up from 51 to 66 passengers. In all-cargo service, maximum payload has increased from 12,000 lb. to 18,000 lb.

Price of the plane, now related to Grumman costs, is now expected to approximate $425,000 without engines, Frye said. Figure compared with previously announced price of $365,000.



MORE THAN 31,000 JET ENGINES have been designed, developed and produced by General Electric since 1941. The CJ-805, latest G-E powerplant scheduled for production, will enter airline service in 1960 in new TWA and Delta Air Line Convair Model 880's.

Another reason why G.E.'s newest turbojet makes possible the ideal medium-range jetliner

General Electric CJ-805 Offers Lowest Operating-Maintenance Cost of Any Airline Turbojet

Fact: the General Electric CJ-805 will be the most economical medium-range jetliner engine to own, operate and service. These four key reasons tell why:

1. $22/hr guaranteed maximum parts cost in fleet operation—The performance of the CJ-805, commercial counterpart of the supersonic J79, promises to set a new low in parts-replacement cost. Chief reason is the engine's sturdy, all steel, single rotor design.

2. Low overhaul cost—Here are the factors that back up the low overhaul cost projection for the CJ-805:

- Based on the record time-between-overhaul of G-E J47's installed in the multi-engine B-47, the CJ-805 promises to have a time-between-overhaul much higher than that of present commercial engines.
- Based on G-E factory overhaul of 5000 J47 engines, it is estimated that the CJ-805 will require only 750 man-hours to overhaul.
- The guaranteed maximum parts cost of $22 per engine flying hour covers overhaul *and* line maintenance on a fleet basis *

These projections are possible because the CJ-805 is an evolutionary engine based on design principles proved in thousands of G-E turbojets.

3. Low fuel consumption—The CJ-805's excellent performance, a result of its high compression ratio, provides maximum engine economy under all flight conditions.

4. Purchase price—The CJ-805 will give you more thrust per dollar invested than any other commercial turbojet in the world.

For further details, contact your G-E Aircraft Engine Specialist. You can reach him via your nearest Aviation & Defense Industries Sales Office. *General Electric Company, Cincinnati 15, Ohio.* 237-9

**For two-year period after initial airplane delivery.*



CJ-805 DEVELOPMENT PROGRAM IS UNDERWAY at Evendale, Ohio. Already tests show that the engine's excellent operating economy—the result of small size, light weight, low S.F.C. and high thrust—promises extra profit for your commercial airline operations.



AVAILABLE TO QUALIFIED AIRLINES is a comprehensive presentation on why the CJ-805 makes possible the ideal medium-range jetliner. Your General Electric Aircraft Engine Specialist will be glad to go over this flip chart with you, at your convenience.

Progress Is Our Most Important Product

GENERAL ELECTRIC

Trans-Australia Breaks Traffic Record

Melbourne, Australia—Trans Australia Airlines carried the Australian airline record of 773,144 passengers on scheduled flights to 94 Australian locations during 1956.

This exceeds the previous record, set by TAA in 1955, by 33,361 passengers and shows a 22% increase in passenger traffic volume in the last two years. Total passenger mileage of 374,576,022 shows an increase of nearly 7% over last year's figures and constitutes another Australian record.

The airline's fleet of nine Vickers' Viscount planes carried over 400,000 passengers with a load factor of 85 out of 100.

Ordinary air cargo totaled 36,007,922 lbs (36,967,663 lb in 1955) but Air Express service cargo rose by 158 897 lb. to a new record level of 1,334,240 lb.

Flights numbered 27,874 and covered 16,593,000 miles in 93,172 flying hours over unduplicated routes totalling 31,391 route miles, an increase of nearly 1,000 route miles.

Charter flights accounted for additional 1,188 passengers and 308,654 lb of cargo.

French May Order Jetliner Cutbacks

Paris—Dollar-short French government may order Air France and two private French airlines to scale down plans for equipping their fleets with American jetliners.

Proposed cutback would affect jetliner orders already placed by the two private lines as well as current Air France plans for placing additional jet orders. French government, mainly because of its dollar account problem, has the right to veto such plans. Veto would not be final, but could be reconsidered at some future date, presumably when France strengthens its dollar holdings.

Proposed cut would mean that Transports Aeriens Intercontinentaux (TAI) would be entitled to only two of the four Douglas DC 8 jets it recently ordered. An order by Union Aeromaritime de Transport (UAT) for five Douglas DC 8 jetliners would be cut back to three. Both lines have protested vigorously against the proposal.

For Air France, the cutback would come not on orders already placed but on new jet equipment plans. The state-run line wants to order 14 jets on order similar to the transcontinental versions of Boeing and Douglas jetliners or the Convair 880. Under the cutback proposal, instead of 14 jets of this type, Air France could order only eight.

Air France's initial jet order for 10 long-range Boeing 707s placed early in 1956 still stands, as its initial order for 12 Caravelles does. Air France has options on an additional eight long range Boeing jetliners plus 12 more Caravelles. It is possible these options may not be picked up as quickly as the line planned.

Proposed jet equipment slowdown stems from recent hearings held by the influential French High Council for Commercial Aviation. This group includes 25 high ranking civil servants from various ministries. Cutback was its advice to Transport Minister Pinton, with whom the final decision rests. Usually recommendations of the High Council are accepted by the government. It is understood additional pressure in favor of the cutback is being made by Finance Ministry.

Czech Airline to Buy Tu-104s in 1957

Vienna, Austria—Czechoslovakia plans to purchase three Tu 104 craft for the CAS (Czechoslovakian Airlines) during 1957.

This announcement, made by the Prague press recently, said "experienced

Czech pilots and ground crews have been selected for schooling in the USSR."

The state-owned and state-operated AVIA Aircraft Factory of Prague announced on January 8, 1957 that this enterprise plans to build four-engined craft in the near future. No information was released as to which types of (Soviet) aircraft will be built.

The CSA will get five more twin-engined Il 14 craft during the first quarter of 1957. The Il 14s are now being built by the AVIA Works under Soviet license. Owing to specifications of CSA the seating capacity has to be increased from 18 to 22 and the interior decorating adapted to suit the taste of passengers. Five more Il-14s are to be delivered during the third quarter of 1957 by the AVIA works, but this group will have a longer fuselage and a seating capacity of 24 seats.

Styling Design Set For Convair's 880

New York—Convair Division of General Dynamics Corp. has engaged two firms to handle the design and styling of interiors for its Convair 880 turbojets, the manufacturing company announced. Harley Earl, Inc., industrial designers will design the interiors and Dorothy Draper, Inc. will act as styling consultant.

Convair has completed a $225,000 steel mockup building at its San Diego plant and has installed two mockups of the medium range airliner (AW Jan. 21, p. 65).

Orders for the 880 total 40 to date. Trans World Airlines has ordered 30, Delta Air Lines the other 10.

New Military Reserve Airport Recommended

Washington—A new airport to handle military reserve flying activities was recommended for the St. Louis area last week by the Airport Use Panel of the Air Coordinating Committee.

In a unanimous decision the panel recommended that the Department of Defense start living plans for development of a new airport in the Missouri environs of St. Louis to relieve congestion at Lambert Field, the present municipal airport.

Under the plan, the Defense Department would develop a new field for the use of Naval Air Reserve and Air National Guard units now stationed at Lambert Field. The group also recommended that McDonnell Aircraft Corp. flight testing be removed from Lambert as soon as practical—possibly to the new airport.

When a site is selected for the new airport, the panel suggests that government and local officials meet to determine whether it is practical for joint civil and military use. If so, the group recommends that a master plan be prepared, and that financial arrangements and provisions for operational and maintenance facilities be made.

If joint use of the new airport is not feasible, the panel recommends that plans be initiated for development of additional all-weather civil airport facilities in the St. Louis area. Planning and development of any additional airports in the area as well as treatment of airspace problems and air traffic control problems, should be coordinated with proper local and federal agencies before final approval of sites involved, according to the panel.

Chilean State Airline Has First Operating Profit

Buenos Aires—Chilean State Airline, LAN, will show an operating profit on its 1956 balance sheet for the first time since it began operations in 1928.

The line has contracted to buy four DC-6s for delivery in the last half of 1958. The management of LAN believes that the DC-6B is the tourist flight plane of the future, to replace the DC-4.

CHANCE-VOUGHT F8U-1 carrier fighter, expected to reach fleet squadrons in March, was production engineered even before the prototype was built and required no production adaptation. From the sequence of operations, the airplanes appear to move down the line tail first. Rocket pack and ejection seat on floor are about to be installed.

F8U-1 Was Production Engineered

HORIZONTAL SLAB tail is driven by power package above its root. Package is replaced as unit, bench repaired, adjusted.



INTEGRAL WING TANKS are sealed on wing sub-assembly line. Sealing is completed after sculptured skins and two wing stubs are joined. Variable incidence wing pivot rib is at right and wing fold rib is at left.





DENSITY OF DESIGN is indicated in fuselage center section sub-assembly (above). Slant panel compartments contain classified equipment. Cast magnesium windshield and canopy frames (above right) are lighter, cheaper and more producible than traditional built-up or welded structure. Four castings form major portion of canopy frame, front hoop, rear hoop and canopy hinges and a box section rail on each side with integral locking lugs. Wall thicknesses of non ferrous alloy castings may be as low as 0.01 in. and tolerances may be held to ±0.010 in. Characteristic of the F8U is great number of access doors for ease of maintenance. Oxygen and pressurization components are installed behind cockpit (right) and serviced from outside. Dark areas in skin (below) are magnesium alloy. Inner wing and outer wing are sculptured magnesium sheet. The light alloy constitutes 25% of wing and fuselage skin.

GROUPING OF WIRING is emphasized for producibility. Bundles of wires from cockpit to variable incidence wing, engine compartment and tail section are formed and cut on assembly board, checked out as unit on simulator and lowered into channels on each side of midsection.



RETRACTABLE ROCKET PACK carrying eight air-to-air missiles is main battery of F5U. Tubes have closed breech. Combustion products are vented forward. Extensions and castings are widely used in the pack to cut weight and cost and increase producibility. The remainder of the airplane's internally stored firepower consists of four 20 mm cannon.



NEARING THE END of the final assembly line F5U has Pratt & Whitney J57 engine installed from high, wheeled dolly. Engine is lifted by powered cable and pulley system and positioned by sprocket and chain driving carrier rig along I-beam rail.

Prudential to Build, Lease to Lockheed

San Francisco—Lockheed Aircraft Corp has made a deal with Prudential Insurance Co which calls for Prudential to build a $14 million missiles development in the San Francisco Bay Area planned by Lockheed. Prudential then will lease the facilities to Lockheed.

This arrangement will allow Lockheed to preserve working capital needed for other projects. Citing other plant expansion under way (for nuclear work and for production of the Electra propjet transport), Lockheed Secretary Frank L. Prain said, "We must exercise financial stewardship of the highest order to maintain the working capital to enable us to keep stepping up to these new technical opportunities."

The company believes it is first aircraft manufacturer to try this system of obtaining major plant facilities.

The switch to Prudential ownership came when construction was already under way on Lockheed Missiles Division facilities at Sunnyvale and Palo Alto.

Facilities at these two sites, to be completed within 18 months, will total about 500,000 sq. ft. of office, manufacturing and laboratory space. Lockheed has said further expansion at the two sites might boost total investment $30 million.

Prudential and Lockheed have negotiated 25-year leases on the Bay Area plants with options to renew.

In addition to the Bay Area construction, the Missiles Division recently acquired 4,000 acres near Santa Cruz for a $1 million missiles development, testing and research center. Construction is to start next summer.

Japanese Trainer

Final configuration of Japanese Fuji T1F1 trainer is shown in this drawing of the plane. Construction has begun and estimated first flight date has been set for the fall of 1957. Powerplant will be a version of the Bristol Orpheus, lightweight turbojet gaining favor as engine for light fighters and trainers. Full-scale mockup of the T1F1 was inspected recently by Technical Research Institute of the Japanese Defense Agency and the Air Self Defense Force Training Command.

Aircrafts' Who's Who Reports

A cross section of the Who's Who in the aircraft industry—including Douglas, Allison, Fairchild, Grumman, Martin, Republic, Canadair Ltd., Pratt and Whitney among a host of others — is reported to have reduced engine wiring time as much as 66%. This saving is effected by the use of the new Robinson Wire Twister, an improved model of the ones that have seen service with the army, navy and airforce since 1943. Improvements include the exclusive diagonal jaw design that permits easier access to hard-to-reach areas, and clamps a vice like grip on the wire by pulling it into a 30° bend thus delivering added leverage for twisting.

In addition to the greatly increased engine wiring speed, users attest to improved shop safety — fewer skinned knuckles and bruised fingers.

Besides their production line assignments, Robinson Wire Twisters readily adapt in the shop to bench work, on radio and radar equipment, on magnetos, carburetors, instruments and sub-assembly work of all kinds.

List price is $18.50. Write for fully descriptive literature to Ralph C. Robinson Company, Dept. W, Box 3494, 2516 Crosby Way, North Sacramento 15, California.

Lab tests prove self-locking SPS bolts are safe and strong



VIBRATION RESISTANCE Exhaustive vibration resistance tests, conducted in the equipment shown above, proved that self-locking SPS fasteners, properly tightened, maintain their preload under exceptional conditions



INDUCED LOAD Curve shows difference in torque required to produce equal bolt loads with use of a standard aircraft fastener and a self-locking SPS fastener. The fastener with the Nylok device displaces the standard curve uniformly by an amount equal to the unloaded prevailing torque



REMOVAL TORQUE Curve shows removal torque in inch-pounds through the 15th application. Even after being inserted and removed from a tapped hole more than 15 times, the SPS fastener retains a value well above the minimum allowable torque of 6.5 in.-lb

COMPARISON OF TENSILE STRENGTH
SELF-LOCKING MS BOLT VS. STANDARD MS BOLT

Sample No.	Tensile strength—pounds	
	MS 20008 with Nylok insert	Standard MS 20008
1	29,575	29,400
2	29,250	29,575
3	29,400	29,725
4	29,850	29,600
5	29,600	29,810

TENSILE VALUES Tensile strength comparison shows that there is no significant difference in tensile strength between a standard SPS aircraft bolt and a comparable SPS bolt with the Nylok* device added



LOAD VS ELONGATION Test proves conclusively that the Nylok pellet has no effect on the strength of the fastener. It shows a continuous uninterrupted curve, with values identical to those for a comparable standard bolt

*T M Reg U.S. Pat Off.: The Nylok Corporation

SPS aircraft fasteners with the Nylok* self-locking device



Internal wrenching bolt
NAS 144 through 176 type
Manufacturing Specification NAS 159



12-point external wrenching airframe bolts

Internal wrenching bolt
UAB 428 through 2424 type
Manufacturing Specification NAS 159



12-point external wrenching engine bolts
MS 9033-05 through 9039-52 type
Manufacturing Specification AMS 7478



Internal wrenching bolt
MS 20004 through 20024 type
Manufacturing Specification MIL-B-7838a



6-digit external wrenching bolt
Manufacturing Specification AMS 7452 or 7472



100° flush head shear bolts
NAS 333 through 340 type
Manufacturing Specification NAS 498



6-digit internal wrenching bolt
Manufacturing Specification AMS 7452 or 7472

Aircraft fasteners in many hundreds of special configurations are manufactured by SPS. All special fasteners with male threads can be equipped with the Nylok device

*T M Reg U S Pat Off., The Nylok Corporation



PORT AIR intakes for Rolls-Royce Avon R.A. 29 engines flank centrally placed air scoop, upper half of which feeds cooling air to rectifier while lower half supplies air to heat exchanger for cabin air conditioning system.



Comet 3 Engines Installed

SLINGING POINTS and two forward mounts are shown on engine (below). Two large pipes on either side of engine conduct hot air from rear of compressor for engine deicing purposes. Air intake support struts and variable inlet guide vanes are clearly visible.



NEW ENGINE is installed in bay of Comet 3 (below). Mounting incorporates quick release joints for all fuel and electrical connections to facilitate quick engine change. Mounting of engine tail pipe makes full provision for fitting of reverse thrust. View (above) shows accessibility of accessories, all of which are mounted below engine and can be reached from ground level. In foreground is fire wall made of titanium.



POWER FOR NEW AIRCRAFT— IN WHATEVER FORM IT TAKES

The pioneering vision and sound engineering which led from the Wasp to the widely-used J-57 are today leading Pratt & Whitney Aircraft into activities which may influence the whole future of aviation.

For example, the most powerful U. S. production turbojet, the J-75, again shows Pratt & Whitney Aircraft's ability to develop the right kind of aircraft engine at the right time. The J-75 has been selected for the newest Air Force fighters, the Navy's most advanced long-range patrol bomber, and both the Douglas DC-8 and the Boeing 707 jet airliners.

This success may be largely attributed to engineering skills and achievements. Since the beginning of the company, when the new Wasp produced the most horsepower per pound of weight, there has been no change in the reliance on these fundamentals . . . except that new talents and techniques, elaborate research facilities, and many new kinds of engineers are called for at a growing rate. At Pratt & Whitney Aircraft, nearly every field of theoretical and applied science—from nuclear physics and chemical engineering to advanced metallurgy and electronics—has a vital part to play as the science of aircraft propulsion advances.

Today, power plants of the future are being developed by Pratt & Whitney Aircraft. The Connecticut Aircraft Nuclear Engine Laboratory, for instance, will be operated by Pratt & Whitney Aircraft for the AEC and the Air Force. Whatever form the future takes . . . in new principles of propulsion, new materials or new fuels . . . Pratt & Whitney Aircraft is prepared to offer continued advancement in power plant design and production.

Pratt & Whitney Aircraft

MAIN OFFICE AND PLANT: EAST HARTFORD, CONNECTICUT • BRANCH PLANTS: NORTH HAVEN, SOUTHINGTON, MERIDEN

In Canada: Canadian Pratt & Whitney Aircraft Co., Ltd

Surfaces Important To Hot Metals

Albuquerque, N. M.—Whenever metal coatings are being considered as protection for an underlying, basis metal at high temperatures particular attention should be paid to the nature of the interface between the coating and its base

This was one of the points emphasized by Dr Charles L Faust of Battelle Institute, Columbus Ohio at a Symposium on Heat Tolerant Metals for aerodynamic applications here.

Sound parts composed of a basis metal and protective coating can best be provided, said Dr Faust, when the role of surface metallurgy is taken into account and when the strength and properties of any diffusion alloy formed at the coating basic interface are known to be satisfactory

Dr Faust, who directs electrochemical engineering research at Battelle reviewed the current status of knowledge on protective metal coatings for use at elevated temperatures

He pointed out that many metals, for example molybdenum have suitable bulk properties—tensile and creep strength, hardness, etc—and yet will undergo surface deterioration at the temperatures reached in aerodynamic heating (Aircraft skin temperatures may reach 600F at speeds of 2,000 mph and possibly 1,600F at 3,300 mph)

The interfacial zone between the basis metal and its protective coating can be responsible for the success or failure of the composite item Of major importance to adherence of the coating are bond strength between the coating and the basis metal, and the preparation of the basis metal

Preparation includes final physical and chemical cleaning and, also, the last surface finishing operations

Instances will occur, said Dr Faust in which a coating and a basis metal as individuals have suitable properties but the diffusion alloy formed at the interface between them does not In these cases, the interposition of a barrier coating with suitable diffusion characteristics can make the composite object usable

For example, chromium and nickel-chromium alloy coatings provide inadequate protection for underlying molybdenum because the moly" diffuses through the coatings and volatilizes on contact with the oxygen in high temperature air.

A chromium-gold chromium barrier electroplate underneath the final protective coating, notes Dr. Faust, prevents the outward diffusion of the molybdenum

Ruckstell Relocates, Expansion Planned

Azusa, Calif.—Ruckstell Corp., subsidiary of the General Tire and Rubber Co., has moved its offices and operations from East Los Angeles into a new building in Azusa.

The firm develops and manufactures permanent magnet alternators and auxiliary power units for the aircraft industry and the armed forces. Ruckstell also works on turbines and reciprocating engines for auxiliary power units. There are 35 employes at present with this number expected to be doubled in 12 months.

The new plant is located on a three-acre plot and has a working area of 16,000 sq. ft.

Strong Magnet Created by GE

General Electric researchers have created a potentially strong super magnet.

Dr. T. O. Paine, of the company's Instrument Department at Lynn, Mass., told the American Association for the Advancement of Science that the unique properties of this magnet are achieved by precisely controlling the size and shape of individual iron particles so small that there are more than a billion billion in a pound.

Dr. Paine said that theoretically the ultra-fine particle iron magnet can be made ten times stronger than the best available magnets. Already experimental magnets have been made equal to the strongest commercial magnets, he said.

E. E. Parker, instrument department general manager, said: "The new magnet will result in electric instruments that are smaller, lighter, more accurate and more rugged, making possible significant advances in instrumentation. It will help us make better photographic exposure meters, aircraft instruments and other products using permanent magnets.

"Although it will be quite some time before the new magnets are commercially available, the door is now open to new magnet applications as significant as those that followed General Electric's introduction of Alnico—the most important permanent magnet material now in use.

"This development opens whole new vistas to the design engineer because the iron particles can be embedded in plastics, metal, rubber or glass. The magnets are easily machined, drilled, tapped, soldered, and molded precisely into any desired shape.

"Ordinary iron is used in the form of sub-microscopic elongated particles to make the new magnet. This leads to another far-reaching benefit, the saving of strategic metals like nickel and cobalt—heavily used in making most magnets.

The elimination of cobalt makes possible the application of magnets in nuclear reactors, where magnets containing cobalt cannot be used because of high induced radio-activity."

Dr. Paine said work on the development has been carried on by a small creative group in his organization. The research team started with only the speculation of theoretical physicists that ultra-fine elongated iron particles might have a high resistance to demagnetization.

But because iron particles tend to grow round, all efforts to produce elongated shapes had failed.

"The magnetic and mechanical properties of this material can be controlled precisely," Dr. Paine said. "Not only can the qualities of available magnets be duplicated, but we can achieve characteristics previously unattainable."

Ryan Buys Facilities Of Fricano Products

San Diego—Ryan Aeronautical Co., San Diego, purchased the machine tools and other equipment of Fricano Custom Products Co., Inglewood, Calif., and leased the Fricano plant and adja-

ent property in Inglewood. The purchase adds 10,000 sq. ft. of floor space with highly specialized machine tools to Ryan's facilities.

The facility will be known as Ryan's Los Angeles area office and machine shop No. 6, and will produce specialized parts for jet aircraft assemblies now in volume production at Ryan. The company has substantial contracts for power packages for Douglas DC-8 and Boeing 707 jet transports, as well as for aft fuselage sections for the KC-135 jet tanker.

Rocketdyne Consolidates Purchasing at Canoga

Los Angeles—Rocketdyne Division of North American Aviation, Inc. has consolidated its material handling and local area purchasing in a new building at the division's Canoga Park, Calif., facility. Local area purchasing for Rocketdyne formerly was handled in a Beverly Hills office. The division produces large liquid propellant rocket engines.

PRODUCTION BRIEFING

Highly purified water is produced by this ion-exchanger according to the maker, the Illinois Water Treatment Co., Rockford, Ill. The unit uses the mixed-bed principle to provide water that is free of silica and all ionizable solids with purity readings of over



1,000,000 ohms per cubic centimeter. General Electric's Gas Turbine Division, Cincinnati, Ohio, found that it had to treat the J47 water-alcohol test water with one of Illinois's units to prevent hard calcium-like deposits from forming on the turbine nozzles and buckets.

Narmco Resins and Coatings Co., Costa Mesa, Calif., reports it is undergoing a $225,000 expansion to keep up with the demand for Metalbond structural adhesive.

tural adhesives and Conlon laminating materials. In the last 24 months, aircraft and missile requirements have increased by more than 300%, according to Narmco.

Penn Keystone Corp., West Conshohocken, Pa., bought the Keystone Division of the Riverside Metal Co. Division, H. K. Porter Co., Inc., Riverside, Conn. The Keystone Division makes position indicators for aircraft and industry.

Electro Metallurgical Co.'s new plant, Ashtabula, Ohio, is described as the nation's largest titanium sponge source. Plant is now at its full rated capacity of 7,500 tons of sponge per year. Electromet, a division of Union Carbide and

Carbon Corp., uses sodium to reduce titanium tetrachloride. In the photograph, one of the reactors full of "spalt," the combination of salt and titanium sponge, is being lowered into a cooling station.

General Services Administration, Washington 25, D.C., which helps defense industries with critical materials, has established stockpiling units in Atlanta, Ga., Kansas City, Mo., Seattle, Wash., and Washington, D.C. The Custer, S.D., and Butte and Philipsburg, Mont., activities which were set up to assist small businessmen by accepting small producer's deliveries of mica, beryl and columbium tantalum at Custer and manganese at the other two Montana locations have been transferred to Denver. Other changes transfer the chromite purchase depot at Grants Pass, Ore., to the region headquarters at San Francisco, and gives inspection responsibility for purchases in Mississippi and Alabama to the Dallas, Tex., region.



LYCOMING T53 TURBOSHAFT COMPRESSOR after swallowing a chunk of magnesium. Note that, although the blades are twisted and kinked, none of them are broken. No damage can be seen on the final stage centrifugal compressor

Advantages and Usefulness of Small Turbojet Engine Cited

A 4,000 lb. thrust turbojet is the best from the standpoint of maximum thrust per minimum weight, two engineers from General Electric's Small Aircraft Engine Dept., Lynn, Mass., told a Society of Automotive Engineers gathering, at the Society's recent annual meeting in Detroit. (The Small Engine Dept's first turbojet, the 16 in. dia J 85, has half this optimum dry thrust value.)

Small engines down in the 50-70 lb. per second airflow range will give the best combination of thrust to weight, said D. P. Adkins and M. H. Thorson. Engines of this size will realize the maximum benefits of the two thirds scaling law (thrust varies as two dimensional area while weight varies as three dimensional volume), but don't become so small that the adverse affects of very small engines take over.

Some of the adverse affects are lower compressor efficiency due to Reynolds' number (airflow scaling), relatively heavier parts because metal thicknesses and electrical accessories can not be fully scaled down.

Small turbojets will be especially attractive for supersonic flight, the G.E. engineers said. At supersonic speeds the inlet diffuser compression and to the engine compressor will compensate for a small turbojet's inherent difficulty in achieving a high pressure ratio.

While the General Electric authors stressed high performance from special purpose small gas turbines, Lycoming's Dr. Anselm Franz said that a small gas turbine, because of its current very sizeable expense, must also be able to be rugged and useful in a variety of end uses.

A small gas turbine must be able to attract a diverse market to be economically feasible, Franz said.

In this respect some of the T53 and T55 virtues are, according to Franz:

- The compressors can absorb foreign objects without failure. One of the T53 rotors was able to swallow a magnesium chunk, 2x3x0.3 in., without breaking a single blade, though of course the blades were twisted and bent. Low hardness, good toughness in steel blading is the reason for this, Franz said.
- Besides the advantage of compactness (AVIATION WEEK, Aug. 27, p. 62) the folded over combustor provides four layers of sheet metal to contain safely turbine explosions. When 10 buckets slid out of their fir tree sockets on an early T55's power turbine, none of them penetrated outside.
- Because Lycoming used constant section axial compressor stator blading, they were able to use twisted lengths of precision rolled airfoil stup. This brought the cost down to 35¢ apiece as against $10 each if machined. Similarly, an as yet experimental approach to rotor blading is expected to bring the cost down to $1.50 from $14.50 each.
- Special machinery, meanwhile, is expected to reduce the milling time for the centrifugal impeller down to a few hours from the present 65 man hours.
- Cast turbine buckets and stator vanes in the hot end of the engine are saving 80% over conventional forged buckets.

Nearly 2,000 hours of engine running time has been accumulated on the 825 T53, Franz said. During a H40 helicopter mock-up review it was demonstrated that the turboshaft engine could be completely removed and re-installed in 15 minutes.

Cartridge Actuates New Cutting Device

A new cartridge actuated device which can instantaneously cut through mechanical parts, hydraulic or pneumatic tubing, or many kinds of electrical cable, is being produced by Aerojet-General Corp.

Called Aerocutter, the device will sever materials which cannot be cut by any other means, according to the manufacturer.

Moreover, the device is safe, reliable, inexpensive and fast.

A typical Aerocutter, the AGX-1800, cuts four ¼ in. diameter stainless steel lines while they are pressurized to 150 psi with corrosive fumes. Feature of the device is that, when it cuts the lines, it vents one cut end to ambient pressure while swaging the other cut end closed against an anvil to prevent further flow through the tubes. The AGX-1800 weighs less than a pound and occupies 7.5 cu. in. of space. It is fired electrically and is actuated by a non-corrosive propellant. The device may be reloaded for repeated use.

Aerocutters may be used wherever positive severance of lines or components is required. The device may be actuated mechanically instead of electrically when used in strong radio frequency fields or under low humidity conditions where electrical initiation might prove hazardous.

The devices can be supplied in single or redundant parallel firing systems.

Aerojet-General can supply a large variety of Aerocutters for military or commercial use. The company can also provide all components for the complete firing system, including sensors, firing safety devices and indicators.



RAOAN, an 85 pound Doppler radar drift-angle and ground speed indicator may find use in new jetliners. Principles of operation are shown in sketches right.

Doppler Radar Auto-Navigator Principles Described to IAS

New York—Radan, a lightweight version of General Precision Laboratory's military APN-81 automatic Doppler navigator, under consideration by several international carriers for jetliner use, is now in limited production, William J. Tull of GPL reported here last week at the annual meeting of the Institute of the Aeronautical Sciences.

The true ground speed and drift angle information provided by the 85-pound Radan is valuable for general navigation and for optimum utilization of tail winds and the jet stream. When Radan is combined with a dead reckoning computer, similar to those made by a number of companies in varying degrees of sophistication and complexity, the combination can provide the pilot with a continuous indication of his present position and/or heading distance to destination.

How it Works

Tull presented the following explanation of the basic operating principles employed in the GPL Doppler navigator, and similar systems made by General Electric, Laboratory For Electronics, Ryan Aeronautical and Sanders Associates:

• Fig. 1: Radio frequency signal transmitted from point (A) at frequency (f_1) is reflected from moving target (B). The reflected energy, received at point (A) has a slightly different frequency from that originally transmitted. This change, or Doppler frequency shift, (Δf) is directly proportional to the vehicle's velocity and the transmitted frequency. If the latter is held constant then the Doppler shift is a direct measure of vehicle velocity.

• Fig. 2: When transmitter and receiver are located in a moving vehicle, such as an airplane or missile, and directed toward the ground, the Doppler shift (Δf) is proportional to the vehicle's velocity relative to the ground and the cosine of the angle between the radar beam and the horizontal (γ). If airplane velocity is constant the Doppler shift becomes a direct function of the cosine of the angle between the radar beam and the ground.

• Fig. 3: If contours of equal Doppler frequency shift are drawn, representing a constant angle of intersection between beam and the ground (assuming a plane earth), the result is a family of hyperbolic shaped curves as shown for an airplane at point (A). The lines ahead











of the airplane represent a positive frequency shift where the received frequency is greater than that transmitted, the lines behind represent a negative shift where the received frequency is less.

The line at right angles to the airplane's velocity vector (V_a) represents the zero Doppler shift condition where the radar beam is aimed directly down or broadside where there is no relative motion between radar beam and ground, assuming a smooth surface.

The previous discussion has considered the radar beam as if it were infinitely small in dimensions. In practice the intersection of even a small pencil beam with the ground produces an elliptical shaped area (B) all of which reflects signals back to the receiver. The energy reflected from one end of the elliptical area nearest the aircraft will have a slightly smaller Doppler shift than that reflected from the other end. If the intensity of the received Doppler shift signal is plotted as a function of its frequency distribution, it would appear as shown.

• **Fig. 4:** If two identical radar beams are used instead of one, separated by an azimuth angle (θ), then the beam (R) which is pointed more nearly in the direction in which the airplane is moving relative to the ground (V_g) will sense a higher velocity and produce a larger Doppler shift than will the other beam (L) which "sees" less relative motion with respect to the ground.

• **Fig. 5:** If the dual beam antennas are mounted on a motor-driven support and rotated in azimuth, when the two beams are so oriented that they produce equal Doppler frequencies a line which bisects the angle (θ) between them corresponds to the direction of airplane movement relative to the ground. If a servo system is used to drive the antennas until their Doppler shifts are equal, then the angle between the airplane centerline and the centerline between the two antennas corresponds to the drift angle, while the Doppler shift is proportional to true airplane ground speed. Drift angle can also be obtained with a fixed two beam system by computation instead of driving the antennas to a balanced (null) condition, Tull pointed out.

Automatic Navigation

The true ground speed and drift angle information available from Radan can be used to eliminate the most serious error in dead reckoning computers which arises when the pilot must manually set in estimated wind velocity and direction. The dead reckoning computer without Doppler radar input must compute ground speed from the set-in wind velocity and direction and from indicated or true airspeed.

Depending upon the degree of sophistication designed into the DR computer, the combination Doppler radar-computer can give the pilot several or all of the following:

- **Present position** (latitude and longitude).
- **Drift angle.**
- **True heading and magnetic variation.**
- **Direction and distance to destination.**
- **Autopilot tie in** to automatically steer the airplane to the destination.

Present indications are that the Doppler auto-navigators which the overseas airlines will purchase in the coming months will have some, but not all of these features.

FILTER CENTER

▶**BTL Plans Nuclear Test Facility**—Bell Telephone Laboratories will build a nuclear reactor at its Whippany, N. J. facility, under Air Force sponsorship, to study effects of nuclear radiation on electronic components and materials. Construction is slated to begin this year. Facility will use a heavy water moderated heterogenous fuel reactor, similar to one developed originally by Argonne National Laboratory.

▶**SSB Bibliography**—Naval Research Laboratory has prepared bibliography of all material published on single sideband between 1921 and July 1956. The 105 page volume, identified PB 111837 "Single Sidebands in Communication Systems, A Bibliography" by M. Benton, is available for $2.75 from Office of Technical Services, Dept. of Commerce, Washington 25, D. C.

▶**VHF Transistor Prices Slashed**—Texas Instruments has cut prices of its very high frequency transistors by 50%. The units are grown-diffused types capable of oscillating at frequencies beyond 250 mc. Company also cut quantity prices of its silicon transistors and rectifiers by 10%.

▶**Auto-Navigator Gets Army Check-out**—Army Electronic Proving Ground, Ft. Huachuca, Ariz. is flight testing new self-contained Doppler automatic navigator, developed by Ryan Aeronautical. Company is producer of similar AN/APN 67 auto-navigator for Navy Bureau of Aeronautics.

▶**New IRE Affiliate Membership**—Institute of Radio Engineers has adopted new plan which will enable qualified non IRE members to become affiliated with certain of its Professional Groups without first joining IRE. New Affiliate Plan is expected to prove beneficial for certain groups, such as the one on Medical Electronics, which can now

accept medical doctors and biologists. Participation in the plan is optional with each Professional Group and the affiliate member must belong to an accredited organization approved by the Professional Group and the IRE Executive Committee.

▶ **Global Flight Uses SSB**—Network of 10 ground stations equipped with Collins single sideband equipment enabled Strategic Air Command to maintain continuous voice contact with its globe-circling B-52s on recent record hop. In telegram of commendation to Collins Gen. Curtis E. LeMay said: "We have progressed a long way toward ultimate goal of 100% reliable air-to-air and air-to-ground communications."

▶ **ATC Transponder Evaluation**—Delta Air Lines and Braniff have ordered service test quantities of Collins Radio's new Model 621A-1 air traffic control transponder for use in Civil Aeronautics Administration's evaluation program to get under way next year.

▶ **Computer Designs Transistor Circuits**—University of Illinois's digital computer laboratory has developed techniques for using digital computer to design transistor flip-flop circuits for new computers, under Office of Naval Research sponsorship. Digital computer circuits require that a large number of tolerance conditions be met simultaneously. University has developed simultaneous non-linear algebraic equations describing these conditions which can be solved by digital computer. For further details, write Gene H. Leichner, University of Illinois, Digital Computer Laboratory, Champaign, Ill.

▶ **New Business**—New orders recently announced by avionics manufacturers include:

• **General Precision Laboratory,** $17 million from USAF's Air Materiel Command for additional quantities of the AN/APN-81 and APN-89 Doppler navigation systems.

▪ **Ford Instrument Co.,** $15 million from Air Materiel Command for production of AN/ASN-7 dead reckoning navigation system.

▪ **Collins Radio Co.,** $9.9 million from AMC for UHF ground-communications equipment, including 1,500 AN/CRC-27 sets. Collins also received $19.5 million Navy Bureau of Aeronautics contract for 2,500 AN/ARC-38 HF transceivers, 1,100 AN/ARR-41 receivers, antenna couplers, test equipment and accessories.

▪ **Consolidated Diesel Electric Corp.,** $1 million contract from Civil Aeronautics Administration for power units to provide standby power for CAA radars in the event of loss of regular commercial power.

NEW AVIONIC PRODUCTS

Components & Devices

▪ **All-angle isolation mount,** Type B-64, with maximum load rating up to 40 pounds, has interchangeable dimensions with MIL Size 2 mounts. Internal damping keeps transmissibility at reso-



nance below a value of three. Mount reportedly shows negligible change in performance over temperature range of −56C to 120C. Barry Controls Inc., 815 Pleasant St., Watertown 72, Mass.

• **Miniature sequence timer,** Model AGC, weighs 3¼-4½ oz., measures 2¼"x1¾"x1¾" to 2⅝" in. deep, depending upon number of printed circuit decks. Units can be supplied with 1 to 4 decks



each with 2 to 8 contacts. Use of printed circuit plates makes possible quick delivery of special commutator time sequence arrangements to customer requirements. Brulsford & Co., Inc., 670 Milton Road, Rye, N. Y.

• **Sub-miniature precision wire-wound potentiometer** with jewel bearing re-

quires only 0.01 oz-in. torque, measures ½ in. dia., weighs ¾ oz., comes in resistances of 10 to 250,000 ohms with linearity of 0.3%, rated 2 watts for 60C rise. Operating temperature range is −55C to 150C. Ace Electronics Associates Inc., 103 Dover St., Somerville 44, Mass.

▪ **High temperature capacitor** with low dielectric absorption, operates at temperatures up to 200C without derating has power factor less than 0.0005 and "Q" above 2,000. Standard units have insulation resistance greater than 10^{10} at 200C, more than 10^{11} at room temperature. Units are available in sizes from 0.001 to 2 mfd., 150 to 4,000 volts d-c, with tolerances of 1-10 percent. Balco Research Laboratories, 4953 Edison Place, Newark, N. J.

Microwave Devices

▪ **EHF microwave generators,** a new line covering band from 18 to 50 kmc. utilizing interchangeable tuning units, are now available from Polarad Electronics Corp., 43-20 34th St., Long Island City 1, N. Y.

▪ **X-band klystron,** Model VA-806, provides 2,000 watts continuous power in the 7,125 to 8,500 mc. range, with



power gains of approximately 50 db for frequencies, amplitude or phase modulated input signals. Tube is water cooled, has four-with cascade amplifier that can be tuned to within 25 mc of specified center frequency. Complete specs and data are available from Varian Associates, Applications Engineering Dept., Palo Alto, Calif.

• **Direct reading attenuator,** Type M164A, covers range of 50 to 75 kmc., for use in RG-98/u type waveguide. The unit can be calibrated to 50 db with maximum calibration error of 0.1



db or 2% of reading whichever is greater. Transmission loss is less than 1 db and not included in calibration. I. R. Machine Works, Inc., Electronics & X-Ray Div., 26-12 Borough Place, Woodside 77, N. Y.

• **Broadband millimeter waveguide crystal,** for mixer or low-level video detector use in the 26.5 to 75 kmc. range, measures ⅞x¾x¾ in. Crystal case is silver plated brass and forms a section of



ridged waveguide with crystal as an integral part. Microwave Associates, Inc., 22 Cummington St., Boston 15, Mass.

Instrumentation

• **Portable transistor tester,** Model KT-1, measures beta, h_{11} and I_{co}. Unit is self contained and battery operated. It

measures 5¾x5¾x10 and weighs 3 lb. Baird Atomic, Inc., 33 University Road, Cambridge 38, Mass.

EQUIPMENT

Silicone Rubber Is Electrically Conductive

A new development in silicone rubbers (AW Jan. 14, p. 82)—electrically conductive compounds—has just been made available in production quantities by the Silicone division, Union Carbide and Carbon Company.

The manufacturer says that "the new elastomers are highly unusual in that they retain their conductivity with little change after both repeated flexing over 100,000 cycles, and while under considerable stress—even at 200% elongation—to the point of being the best yet seen in reported values on elastomeric materials."

Called Union Carbide X-1516, the new, conductive silicone rubber enjoys all the usual advantages common to non-conductive, silicone rubbers—resistance to high and low temperatures (the new compound's temperature limits under continuous exposure are −80° to +400°F), weathering, corona, ozone and having the quality of being generally inert.

By contrast, conductive organic rubber has approximate temperature limitations—depending on the particular compound—of about 0°F to +250°F and its resistivity can change radically under manufacturing operations or with any appreciable amount of flexing.

Aviation Applications

A Union Carbide spokesman told AVIATION WEEK that X-1516 is currently attracting more industry interest than any of its other silicone rubber products.

He said that the Royal Canadian Air Force is currently testing X-1516 as both a thermal wing deicer and as material for camera warming blankets. In the latter application, the conductive silicone rubber is laminated between two sheets of general purpose, non-conductive silicone rubber, such as Dow Corning K-1035, to provide electrical insulation for the conductive X-1516. The heating blanket is shaped to conform generally with the shape of the camera to be heated to provide a close, and therefore efficient, fit.

Union Carbide said that U. S. airframe manufacturers have also expressed interest in X-1516. Among them is Chance Vought which is interested in possible use of the material in a tooling program for manufacturing aircraft assemblies by adhesive bonding rather than by conventional riveting.

The flexible rubber heating blankets would be used to set the adhesive bond while under pressure. Use of silicone



Effect of Flexing on the Electrical Resistivity of Union Carbide X-1516*

No. of flex cycles	Original Resistance	Electrical Resistivity (ohm/cm) 1 min. after flexing	1 hr. after flexing	24 hr. after flexing
0	10			
100		16	13	13
1,000		13	12	11
10,000		14	13	12
100,000		16	14	13

* Mold cure: 20 min. at 330°F; Postcure: 6 hr. at 350°F



rubber allows the blankets to be heated as high as 400F for indefinite periods and to 450F intermittantly.

X-1516 Conductivity

The company says that Fairchild and Comair are also interested in X1516 for unspecified uses.

Conductivity of X-1516 is achieved through the use of carbon black as a filler. The degree of conductivity in silicone rubber can be varied by the type and amount of carbon black used.

Union Carbide points out that "while any black will produce a conductive silicone elastomer, acetylene black has the most desirable combination of properties for the practical preparation of conductive silicone rubbers. Acetylene black's extremely high electrical conductivity, coupled with its compounding versatility make its use highly desirable."

Addition of Silica

It is possible to use a mixed silica-carbon black filler to control the electrical conductivity or processing properties of conductive silicone rubber stocks. If small amounts of silica are added to an acetylene black filled stock, the extrudability and calenderability of the rubber is improved.

Addition of silica also increases the tensile strength and hardness of silicone rubber and decreases its elongation. And, since the silica's effect on resistivity is small, its addition provides a convenient means of producing an entire hardness family of conductive rubbers.

Price of Union Carbide's X1516 ranges from $4 to $3.60 a pound, depending on the quantity produced.

Boeing Recovery Closes B-52 Production Gap

Boeing Airplane Co., through intensive schedule recovery program, is within two airplanes of its master B-52 delivery schedule.

Alternator-pack difficulties, fuel system rework, engineering changes to increase performance, new sealing procedure on fuel cavities caused slip in schedule.

Recovery program, with target of reaching within nine planes of master schedule exceeded this goal by seven airplanes.

Boeing YC-97Js Complete MATS Logistical Tests

Two Boeing YC-97J aircraft powered by Pratt & Whitney T34 turboprop engines were transferred to another command after completion of tests by Military Air Transport Service of turboprop aircraft as logistical carriers. MATS reported satisfaction with the performance of the aircraft.



AIRMAN CHECKS Automatic, dual diesel powerplant manufactured by Consolidated Diesel Electric Corp. for radar stations in case of commercial power failures.

Con Diesel Develops Automatic Standby Power for Radar Stations

A completely automatic, dual diesel standby powerplant to supply electric current to gap-filler radar stations in case of commercial power failure are being delivered to the Department of Defense by Consolidated Diesel Electric.

(Gap filler radar stations are installations which cover gaps between main and auxiliary radar stations because of uneven terrain or other reasons.)

Labeled Model 4000, the compact packaged powerplant will be used for 80% of all gap-filler radar installations in the U. S., according to Con Diesel.

Automatic Check

Here is what the automatic power plants will do:

- Fluctuation or failure of commercial power triggers the Model 4000 to disconnect the incoming commercial power. Then both of its diesels start simultaneously. Full electrical load will be supplied in 12 sec. or less.
- First diesel to reach full power output signals the second unit which turns itself off and returns to standby condition.
- Automatic check of the commercial power supply voltage after the voltage has returned to the correct range is provided. If commercial power remains within correct limits, the unit switches the radar station to commercial power, shuts itself off and the operating diesel returns to standby condition.

The unit also sends signals concerning its own operating conditions to technicians at control centers miles away. If one of the diesels fails to put out sufficient power because of lubrication or other malfunction, it turns itself off and signals to the main control station the fact that it has failed and the reason why.

A memory system which records control or mechanical deficiencies in the units, indicates to control station technicians what repairs are necessary and what parts need adjustment or replacement.

As the failing unit shuts itself down, it signals to the standby diesel to start up and take over the load.

Awarded Contract

The company has also been awarded a $1 million contract for similar automatic electric generator sets by the Civil Aeronautics Administration. The power units will be used to supply current to GCA systems in case of commercial power failure. First shipments will be made in April.

Con Diesel's automatic power equipment in the Continental Radar System plays a large part in the operation of SAGE, the Semi-Automatic Ground Environment System according to the manufacturer.

The company says that, within the last 18 months, it has received orders for over $6 million worth of special generator sets to support advanced electronic equipment.



Reefing Line Cutter For Cargo Chutes

This new cartridge actuated device is a light-weight, variable time-delay parachute reefing line cutter to be used with large cargo-type 'chutes. (A reefing line, laced around the bottom of a cargo 'chute's skirt, is needed to keep the canopy's opening to about 25% of its normal opening speed to prevent ripping). After the canopy opens, the reefing line must be cut. This is accomplished by attaching a shortened shroud line to the cutter's sear.

As soon as the sear is pulled, a spring-loaded firing pin initiates a primer and, in turn, a pyrotechnic delay element which can be controlled for a 0-10 sec. delay. When it has burned through, the element initiates the main charge which forces a cutting edge forward to sever the reefing line which has been threaded through cutter. Device can handle nylon rope to ¾ in. in diameter.

The cutter is 6 in. long, ¾ in. in diameter, and weighs 3 oz. compared to 1.2 lb. for similar currently used cartridge actuated devices. The unit may be reused, and the time delay may be varied after each use as desired.

Manufacturer: The Talco Engineering Co., Hamden, Conn.

Amalgamated Wireless Becomes Napier Agent

Amalgamated Wireless Ltd. will be Australian agent for D. Napier & Son Ltd. Agreement covers turbine engines, rocket engines and all other Napier aviation products except Spraymat anti-ice heating system for which separate, broader agreement is being negotiated.

MARTIN'S TM 61 Matador poised for launching on a Union Switch & Signal transport trailer. Two ball-and-sockets support front of the missile. The rear support is a bolt which restrains the missile until full power is attained.

Mobile System Developed for Matador

By George L. Christran

A new all terrain mobile ground support system has been developed for the TM 61B Matador (AW Jan. 28, p. 30) Glenn L. Martin Company's latest version of the surface-to-surface tactical guided missile.

Self-Sufficient

The completely self-sufficient ground support system is made up of two vehicles—a multi-purpose prime mover called the MM-1 Teracruzer and a Matador-carrying semi-trailer, the Translauncher which sends the missile on its mission.

Key to the truck-trailer's ability to blaze its own trail over terrain impassable to standard military trucks is the barrel-like low pressure pillow tires on which both tractor and trailer ride.

Four companies are cooperating in this phase of the USAF's Matador weapons system program.

The Martin Company builds the missile and is the prime weapons system contractor.

The Teracruzer was engineered and built by Four Wheel Drive Auto Company.

The Translauncher semi-trailer is part of a new ground support system developed by Goodyear Aircraft Corp. for use in launching the Matador missile.

Goodyear Aircraft built the prototype trailer, has sub-contracted production units to Fruehauf Trailer Company's Missile Products Division.

The tubeless, bag-like Terra-Tires were designed and manufactured by the Aviation Products Division, Goodyear Tire and Rubber Co.

Tubeless Terra-Tires

Twelve Terra-Tires are used on the tractor-trailer, eight on the Teracruzer and four on the Translauncher. Each huge tire is 3¼ ft. long and 3¼ ft. in diameter. Air pressure varies from 3 to 15 psi.

Terra-Tire features include:

- Pressure in each tire may be con-



TERACRUZER'S eight terra-tires are powered. Steel cabinets behind cab contain food, electrical maintenance, service and other equipment. Translauncher carries and launches missile.

trolled by the Teracruzer driver to adapt it to the terrain over which it is rolling.

• **Suspension** of the tires in fore-and-aft pairs is such that the forward tire bags can be tilted upward to act as compactors to pack down snow, sand or mud, if necessary.

• **Wide tread** allows the heavy vehicles —each weighs 15,000 lb.—to negotiate almost any type of terrain such as boulder-strewn areas, rough hills, tundra, snow, and swamps.

• **Low pressure** permits the truck-trailer to travel over such bumpy surfaces as railroad tracks; it speeds up to 25 mph while transmitting virtually no shock or vibration to missile or personnel because the soft rubber bags engulf rails and ties and the vehicles flow over the obstacles. On smooth terrain the machine can travel up to 40 mph.

Teracruzer Details

All eight wheels of the Teracruzer are powered by a single 250-hp. Continental air-cooled engine. The engine also supplies the power needed to operate the missile ground support equipment such as cranes and electricity.

The Teracruzer is a multi-purpose vehicle. Other than towing the Translauncher, it can, without altering its flat bed or frame, transport missile noses, boosters, fuel, crane squadron cargo, communications and supply gear and provide the necessary testing power. This concept constitutes Goodyear Aircraft's basic missile ground support system for the TM-61B.

The cab-over-engine style vehicle weighs 15,000 lb., is 30 ft. long and 9 ft. wide. Its 18-ft. flatbed body has an 8-ton capacity.

The Translauncher, which also weighs 15,000 lb., is 34 ft. long—somewhat shorter than the Matador—and 9 ft. wide.

All equipment will operate in temperatures from −65F to +125F.

Both the Teracruzer and Translauncher are air transportable in a Lockheed C-130 Hercules.

TM-61B Matador

Martin's TM-61B Matador is longer than the original missile, has increased range and a more powerful engine. Its blunter nose houses an improved guidance system.

Folding wings allow the missile to be hauled over roads; yet it can be put into flying condition in minimum time.

The Matador's dimensions are: span—22.9 ft.; length—42.1 ft.; fuselage diameter—54 in.; gross weight—15,000 lb. It is powered by an Allison J-33 jet engine.

Production of the many components of the missile system has already begun under multi-million dollar Air Force contracts. All items of the missile ground-support system were developed

for the USAF's Air Research and Development Command, with technical guidance from Wright Air Development Center, for Tactical Air Command use with the Matador.

Predecessor Model

The TM-61 Matador, predecessor of the TM-61B, was transported and launched from a different type of trailer.

The transport vehicle was developed in 1951 through a cooperative effort by Martin engineers working with designers from Union Switch & Signal division of Westinghouse Air Brake Co.

The launcher, whose chassis was made by Truckaid Trailer Company, was manufactured by U. S. & S.

The tandem axle trailer mounts all the electrical hydraulic and mechanical controls necessary for launching the missile.

The TM-61 Matador has been on duty overseas since March 1954.

OFF THE LINE

Lockheed Aircraft Service and its parent company, Lockheed Aircraft Corp., were commended by Rear Adm. James S. Russell, Chief, Navy Bureau of Aeronautics, for resolving difficult engineering, production and flight problems in modifying four P2V-7 Neptune patrol bombers and have contributed substantially to the support and success of Operation Deepfreeze II. This is the Navy's current expedition in Antarctica. The modifications involved rigging the aircraft with both skis and conventional landing gear, installation of special heating equipment for pre-heating engines prior to take off, provisions for heating the aircrafts' interiors while being serviced on the ground, and installation of JATO bottles for additional thrust at take off.

Ten explosion-proof test stands for production testing fuel controls for Pratt & Whitney Aircraft's J57 and J75 jet engines will be manufactured for P&WA by Consolidated Diesel Electric Corp.'s Test Equipment division. The stands, equipped with 125 hp variable speed drives, will handle fuel flows up to 30,000 lb./hr. and pressures to 1,000 psi. The stands are designed to accommodate the addition of automatic electronic control and recording equipment at a later date. Test consoles are isolated from drive motors by cinder block walls to protect the operators.

Mobile, ground support equipment, incorporating a gas turbine compressor, is being manufactured by Consolidated Diesel Electric Corp. for the Royal Canadian Air Force's supersonic CF-105 jet fighter. The company will supply the self-propelled pneumatic power-plants, used to start the CF-105, under an $86,000 contract. The gas turbine compressor is rated at 117 lb./min. at 50 psi and 370F discharge temperature on a standard day.

A USAF contract for precision camera parts made from titanium has been awarded to Gordon Enterprises, camera manufacturers. One part will be camera shutter blades .007 in. thick, about the same thickness as photographic film. The titanium shutter blades, which combine high strength with extreme lightness, will allow camera shutter speeds heretofore unobtainable. The titanium blades are also corrosion-resistant.

An undisclosed number of twin-jet Douglas A3D carrier-based aircraft are being converted to aerial tankers. Probe-and-drogue system will be used. Conversion kits will consist of a reel, hose, drogue and dump line. In addition, large extra fuel tanks will be installed in the planes' bomb bays. The tanker unit within the bomb bay will be self-sufficient except for the power source and remote controls. Also, all A3D aircraft will be converted as receivers by the addition of probes so that they may be refuelled in flight by tanker aircraft. The 600 mph-plus tanker A3Ds will be used to refuel Navy fighter, interceptor and bomber aircraft. Flight Refueling, Inc. of Baltimore, Md., has been awarded a $2 million contract for design and production of the hose reel installation.

Detection Gear Locates Minerals

Sikorsky S-55 of Aero Service Corp. is fitted with devices on the nose, on the tail and under the tail boom to detect the presence of lead, copper and zinc deposits under ground. New magnetometer gear, developed by Geophysical Department of Newmont Mining Corporation of New York indicates the size or grade of the ore body. Other equipment is carried for locating radioactive ores. Aero service has flown more than 1 million mi. with airborne electromagnetic equipment for the mining industry. Helicopters can cover more ground in a day than ground crews can in months.

WHAT'S NEW

Publications received:

Patent Notes for Engineers—by C. D. Tuska—Pub. by McGraw-Hill Book Co., Inc., 330 West 42nd Street, New York 36, N. Y. $4.00. 192 pp.

This, the seventh edition, gives a clear idea of what patentable inventions are and how to protect them, with explanations of how applications are prepared, filed, and acted upon.

The Journal of Air Law and Commerce—Ed. by Edward C. Sweeney—Pub. quarterly by the Transportation Center at Northwestern University, 1818 Hinman Avenue, Evanston, Ill. Single copy, $1.75, subscription $6.00.

The Journal covers the latest developments in domestic and international aviation, issues and trends, recent court cases, state and local aviation news, and includes a bibliography of pertinent books and periodicals.

Competition Among Domestic Air Carriers—Prepared by the Civil Aeronautics Board—Pub. by the Air Transport Association—May be ordered from Mr. Gilbert L. Bates, Research Department, Air Transport Association, 1107 Sixteenth Street, N.W., Washington 6, D. C. $90.00.

Two studies, based on the Origination and Destination Surveys of the

CAB and conducted in March and September of 1955, provide for the first time, quick and authoritative answers to many questions about competition in the nation's scheduled airline industry.

Flying Saucers! An Analysis of the Air Force Project Blue Book Special Report No. 14—by Dr. Leon Davidson—Pub. by Dr. Leon Davidson, 64 Prospect Street, White Plains, New York. $1.00, 83 pp.

As a public service, Dr. Davidson has presented a photo-offset copy of the full text of the Air Force report, some of the important tables and figures from that report, and his own analysis of it.

ASTM Methods for Chemical Analysis of Metals—Pub. by, and available from, the American Society for Testing Materials, 1916 Race Street, Philadelphia 3, Pa. $8.00, 640 pp.

This publication is essentially a part of the Book of ASTM Standards, and contains all ASTM methods for chemical analysis of ferrous and non-ferrous metals and alloys, including spectrochemical procedures.

Reports Available:

Atmosphere Models—Pub. by, and available from, at no charge, General Electric Company, Missile and Ordnance Systems Department, 3198 Chestnut Street, Philadelphia 28 pp.

Guided Missiles: Modern Weapons for the Modern Army—Pub. by, and available from, at no charge, General Electric Company, Missile and Ordnance Systems Department, 3198 Chestnut Street, Philadelphia, Pa. 16 pp.

The brochure includes a 45 r.p.m. recording of the launching of the Army Bumper missile.

The following reports are available from the Office of Technical Services, U. S. Department of Commerce, Washington 25, D. C.:

Preliminary Measurements of Nonsteady Velocities in a Single Stage Axial-Flow Compressor—by H. Yeh, H. M. Croner, and D. E. Andrews, the Johns Hopkins University for Wright Air Development Center. Order PB 121434. $1.25, 48 pp.

A Design Manual for Regenerative Heat Exchangers of the Rotary Type—by H. H. Sogin and K. Hassan, Illinois Institute of Technology for Wright Air Development Center. Order PB 121469. $3.25, 122 pp.

Study, Standardization of Specifications for Insulated Wire—by M. A. Horn and R. W. Stoneburner, Jr., Convey Engineering Co. for Wright Air Development Center. Order PB 121318. $.75, 29 pp.

A Quick Disconnect Adapter for External Power Cable—by J. W. Hamilton, Airtron, Inc. for Wright Air Development Center. Order PB 121283. $.75, 26 pp.

Study of Coiled Tubing for Aircraft Hydraulic Systems—by C. H. Cooke and R. D. Stouffer, The Glenn L. Martin Co. for Wright Air Development Center, Feb. 1955—Available from Office of Technical Services, U. S. Department of Commerce, Washington 25, D. C., order PB 121477. $3.00, 115pp.

Properties of Molybdenum Disulfide—Designated Bulletin Cdb-5 in the Climax Chemical Data Series—Issued by Climax Molybdenum Co., Dept. L, 500 Fifth Avenue, New York 36, N. Y., and available on request. 2pp.

Regulations of the Administrator, Part 507, Airworthiness Directives—A Civil Aeronautics Administration publication available from the Superintendent of Documents, Government Printing Office, Washington 25, D. C. Subscription price, $1.50 domestic, $.50 additional if mailed to a foreign address.

Engineering and Design Manual—To be published by the Investment Casting Institute in the late Spring of 1957, may be ordered in advance from the Institute, 27 East Monroe Street, Chicago 3, Ill. $5.00, 64pp.

Sud-Est to Produce 500 Alouette Copters

Paris—Sud-Est Aviation has set a production and sales goal of 500 for its turbine-powered S. E. 3130 Alouette II helicopter, holder of the rotary wing world's altitude record of 26,932 ft. Mass production of the multi-purpose helicopter is under way in Sud-Est's Courneuve plant near Paris.

Alouette II now is rolling off the assembly line at the rate of 13 a month. At the end of 1956, 32 production models of the five-place copter had been delivered to the government.

Bristol Awarded Overhaul Contract

Winnipeg—Bristol Aircraft (Western) Limited of Winnipeg has been awarded a $1,220,000 defense contract for the repair and overhaul of Royal Canadian Air Force aircraft during the two years ending March 31, 1958.

The Bristol plant in Winnipeg is one of the largest in Canada and it has been doing extensive work for defense.

NEW AVIATION PRODUCTS

Baggage Fire Detector

Baggage compartment fire detector is thin shelled stainless steel, hermetically sealed unit weighing 4.3 oz. It has temperature adjustment range from 50F to 350F, can withstand exposure to −65F indefinitely and to 2,000F for short periods. Detector is two wire unit with separate terminal block and is mounted on slotted cover plate which fits existing electrical boxes. Contacts close when temperature rises above set point. Current rating is 5 amp at 125 VAC, 2 amp at 28 VDC and 1 amp at 48 VDC. It is being installed in Class D baggage compartments of new DC-6 and DC-7 aircraft.

Aviation Products Division, Fenwal Inc., Ashland, Mass.

Borescope Examines Interiors

Periscope can be inserted through 1/10 in. openings to view objects 20 feet away. Called "borescope," it is a modification of medical instruments used to examine the interiors of body cavities. A built-in flashlight illuminates the object. Borescope may be inserted in spark plug hole to check cylinders and valve seats for cracks or used to read gages in nuclear reactors from a safe distance. Time is saved in these and many other uses where disassembly can be avoided. Lens system, called "Fontar," has objective lens at one end, achromatic intermediate lenses throughout length of .09 in. tube and ocular lens and erecting prism at viewer's end.

National Electric Instument Co., 92-91 Corona Ave., Elmhurst, L. I., N. Y.



Valve for Corrosion Service

Corrosion resistant, bubble tight needle valve is compatible with standard fittings and piping methods. May be useful in handling oxidizer and propellant in liquid propellant rocket systems. Non-toxic and non-burning valves are

Light Trainer for Norway's Air Force

Swedish-designed Saab-91 Safir is used by the Royal Norwegian Air Force as a light trainer in primary schools. Powered by a 190 hp. Lycoming, the Safir has a top speed of approximately 170 mph., cruises at 150, and has a range of 670 mi. Maximum gross weight is 2,686 lb. The trainer can be fitted with two 8-mm. machine guns in the wings and eight 63 mm. rockets or training bombs. It has a retractable tricycle landing gear. Civilian versions have also been built in Sweden and under license in Holland. Used as a personal and business plane the Safir seats three or four persons. By removing the rear seats a quarter ton of cargo can be carried. Several foreign airlines have purchased Safirs for use in their pilot training programs.

made of polyvinyl chloride, Teflon, Kel-F and 18-8 stainless steel. They provide micrometer type adjustment by coupling calibrated body and indicator handle to fine threads that position the needle. All contact with the liquids handled is limited to corrosion resistant materials.

The valve operates in temperatures up to 170F and pressures up to 170 psi.

Chemtrol Corporation, 1513 W. El Segundo Blvd., Compton, Calif.

Ground Crew Noise-Barrier

Ear protector for ground crewman endangered by jet engine noise combines fluid filled sealing pads and simple self-adjustment to provide maximum noise protection and nearly universal

fit. It uses no bulky absorbing material nor large sealing shells. Weight is less than 10 oz.

Loudest noise produced by current engines is reduced to a safe level. Production will begin soon.

Radio Corporation of America, RCA Building, 30 Rockefeller Plaza, New York 20, N. Y.

High Accuracy Remote Control

Follow-up remote control of high accuracy and low costs sets position of valves, variable speed drives, jacks,

rheostats, etc. according to position of vernier dial on unit face. Accuracy with precision, multi-turn potentiometer is ±0.04%. Adjustable anticipation slows control motor as desired setting is ap-

proached, thus eliminating overshoot and hunting. Accuracy adjustments permits introduction of lost motion which may be desirable for certain applications. Unit is designed for use with shaft mounted control gear motor with built-in potentiometer made by same manufacturer but may be used with other gear motors. Follow up time may be a minute or less than a second depending on control motor used.

Jordan Co., Inc., 3235 W. Hampton Ave., Milwaukee 9, Wis.

Area Radioactivity Monitor

Radioactivity monitor for checking areas, personnel and equipment. Called Nucleguard, the unit has new 3-cycle logarithmetic count rate meter. It is available with either beta-gamma sensitive GM probe or gamma sensitive scintillation probe. Any desired warning level may be preset. When it is



exceeded, a visual and audible alarm warns people in the area. It plugs into any 110 v. outlet and is only 8 in. x 9 in. x 18 in. Weight is about 15 lb. Probe has 6 ft. reach. Equipment has built-in precalibrated test sample and 3,600 cpm. test signal. Sensitivity is 50 to 50,000 counts per minute.

Nuclear Measurements Corp., 2460 N. Arlington Ave., Indianapolis 18, Ind.

Turco Develops New Magnesium Finishing

Los Angeles—Development of two magnesium finishing processes to replace Dow No. 17 and Dow No. 18 has been announced by Turco Products, Inc., manufacturer of industrial chemical processing compounds.

The company says the single package Turco processes are designed to provide magnesium with better corrosion resistance, abrasion resistance and paint bonding properties, to eliminate the need for precise measuring and mixing of several chemicals and to overcome the resultant inconvenience and chance for error. Additionally, it said, they do not require complicated control procedures.

Both processes are approved for use by the Magnesium Division, Dow Chemical Company.

Scientists on Verge Of Tiny Measurement

Washington—Government and industrial measurement scientists are approaching the verge of working the "smallest miracle" of precision measurement—splitting the inch into fractions of millionths.

Louis Polk, president of the Sheffield Corporation, Dayton, Ohio, and vice president of Bendix Aviation Corporation, told the 12th annual meeting of the Dimensional Standards and Metrology Division of the American Ordnance Association at the National Bureau of Standards that:

"Some industries producing precision products for both military and civilian use have increasing need for the super-accurate gaging and measuring devices that can be produced and utilized, by refining our absolute standard measurement to the seventh decimal place—or one tenth of a millionth of an inch."

The Sheffield executive vice president of the American Ordnance Association and Chairman of its Dimensional Standards and Metrology Division emphasized that the joint U. S. government-industry research program "has been the most practical and efficient method of advancing toward this most important precision measurement goal—an absolute standard of achieving gage block precision to one ten millionth of an inch."

In order to enable industry to produce accurately on some requirements to tolerances of a few millionths of an inch, gage blocks used to "set" gaging and measuring instruments in the supporting standards structure should be certified to accuracies within one-tenth of a millionth of an inch.

Mr. Polk congratulated Dr. A. V. Astin, director of the bureau, on progress toward this high degree of absolute gage block certifying accuracy being developed by the U. S. Bureau of Standards in a continuing joint research project with leading U. S. manufacturers of high precision gaging, control and measurement devices.

Putting this new "small miracle" of measurement to work will unfold new precision frontiers for U. S. production industries, Polk said.

U. of Colorado First In Astro-Geophysics

Denver—University of Colorado will start in late January teaching the first courses in a new department of astro-geophysics. Dr. Dayton D. McKean, dean of the university graduate school, said the department was the first of its kind in the United States.

McKean said the department will do

—among other things—research on the effect the sun and other bodies in outer space will have on future space travel.

"Effects of the sun and other materials in outer space will have a bearing on rocket, satellite and space travel," McKean said.

Walter O. Roberts, director of the high altitude observatory at the University, said it will be taking the lead in the research of physical conditions of interplanetary space, particularly near the sun.

Graduates of the department will be fitted for work in aviation research and guided missile study.

"The department will start out in a small way," Roberts said. "Only a couple of courses will be taught in the department for the first few years with perhaps a dozen or so students working for graduate degrees in this field."

Students other than those majoring in astro-geophysics will be able to take a course in the department," Roberts added.

The first course will be called "The Sun." Roberts said the department would use facilities already available in the high altitude observatory and in several laboratories on the university's campus.

Roberts said another field of study will be to determine "the effect of the sun's emissions on radio communications, the northern lights, the earth's magnetism and long-term climatic changes."

Roberts described the study of astro-geophysics as somewhat like astronomy, except that astro-geophysics deals with the relationship between astronomic bodies and the earth while astronomy is the study of celestial bodies.

Founding of the department followed close on the announcement that the University of Colorado had been designated a world data center for the International Geophysical year, 1957-58.

Solar Will Produce J75 Jet Components

Solar Aircraft Co. has received an Air Force contract for $1,300,000 of production facilities for J75 jet engine components.

Solar's Des Moines plant will build components for the engine in production quantities for Ford Motor Co.'s Aircraft Engine Div., which is manufacturing J75s under license from Pratt & Whitney Aircraft Co.

A 25% expansion of Solar's Des Moines plant is nearing completion to handle the J75 and various other aircraft engine and guided missile component programs.

Army Resumes Use Of Rick Helicopters

San Francisco—Rick Helicopters, Inc. was authorized to resume transportation of personnel in an Army shuttle service after the Army had suspended that phase of the operation as result of a fatal helicopter accident.

One of two Bell 47s assigned to the service crashed on Jan. 15, killing the pilot. Rick theorized it was caused by a seagull flying into the rotor.

The reinstatement came after an Army board made a special investigation of Rick's hiring practices, maintenance procedures and equipment. Pending outcome of the investigation, the Army restricted the airlift to freight.

The shuttle service, now on a trial basis, links three army sites—Fort Baker, the Presidio, and Angel Island, where there is a Nike installation.

Hawker Aircraft Co. To Lay Off Workers

London—Seven hundred production and office workers at Hawker Aircraft Company's Langley, Buckinghamshire, factory will be laid off by summer.

The dismissals follow cancellation of a Ministry of Supply order for 100 Hunter fighters.

A company official said the workshops are to be retained at Langley for the time being. He added that some employees at a Hawker factory outside the main workshop are expected to hold onto their jobs.

According to a union spokesman, workers will be dismissed according to an agreed on priority system.

Meanwhile, the Gloster Aircraft Company says it will drop 700 employes by June this year instead of 1,300 as originally estimated.

Convair Orders Tools For 880 Transport

San Diego—Convair is placing orders for $1,220,000 worth of machine tools for manufacture of its Model 880 jet transport. Capital funds for another $2 million worth of heavy tools and other equipment for the 880 program will be obligated soon, Convair says.

Ryan Declares 10 Cents Per Share Dividend

A regular quarterly dividend of 10 cents per share on common capital stock was declared by the board of directors of the Ryan Aeronautical Company. The 10-cent cash dividend is payable March 8 to stockholders of record February 19.



NOW!

RAYTHEON SHOOTS FOR FAR HORIZONS

in missile systems development!

You'll find an air of expectancy an electric contagious hustle that animates the whole organization at the modern suburban plant at Bedford. In such an atmosphere need we emphasize that there are scores of opportunities for engineers who are "on the ball"?

The tremendous growth of this Division is indicated by its evolution over a period of ten years from a small laboratory to an organization of over 3400 employees including more than 550 engineers. We have plants in Bedford, Lowell Andover Mass and in Bristol, Tenn., with flight test facilities at Oxnard Calif. and White Sands New Mexico As a prime contractor we have overall responsibility for these missile systems—Hawk I for the Army and Sparrow III for the Navy. Preliminary design of still more advanced missiles is our added responsibility.

We offer you vital interesting work of paramount importance, excellent salary and advancement prospects, informal working conditions tuition support plan for engineering courses and liberal fringe benefits.

If you are interested in the design, development and production of guided missile systems and have experience in these fields:

Aerodynamics	Mechanical Design
Stress Analysis	Hydraulics
Circuit Design	Systems Analysis

Electronic Packaging

Come in, telephone or send brief resume to:
G P O'Neil

RAYTHEON MISSILE SYSTEMS DIVISION

BEDFORD, MASS.

ELECTRICAL ENGINEERS

Many Engineers Want to Know:

Can I Use My Present Skills to Greater Advantage in Aircraft Nuclear Propulsion?

Here are the facts. Whether or not you have previous experience, your present professional competence can be the spring board to an outstanding career in developing nuclear power systems for aircraft because . . .

OUR COMPANY "CREATES" NUCLEAR ENGINEERS

This rapidly expanding department is able to make an unusual offer to capable engineers with from one to five years' experience.

A full-tuition refund plan for university courses leading to an M.S. in nuclear engineering, and also for any other degree in-plant training courses conducted by nuclear experts, and on the job training to prepare you for assignments in...

- Controls and Instrumentation (pneumatic hydraulic, electrical, magnetic servos)
- Printed circuit design
- Environmental testing for reactors turbojet engines and associated power plant equipment
- Comprehensive employee benefit program
- High Starting Salary
- Relocation expenses Paid
- Periodic Merit Reviews

The whole course of both military and civilian aviation can be changed by the development of aircraft nuclear propulsion systems at this major company

Openings in the West and Midwest

Send resume in confidence, stating salary requirements, to:

P-4070, Aviation Week
Class Adv Div
P O Box 12, N Y 36 N Y

ENGINEERS



AC OFFERS YOU SECURITY

G M's long-standing policy of decentralization creates unlimited opportunities for qualified Electrical, Mechanical Engineers and Engineering Technicians.

DEVOTED TO RESEARCH

AVIONICS — MISSILE GUIDANCE — JET ENGINE FUEL CONTROLS — COMPUTERS — COMMUNICATION EQUIPMENT — CIVIL DEFENSE AVIATION — AUTOMOTIVE ELECTRONIC PRODUCTS all offer you personally, opportunities that demand investigation To arrange personal, confidential interview in your territory, write today to

Mr. John F. Heffinger,
Supervisor of Technical Employment

AC'S new, modern 225,000 square feet, glass-masonry, aluminum plant (being built in suburban Milwaukee) is another step in GM's Electronics Division's Permanent, Progressive Program

For a confidential opinion as to how YOU can fit BEST in our Challenging Program write to us today

AC THE ELECTRONICS DIVISION
General Motors Corporation
Milwaukee 2, Wisconsin • Flint 2, Michigan

SWEET MUSIC FOR AERODYNAMICISTS

Try this on your piano—or one of our analogue computers:

Martin now is offering some of the most challenging and exciting opportunities available today in the field of aerodynamics.

Sound your "A" (or alpha) and put this to the test. From boundary layer control to heat barrier design... from Mach 2 to the escape velocity... Martin is working on it!

Result: Room for aerodynamicists who are tuned to tomorrow.

Contact J. M. Hollyday, Dept. AW-3, The Glenn L. Martin Company, Baltimore 3, Maryland.

MARTIN
BALTIMORE

chemical engineer

for REPUBLIC AVIATION

. . . for manufacturing research and process development work in aircraft nonmetallics. Must have experience in reinforced plastics, design and tooling. Knowledge of polyesters, epoxy, and phenolic resins is necessary. Experience in aircraft sealants, coatings, chemical milling, metal cleaning and plating and specification writing helpful. Ability to carry assignments through development stage into production is essential.

Among other advantages, Republic offers a comprehensive employee benefit program including company paid hospitalization and surgical insurance, accident and life insurance (when fulltime (2/3), 2-fold pension plan. Individual merit rated increases and many others.

Please send resume including details of technical background to

Mr. Paul Hortmon
Employment Department

REPUBLIC AVIATION
Farmingdale, L.I., New York

FLYING TIGER needs AIRLINE MECHANICS

Flight Line, Instrument, Electrical, Radio

Positions open at
LOS ANGELES, CHICAGO, DETROIT, IDLEWILD, N. Y.
(also foreign assignment)

TOP PAY
All employee benefits

Apply in Person or Write
FLYING TIGER LINE
Lockheed Air Terminal
Burbank, California

NOW TO BE THE HAPPIEST CREATIVE ENGINEER IN CALIFORNIA

Engineers (E.E., M.E., Mfg., Sales) can have 155 kinds of jobs that creative men dream about. Top salaries and benefits. Suburban locations in Fullerton, Newport Beach, Richmond or Palo Alto.

Write Beckman Instruments Inc., 2999 W. 5th St. 1st St. Los Angeles 5, California. Ask for Career File 16-C.

IMMEDIATE OPENING FOR ROCKET CONTROLS ENGINEER

Responsibilities will include supervision encompassing these areas

- Dynamic analysis of mechanical systems associated with Rocket Propulsion.
- Mathematical description of controlled rocket components with regard to system stability.
- Interpretation of designs for controlling rocket components.
- Analogue computer simulation to permit overall system study.

Qualifications Desired

- Must be Mechanical or Electrical Engineering or its equivalent.
- Experience in servomechanisms systems analysis and techniques.

Salary commensurate with background and experience.

WRITE: Chief Personnel Specialist
Dept. 55-E
Weapon Systems Division
BELL AIRCRAFT CORPORATION
P. O. Box 1 Buffalo 5, N. Y.

or Call or H. Ackerman collect at Niagara Falls 7951 Ext. 7210 for a personal interview

"Top of the World"... DRAFTING Opportunities

Here is an opportunity to join an organization that offers unlimited possibilities for job advancement and personal growth.

We seek men to design and develop a nuclear reactor for the propulsion of aircraft. There may be a place for you in this dramatic and thrilling achievement! If you're a detailer, designer or a facilities design draftsman, fill out the coupon below and rush it to us at once.

AIRCRAFT NUCLEAR PROPULSION DEPARTMENT

GENERAL ELECTRIC

P. O. Box 132 Cincinnati 15, Ohio

Dear Mr. Cowan:
I'm interested in full details about an opportunity at General Electric as Draftsman. Please send me more information. I understand all replies are held in strictest confidence.

Mr. John Cowan, Personnel Section A.N.P.D.
General Electric Co., P. O. Box 132, Cincinnati 15, Ohio
Name
Street
City State

TECHNICAL SALES AND SERVICE REPRESENTATIVE

Experienced in aircraft instruments and accessories. Must have ability to organize and supervise an instrument shop and coordinate a service and sales program in the Miami, Florida area.

Apply in person or write
MR. JEROME A. CHURCH
AIRWORK CORPORATION
5245 N.W. 36th Street Miami Springs, Florida

HELICOPTER PILOTS & MECHANICS JOB OPPORTUNITIES AVAILABLE

Bell 47
Sikorsky S-55
Sikorsky S-58

ROTOR-AIDS INC.
P. O. Box 1088 Ventura, California

AIRLINE MECHANICS

In March we start our new leases in Los Angeles where all phases of airline maintenance will be performed on DC-7B, Viscount, and Boeing Jet. We will have positions for licensed and unlicensed men with experience. To apply write

CONTINENTAL AIR LINES
Stapleton Field Denver, Colorado

ENGINEERS

If you have been looking for an Employment Agency that is skilled in the STATE OF THE ART of technical recruitment and RELIABILITY OF INFORMATION concerning positions, why not communicate with us at once! All position fee paid.

FIDELITY PERSONNEL SERVICE
1216 Chestnut St. Phila. 7, Pa.
Specialists in Aviation and Electronics

TWO "ROYAL" OPPORTUNITIES WITH ROYAL AIRCRAFT,

PRODUCERS OF AMERICA'S ONLY ALL NEW FIVE-PLACE TWIN ENGINE AMPHIBIAN, "ROYAL GULL"

Royal Aircraft Needs SALES EXECUTIVES

Extensive expansion program makes it necessary for us to add two high caliber sales executives to our staff.

• VICE PRESIDENT — SALES

Top Level management background necessary to organize and direct extensive sales program. Aircraft background preferred.

• REGIONAL SALES MANAGER

Must have considerable experience in organizing and supervising distributor operations. Current pilot rating desirable. Must be free to travel.

If you can meet these requirements and are interested in a real challenge, send your resume and a recent photo to

MAX I. BLACK

Royal Aircraft Corp.
(Subsidiary of Kearney & Trecker Corp.)

6784 W. National Avenue
Milwaukee 14, Wisconsin

REPLIES (Box No.) address to office nearest you c/o This publication Classified Adv. Div.
NEW YORK P. O. Box 12 (36)
CHICAGO 520 N. Michigan Ave. (11)
SAN FRANCISCO 68 Post St. (4)
LOS ANGELES 1125 W. 6th St. (17)

POSITIONS VACANT

Wanted—flight engineers. Will train personnel who have completed flight engineers written examination. Prefer qualified A & E mechanics with flight engineer written passed but will consider experienced engineers on Lockheed aircraft. Top salary and employee benefits. Based on West Coast. Apply or write to Resort Airlines Inc. P. O. Box 854, Alameda, Calif.

Wanted: A & E Commercial Pilot with instrument and multi-engine rating for Co-Pilot on Lockheed Lodestar with large corporation operating four aircraft. Advancement possibilities good for right man. Located Mid-Atlantic states. Want man with 1820 engine experience, as well as heavy aircraft maintenance experience, who is not afraid to work. P-1020, Aviation Week.

First pilot for new fully equipped Super 18 Beech for eastern corp. Write full particulars as to ratings, age, etc. Replies confidential. P-3924 Aviation Week.

Supt. of Maint. Lake Central Airlines, Minneapolis. 10 yrs. exp. in recip. Multi gas turbines. Administrative exp. req'd. Engineering background desirable. Write Director of Personnel, Lake Central Airlines, Weir Cook Airport, Indianapolis, Indiana.

Assistant and Associate Professor of Engineering. Able young Ph.D.s interested in teaching and research in equal amount. Well equipped and active professorial staff in thermodynamics and fluid mechanics is expanding to size comparable with internationally known group in mechanics of solids. Excellent opportunity for development and advancement. Write to Prof. J. Kestin, P. F. Maeder, or E. F. Prybatsie, or to D. C. Drucker, Chairman, Division of Engineering, Brown University, Providence 12, R. I.

POSITIONS WANTED

Engineering Manager; Chief; Project Engr. B.S.M.E. 18 years Aircraft Missile experience in Weapon System Development, structural electronic-mechanical and experimental engrg. fields. Capable organizer and manager, cost-time sales conscious. Salary area $15,000. PW-4160, Aviation Week.

Executive Lockheed Lodestar Crew pilot test 4 years ea. Ladestar, previous C-46, DC3, C54, Co-Pilot in A&E. Want 1st Class operation ea. Lockheed. PW-1168, Aviation Week.

Eleven years General Management Commercial AS&ME, personable, single, 34, ready. Resume on req. PW-4050, Aviation Week.

Chief Pilot and Co-Pilot thoroughly experienced in executive flying. Presently employed with one of entire 4 largest corporations. Desire to make change. Top references. PW-4111, Aviation Week.

Administrative position desired by current test pilot. Over 5500 hours including century series jets and multi engine aircraft. Education and wide experience in sales, public relations, accounting and training activities. Some experience with aircraft maintenance and production. Twenty years of diversified experience in the aviation industry. Personable, aggressive, age 45, family. Current annual earnings over $18,000. Sound reason for making change. Require 60 days notice to employer. PW-4108, Aviation Week.

MATERIALS STANDARDS ENGINEER

FOR THE MISSILE & ORDNANCE SYSTEMS DEPT. OF GENERAL ELECTRIC
—Prime Contractor for ICBM & IRBM Nose Cones

Position Responsibilities to develop departmental materials engineering standards participate in company, industry, professional society and governmental standards work. Advise all elements of the department of materials engineering standards

Position Requirements: At least five years' experience in materials engineering standards at professional level in the evaluation and application of ferrous and non ferrous metals plastics ceramics, and other engineering materials.

Since our Standards Engineers act as expert staff consultants to the entire organization an ability to cooperate effectively with different groups and individuals, plus a demonstrative capacity for analytical thought, is essential.

Salary and benefits are liberal and the facilities and equipment are excellent. We hold prime contracts of a long-term nature with all of the armed services. Our Manager of Engineering Administration will review your resume and if your qualifications are appropriate, invite you to visit our Philadelphia location at our expense for a personal interview. If you prefer, you need not reveal the name of your present employer

Please send resume in confidence to: Mr. John Walt Technical Recruiting Room 569-2

MISSILE & ORDNANCE SYSTEMS DEPARTMENT

GENERAL ELECTRIC

3198 Chestnut Street • Philadelphia 4, Pa.

Engineers

CHECK THIS LIST OF PROFESSIONAL SKILLS

- ☐ *Aerodynamics*
- ☐ *Thermodynamics*
- ☐ *Fluid Mechanics*
- ☐ *Fluid Dynamics*
- ☐ *Heat Transfer*
- ☐ *Experimental Analysis*

Experience in one or more of these fields may be your passport to an unusual job

The positions we are talking about involve complex theoretical and analytical work. Specific assignments involve developing components for new small turboshaft, turboprop and turbojet power plants for helicopters, convertiplanes, and other small aircraft. These components include:

• compressors • turbines • combustion systems • ducting • nozzles • diffusers

These opportunities for advanced work can lead to positions on either the specialist or management side of engineering. The benefits are extensive, and the location—in the New England area—rates high in culture, education and recreation.

Write in complete confidence to:

P-4118 Aviation Week, Class. Adv. Div., P.O. Box 12, N. Y. 36, N. Y.

EMPLOYMENT PROBLEM?

When you are in need of specialized men for specialized jobs, contact them through an employment ad in this publication

AVIATION WEEK Classified Adv. Division P.O. Box 12, New York 36, N. Y.

FOR RATES OR INFORMATION

About Classified Advertising,

Contact The McGraw-Hill Office Nearest You.

ATLANTA, 3
801 Rhodes-Haverty Bldg.
WAlnut 5778
R. POWELL

BOSTON, 16
350 Park Square
HUbbard 2-7160
H. J. SWEGER

CHICAGO, 11
520 No. Michigan Ave
MOhawk 4-5800
W. HIGGINS
J. BRENNAN

CINCINNATI, 37
1825 Yorktown Road
Swifton Village, Apt. 2
G. MILLER

CLEVELAND, 15
1510 Hanna Bldg
SUperior 1 7000
W. SULLIVAN

DALLAS, 2
Adolphus Tower Bldg.,
Main & Akard Sts.
Riverside 7-5064
D. BILLIAN

DETROIT, 26
856 Penobscot Bldg
WOodward 2-1793
W. STONES

LOS ANGELES, 17
1125 W 6 St
MAdison 6-9351
C. F. McREYNOLDS
D. BRENNAN
D. McMILLAN

NEW YORK, 36
330 West 42 St
LOngacre 4-3000
S. HENRY
O. COSTER
R. LAWLESS

PHILADELPHIA, 3
17th & Sansom St.
RIttenhouse 6-0670
H. BOZARTH

ST. LOUIS, 8
3615 Olive St.
JEfferson 5-4867
W. HIGGINS

SAN FRANCISCO, 4
68 Post St.
DOuglas 2-4600
W. WOOLSTON

MANAGER AIRCRAFT DIVISION

A well-established century-old company offers an exceptional opportunity for a capable executive to manage its Aircraft Sub Contract Division. The Division is currently producing a multi-million dollar volume of business principally in the field of aluminum honeycomb air frame and reinforced fiberglass plastic components. A list of prime contractors who are customers of this Division would include nearly every major aircraft company in the U. S. This Division is well known and respected in the aircraft field.

The man selected will have had major air frame experience with particular emphasis in planning scheduling and meeting production commitments. He must be cost conscious and although specific honeycomb and/or reinforced fiberglass experience is desirable we are more concerned that he be an experienced and effective administrator in this field. Immediate emphasis and attention would be placed on the production problems of the aluminum honeycomb division. However ultimate responsibility will encompass all areas of the business, i.e. manufacturing, engineering and sales of all products in the Aircraft Division.

This position offers a top salary, a substantial bonus and other attractive benefits in addition to pleasant living conditions in a Midwest location. A confidential interview may be arranged locally or in a major Midwestern city. Send complete resume to

P-4139 Aviation Week
520 N. Michigan Ave., Chicago 11, Ill

SALES ENGINEER

Aircraft Ground Support Equipment

If you have had 5 or more years' experience selling machinery, airframe components, instruments or similar equipment, an engineering background, military experience and a thorough knowledge of military procurement methods, we have an excellent opportunity for you as a Sales Engineer to the Military.

Your headquarters will be at our home office and your territory will consist of all the military procurement agencies.

Write, phone or come in to see us for additional information

PERSONNEL DEPARTMENT

CONSOLIDATED DIESEL ELECTRIC CORP.

880 Canal St., Stamford, Conn.

YOUR ORGANIZATION

Is it complete?

Are you expanding it?

Making Replacements?

Naturally, you are anxious to secure the most suitable man or men available. You want men with the special training that will make them an asset to your organization. You can contact such men through an advertisement in the Employment Opportunities Section of AVIATION WEEK

Classified Advertising Division—

AVIATION WEEK

330 W. 42nd St. New York 36, N. Y.

SEARCHLIGHT SECTION

(Classified Advertising)

BUSINESS OPPORTUNITIES
EQUIPMENT USED or RESALE

SPECIAL SERVICES

SCHOOLS

MECHANICALLY INCLINED MEN needed for Careers in Jet Industry . . .
As Jet Mechanics, Overhaul, Maintenance, Service with Opportunities for Bigger Pay, Better Jobs, Security. For information on first all-Jet Home Training
UNITED JET SCHOOLS
Dept AW International Airport San Francisco

IF YOU RENDER A SERVICE TO THE AVIATION INDUSTRY YOU SHOULD INQUIRE ABOUT THIS SECTION!
Write
Classified Advertising Division
P. O. Box 12 New York 36 N. Y.

WANTED

WANTED
GRUMMAN GOOSE
SEND COMPLETE INFORMATION AND PRICE TO
W-3817 Aviation Week
1125 West 6th St. Los Angeles 17, Calif.

SPARKPLUGS WANTED
Surplus or used aircraft sparkplugs wanted. Highest prices paid for B-G 1N1 43582 3/2 5/3, 5/4, 5/6, 23B 27 B 23 21782, 31252 R F 43S LE 44 45 LS 48 A.C. 181 281 RB 18-2R 14 HI B.C. SR: R2 14 R & 214 R N 5 3 21062 48382 638 645
RADIO & ELECTRONICS SURPLUS
14000 Brush St Detroit 3 Mich

REPLIES (Box No.): Address to office nearest you c/o This publication Classified Adv. Div.
NEW YORK: P. O. Box 12 (36)
CHICAGO: 520 N. Michigan Ave. (11)
SAN FRANCISCO: 68 Post St. (4)

FOR SALE

New Bell 47 G&G Helicopter parts 1/3 off list. Stinson Field Aircraft P. O. Box 1738 San Antonio Texas CApitol 1-8171.

New E-6B Computers in leather case ($10.00 list) with illustrated direction manual ($3.00 list) both $6.95 Kans Aero Equip't 2108 N. E. 23rd St. Oklahoma City Okla.

WANTED

"Wanted: Lodestar fuselage or pieces of fuselage. Wanted for detailed parts. W-1606 Aviation Week

BUSINESS OPPORTUNITY

Patent for sale: Helicopter rotor Vanes for balancing side thrust of anti-torque devices. This invention improves helicopter stability and increases helicopter forward speed. Nemeth Aeronautical Lab., 1054 N. Central Avenue Chicago 44

now available—on display

Deluxe Super-92 DC3—Immediate delivery, with new ship guarantee on airframe and 800 hour guarantee on engines. Completely disassembled and rebuilt. Luxurious lounge interior, with all large cabin and picture windows. Flush loops, retractable tail wheel, lightweight landing gear doors. Collins and Bendix executive radio, many extras. Today's fastest and quietest DC3.

Super-92 DC3—Maximum completion as deluxe Super 92 DC3 in our own specifications, but still early enough in work to incorporate some of your own custom requirements. Will have all large windows, complete disassembly and overhaul, new ship guarantee, 800 hour engine guarantee.

Low Time C47s—A new one each month. They are now in various stages of disassembly, overhaul and recovering at our four convenient centers in St. Louis, Toledo, Mellida and Pompano, and can be completed with many of your own modifications with choice of engines, radio and electronic equipment and airframe refinements.

Grumman Goose—Immediate delivery. Freshly overhauled airframe, props and engines (with crankshaft modifications), new interior, new exterior paint, light weight, late model Omni, VHF, ADF, etc.

Grumman Gooses—Now in early stages of overhaul, ready for your own specifications.

Custom 18—Immediate delivery. New ship guarantee on freshly overhauled airframe, 800 hour guarantee on NI50 engines. Painted exterior, dolcers, redome nose. Grimes beacon, all large cabin windows. Custom 18 salvaged interior, with modified front bulkhead, lavatory, snack bar, special seats. Dual instrumentation, electric and vacuum, 12 autopilot, Grimes lights, Sperry HS horizon and C2 gyrosyn compass, dual 149H localizers, Collins 51R omni with 51V glide slope, A.R.C. omni, 50 channel VHF transceiver, standby A.R.C. 720 VHF transmitter, Bendix ADF 3, light marker, isolation amplifier, dual speakers, many extras.

Remmert-Werner of Florida

Pompano Beach Airport

Phone Fort Lauderdale—JAckson 3-2950
or Pompano Beach—3-2492 or 9175

DC-3 FOR SALE

We are owners.

LEEWARD AERONAUTICAL SALES, INC

P O BOX 233 MIAMI 48, FLA

NEW C-46 AIRCRAFT PARTS

Wings Model A & F	As low as $1500.00
Propeller Assy. (Hamilton Std) 23E50	$2695.00
Propeller Blades 6481 AO & -6	$ 775.00
Ailerons Model F & A	
Tip Assy. - Fin	
Flap Assy. - Engine Cowl	
Valve Assy. - Ldg. Gear Uplatch	

Large C-46 Parts Inventory
Quantity Discount to Dealers
All Shipments F O B. Our Plant
Material Subject to Prior Sale
All Inquiries will be Promptly Processed

Phone. STanley 7-5378

INTERNATIONAL AIRCRAFT MAINTENANCE CO
Hgr 3 Lockheed Air Terminal Burbank, Cal

FOR SALE

NOORDUYN NORSEMAN

Excellent condition

Total time on aircraft 705 hours. Engine TSO 250 hours. Pontoons—floaters—boat rack. Entire airplane recovered with Irish linen May 1954. Address inquiries to:

JOHN W. GALBREATH & CO.
42 E Gay Street Columbus, Ohio
Phone Capital 4-1106

Immediate Delivery

We stock overhaul, and install

PRATT & WHITNEY			WRIGHT		
R1830			R1820		
-75	-92	-94	-202	-56	-72
R985	R1340	R2000			

and our most popular DC3 engine

R1830 - SUPER - 92

ENGINE WORKS

Lambert Field Inc St Louis, Mo.

DC-4's

Cargo or Passenger

Heavy Floor and Cargo Door

R-2000-9M2—Engines
2876 Gallon Gasoline
Complete Radio Equipment
70 Passenger

Ready to Go

Contact Thomas Millstein
NATIONAL SURPLUS SALES CO.
1800-14 Charlotte, Kansas City, Mo.

GRUMMAN GOOSE G-21A

Serial 2116—N65407—Total time 3800:20 Hrs.—Fuel capacity 300 gallons—Executive interior—Room for six placed 2—Seats.
Fabric in good condition. Electric landing gear. Airplane is painted two shades of blue, with white top. Airplane is now in overhaul.
Engines Pratt and Whitney R-985 AH14B Hydromatic propellers.
Radio Equipment:
1—ARC 50 4330
1—ARC T11A VHF Transmitter
1—Airadio TRA 19 MHF Transmitter
1—ARC R11A Receiver
1—ARC R-15 Receiver
1—ARC R-13A Receiver
1—RC-103A Marker Beacon Receiver
1—Bendix TA12G Transmitter
1—RA2CA Receiver

R. G. HARRELL
Rt 1 Box 61-G Hitchcock, Texas
Phone Alta Loma, Texas 6314 or 3270

NAVCO

Lambert Field Inc. St Louis Mo
PErshing 1-1710
has in stock

A.R.C. Bendix Collins
Sperry Wilcox
Executive Aircraft Radio

SUPER WIDGEON

G44 & G44A— O SOH and Conversion. 3 Trade Ins available

GRUMMAN GOOSE

2 Available— O SOH, A & E
Finish Metal Wings

MALLARD

d30 Hrs Total 130 SOH A & E
A12 & Excellent Radio Many extras

WELSCH AVIATION CO.
60 E 42nd St NEW YORK 17, N Y
MUrrayhill 7-5824

Dual Owned with Owner

DOUGLAS DC-3

Fully equipped good airline radio, 26 passenger. Wright powered, currently on lease to major scheduled airline having used 7/10 hours daily.

Interested in sale lease back, straight lease or will consider outright sale. Or long term lease monthly rental. Lowest ever offered

TRADE-AYER COMPANY
Linden Airport Linden, N J.
Hunter 4-7690

FOR SALE

LOCKHEED LODESTAR

3600 Total Hours

Dual Instrumentation & Radio Equipment. Finest Executive Interior and Maintenance. Presently in Corporation Use by Original Owner—Located in Midwest—$130,000

FS-4479—Aviation Week
520 N. Michigan Ave., Chicago 11, Ill.

UNUSUAL OPPORTUNITIES

can be found each week in the

SEARCHLIGHT SECTION OF AVIATION WEEK

New Bell 47 D & G helicopter parts

50% off list.

STINSON FIELD AIRCRAFT
P O Box 1738 San Antonio Texas
CA 4-8434

CONSTELLATION 049

For lease, lease purchase or sale. CAA certificated. High Density Seating. Complete Airline Radio

ASSOCIATED AVIATION SERVICES
475 Fifth Ave New York 17 N. Y.
LExington 2-2844

AN HARDWARE & FITTINGS

Stainless, Aluminum, Brass, Steel. All sizes—immediate delivery from world's largest shelf stock. Buy direct from manufacturer. Lower prices—quicker service. Send for free well charts showing complete line of AN Fittings.

COLLINS ENGINEERING COMPANY
9050 Washington Blvd Culver City, California

PBY 5A'S

SALE OR LEASE

Recently overhauled and rewired
Modified for 2 crew, 15 Passengers, Cargo Doors
Airline Radio and instrumentation

TIMMINS AVIATION LIMITED

Montreal Airport, Montreal

Remmert-Werner

Inc. at	Inc. at	Inc. at
St. Louis	Florida	Toledo
Lambert Field	Pompano Beach	Express Airport

Ludestar DC3 Beech
Specialists in Conversion Maintenance Overhaul

WRIGHT—P&W ENGINES & PARTS

R1820
R1830
R2600
R2800
R3350



CALIFORNIA AIRMOTIVE CORPORATION

7139 Vineland Avenue,
North Hollywood, California
POplar 5-6202
STanley 7-3361

- COLLINS
- BENDIX
- SPERRY
- LEAR
- ARC

Page AIRWAYS INC

ROCHESTER AIRPORT
PHONE GENESEE 3-7201
ROCHESTER 11, N. Y.

RADAR

AUTOMATIC PILOTS
NAVIGATION AND
COMMUNICATION SYSTEMS

FLY FRIENDSHIP AIRPORT

TO WASHINGTON—BALTIMORE

40 mile to Wash.—20 min. to Balto.
Complete facilities—ex writing

Contact us for our time & hotel reservations
PAN-MARYLAND AIRWAYS, INC.
Friendship Airport Md.
CAA certified repair station

AVIATION WEEK'S

PUBLISHING DATE
FEB. 25, 1957

24th Annual Inventory of Airpower Edition

"Airpower in an Era of World Crisis"

Gets Close Attention from Engineering---Management...Your advertising will too!

STATUS of our country's airpower is the prime interest of aviation's designers, engineers, management and military people. They put a premium on the vital airpower information which they get each year from the Inventory Issue. And it's especially timely now when pressing world conditions and increasing air transportation demands force air weapon system developments and aircraft production at a rate difficult to keep up with. "Inventory of Airpower" Issue is the only source that fulfills the need for up-to-date information on developments and growth in the aviation industry.

Teams of AVIATION WEEK editors are presently engaged in amassing the voluminous airpower data that is packed into this issue. Special sections will be devoted to military budgets, military airpower trends and forecasts, air transport, missiles, engineering, manufacturers, avionics, helicopters, industry buying procedures and foreign airpower with particular emphasis on Russian airpower.

INDUSTRY as well as individual manufacturer's sales, financial, employment, production and plant statistics will be given. Included will be specifications on all U.S. and leading foreign aircraft, missiles and pilotless aircraft, rotary-wing aircraft, lighter-than-air craft and engines. Tables and charts will show military aircraft procurement and expenditures; aircraft on hand, on order and proposed plans; transport aircraft in use, and on order; traffic and business statistics and business and utility aircraft shipments. Every phase of the airpower subject will be reported with facts, figures, charts, tables and illustrations in an editorial format designed to provide the greatest possible long term usefulness.

"INVENTORY OF AIRPOWER" Issue will be received as a regular weekly issue by aviation's largest and most significant engineering-military-management audience — AVIATION WEEK's **64,193 net paid subscribers.** (Current print order, 67,949; June 1956 ABC net paid: 57,900.)

Advertisers are assured peak values because of the high readership gained through the years. Industry and military men have depended on this only source of airpower information to satisfy their needs and have established it as aviation's standard reference on the subject.

Get complete details by contacting Your AVIATION WEEK representative

District Offices: **New York 36,** 330 W. 42nd Street; **Philadelphia 3,** Architects Bldg., 17th & Sansom Sts.; **Cleveland 15,** 1510 Hanna Bldg.; **Chicago 11,** 520 N. Michigan Ave.; **Dallas 2,** Adolphus Tower Bldg.; Main & Akard Sts.; **San Francisco 4,** 68 Post St.; **Los Angeles 17,** 1125 W. Sixth St.; **Atlanta 3,** 801 Rhodes-Haverty Bldg.; **Detroit 26,** 856 Penobscot Bldg.; **Boston 16,** 350 Park Square Bldg.; **London EC 4,** 95 Farringdon St.; **Paris 8,** 5 Ave. George V.

AVIATION WEEK

A McGRAW-HILL PUBLICATION

ADVERTISERS IN THIS ISSUE

AVIATION WEEK, FEBRUARY 4, 1957

CLASSIFIED ADVERTISING

ADVERTISERS INDEX

LETTERS

Summing Up the Case

In recent years the ALPA embarked on a campaign to usurp the flight engineers' job. The campaign began mildly by means of manufactured rumor, passed by word of mouth from pilot to pilot. A classic example of this rumor, which has since been labeled "the big lie," was that the flight engineer was pushing for second in command and that the captain was losing his authority. We now find Captain R. C. Robson using this rumor in his editorial as if it were fact. I can best answer this by stating that we have yet to meet the captain who will testify that he is not in complete command of his cockpit.

The campaign of usurption has now arrived at the point of all out endeavor to discredit the flight engineer. In this respect, Capt. Robson used his editorial freedom to parrot the ALPA line even though he has very little personal knowledge of the true worth of the flight engineer. Certainly the record contains countless instances of that worth while such incidents as the crash of a DC-6 on a training flight with three captains in the cockpit is evidence of what can happen without the flight engineer.

This is not intended to be a criticism of pilot ability. To quote from the November 1956 issue of the International Transport Workers Federation of which ALPA is a member, "Let it be clearly understood that non-pilot crew members fully realize the tremendous responsibilities of the pilot and consequently sincerely believe that in his own interests and in those of the traveling public he should have under his control a specialized crew to assist him in his already onerous tasks and to enable the aircraft to operate safely and efficiently." It is known that a great number of pilots are not themselves happy with this jack-of-all-trades philosophy since with all the good will in the world there comes a stage when human limitations are reached, and when heterogeneous duties may well end in disaster."

The advent of the jet does not in any way change the picture. In the operation of jet aircraft and accessory systems, all indications are that experience and training requirements must be high and can not be subject to coercive forces stemming from selfish desires. Mr. D. P. Davies, Chief Test Pilot of the Air Registration Board in Britain, was recently asked whether it would be preferable that the third man in the cockpit be pilot qualified. He replied that maximum as only two pilots can fly the aircraft at a time there was no need of a third pilot, and the man should be there basically as a technical assistant to the pilot. In other words each member of the operating crew must be expert in his duties and speak the same language and understand the relationship of his duty and job to the overall question of safety in flight without harassment from outside organizations interested only in fomenting discord for their own selfish purposes. When all of the shy distorted words and acts of the ALPA are sifted out, the plain fact stands out the jet airliner ever so much more than the piston engine aircraft, will require the services of expert, dedicated crew members not the least important of which is the professional flight engineer.

DONALD H. TOWNSHEND
Huntington, L. I., N. Y.

(The above letter by Flight Engineer Townshend is typical of a large volume of mail received by AVIATION WEEK *taking issue with Capt. A. C. Robson's column in the Dec. 24 issue. Capt. Robson has the editorial freedom normally accorded a columnist, and his views do not necessarily coincide with the editorial policy of this magazine which is expressed—clearly we hope—on the editorial page.—Ed.)*

Aviation Week welcomes the opinion of its readers on the issues raised in the magazine's editorial columns. Address letters to the Editor, Aviation Week, 330 W. 42 St., New York 36, N. Y. Try to keep letters under 500 words and give a genuine identification. We will not print anonymous letters, but names of writers will be withheld on request.

Danger in Vortices

I should like to comment on the much needed story that was done so well by Claude Witze in AVIATION WEEK (Dec. 17, p. 32), entitled "Jet Vortices Present Light Plane Hazard."

The danger to aircraft, particularly light aircraft, encountering turbulence created by the wake of a multi-engine propeller-driven plane, or any jet airplane, is ever present and particularly dangerous because it is invisible.

The Civil Aeronautics Board issued a Safety Bulletin on this subject two years ago entitled "Keep Your Distance." (No. 187-53 currently available from the Superintendent of Documents, Government Printing Office, Washington 25, D. C. at 10 cents). It is even more important today because of the increased number of jet airplanes now flying.

In connection with the preparation of this CAB safety bulletin, I conducted a number of flight tests using an Ercoupe Model G aircraft. As a precautionary measure I was equipped with a seat pack parachute and shoulder harness. All flights were conducted in conjunction with a Constellation aircraft at 3,000 ft. altitude and encountered penetrations into the Constellation wake resulted as follows:

1. Right angle penetrations of wake one mile behind the Constellation, severe jolts and turbulence.

2. Right angle penetrations of wake one half mile behind Constellation, Ercoupe's forward speed arrested abruptly, followed immediately by extreme turbulent instability.

3. Oblique 35° angle penetrations into the wake one half mile behind the Constellation, a sudden, severe twisting force that inverted the Ercoupe almost instantly.

4. Identical heading penetrations dropping down into the wake one half mile behind the Constellation abrupt turbulent instability and partially inverted flight.

The severity of the result of all penetrations into the Constellation's wake increased when the Constellation was flying slowly, with gear and flaps down, a condition noted in Witze's article.

The Board's Safety Bulletin on this subject was emulated to the CAA air traffic controllers to alert them further to the danger of clearing light aircraft to land or take off too closely behind large multi-engine airplanes. Articles such as Witze's which emphasize the potential structural damage and loss of flight control that can result from inadvertent penetrations of wake of turbine forces will help to eliminate accidents from this cause. Such information must be constantly and widely disseminated to all pilots of light aircraft.

EDWARD E. SLATTERY, Jr.
Chief, Public Information
Civil Aeronautics Board

Pilot Simulation

In the Dec. 31 issue of AVIATION WEEK (p. 62-64), Mr. Klass has reported the results of some of our Pilot Simulation Research.

Would it be possible to purchase reprints of this article?

I personally wish to commend Mr. Klass for his masterly reporting of this research.

Thank you, I remain

ANTHONY J. CACIOPPO
Head, Human Factors Aerophysics Dept.
Goodyear Aircraft Corp., Akron, Ohio

Professional Standing

I recently read a letter to the Editor of AVIATION WEEK, signed by Aircraft Engineer (AW Oct. 22, p. 154).

The situation with respect to professional engineering employment described in this letter is not limited to the aircraft field, but seems to be practically universal.

It is interesting to note that in the Western European countries engineering is classed from the salary and prestige standpoint, on the same level as the other learned professions. In Russia, this profession outranks any other. In the United States, the engineering "profession" is fortunate if it can hold its own with such quasi-professional groups as morticians, secretaries, nurses, and realtors. These at least can change locations and employers within their general occupational group; engineers very soon become chained within a very narrow specialty with one particular employer, or limited group of employers.

It is also interesting to note that although the United States still holds the lead in most types of industrial achievement (including aircraft), progress in other countries (particularly Russia) is recognized as advancing in some fields at a greater rate than ours. How much of this can be attributed to the place of engineers in the industrial and overall picture?

HUGH L. LUTES
Wilmington, Del.



KLM ROYAL DUTCH AIRLINES

A new "Treat to go Dutch" for world air travelers

KLM Royal Dutch Airlines, the world's first airline, steps into the jet age of world air travel by ordering a brand-new fleet of 7-mile-a-minute Lockheed ELECTRAS with Allison Prop-Jet power.

KLM made this selection *after careful evaluation of all propeller-type aircraft power plants now built, or soon to be available.*

The 15,000 horsepower of the four Allison Prop-Jet engines will wing the Lockheed ELECTRA through the air at well over 400 miles per hour, cutting KLM's time schedules by 30% and providing new smoothness and quiet comfort over KLM's 152,000-mile air network.

What's more, it can operate out of "short-hop" airports with runways shorter than those required by today's four-engined transports.

In selecting Allison Prop-Jet power, KLM has demonstrated the same foresight that has marked the purchase of Allison Prop-Jet engines and Aeroproducts propellers by 5 major U. S. airlines—American, Eastern, National, Braniff and Western.

ALLISON DIVISION OF GENERAL MOTORS • ***Indianapolis, Indiana***

ALLISON PROP-JET POWER

AMERICAN-BUILT FOR THE JET AGE IN AIR TRAVEL